

## Chapter IX

### Literature Cited

- Abe, E., C. Miyaura, H. Sakgami, M. Takeda, K. Konno, T. Yamazaki, S. Yoshiki, and T. Suda. 1981. Differentiation of mouse myeloid leukemia cells induced by  $1\alpha,25$ -dihydroxyvitamin D<sub>3</sub>. *Proc. Natl. Acad. Sci.* 78(8):4990-4994.
- Adeola, O. and A. L. Sutton. 1995. Reduction of phosphorus in pig manure through phytase supplementation of diets. *Purdue University Swine Day Rpt.* p 5.
- Adibi, S. A. 1971. Intestinal transport of dipeptides in man: relative importance of hydrolysis and intact absorption. *J. Clin. Invest.* 50:2266-2275.
- Adibi, S. A. 1997. The oligopeptide transporter (Pept-1) in human intestine: biology and function. *Gastroenterology* 113:332-340.
- Adibi, S. A. and M. R. Soleimanpour. 1974. Functional characterization of dipeptide transport system in human jejunum. *J. Clin. Invest.* 53:1368-1374.
- Albin, D. M., J. E. Wubben, and V. M. Gabert. 1999. Approaches to collecting ileal digesta from swine. *University of Illinois Swine Research Reports.* p. 21.
- Amiel, C., H. Kuntziger, and G. Richet. 1970. Micropuncture study of handling of phosphate by proximal and distal nephron in normal and parathyroidectomized rats. Evidence for distal reabsorption. *Pflugers Arch.* 317:93-109.
- Anderson, J. O. and R. E. Warnick. 1964. Value of enzyme supplements in ratios containing certain legume seed meals or gums. *Poultry Sci.* 43:1091-1097.
- Anderson, P. A. 1985. Interactions between proteins and constituents that affect protein quality. In: G. W. Finley and D. T. Hopkins (ed.) *Digestibility and Amino Acid Availability in Cereals and Oilseeds.* p 31. American Association of cereal Chemists, St. Paul, MN.
- Anonymous. 1999. Hemicell<sup>®</sup> Feed Enzyme: Field and Pen Trial Data for Swine, Broilers, Ducks, Laying Hens and Turkeys. ChemGen Corporation, Gaithersburg, MD.
- AOAC. 1990. Official methods of analysis. 15<sup>th</sup> ed. Association of Official Analytical Chemists, Arlington, VA.
- Auclair, E. 1986. Etude des Pertes Azotees D'origine Endogene dans le Tube Digestif chez Trois Especies Monogastiques: le porc, le coq et le rat. Ph.D. Thesis. University of Clermont-Ferrand, Clermont-Ferrand, France.
- Aurbach, G. D. 1988. Calcium regulating hormones: parathyroid hormone and calcitonin. In: B. Nordin (ed.) *Calcium in Human Biology.* p. 43. Springer, Verlag, Berlin.

- Baker, A. R., D. P. McDonnell, M. Hughes, T. M. Crisp, D. J. Mangelsdorf, M. R. Haussler, J. W. Pike, J. Shine, and B. W. O'Malley. 1988. Cloning and expression of full-length cDNA encoding human vitamin D receptor. *Proc. Natl. Acad. Sci.* 85:3294-3298.
- Barker, J. C. and J. P. Zublena. 1996. Livestock manure nutrient assessment. In: M. B. Coelho and E. T. Kornegay (ed.). *Phytase in Animal Nutrition and Waste Management*. p. 17. BASF Corporation, Mount Olive, NJ.
- Beers, S. 1992. Relative tussen dosering microbieel fytase en de verteerbaarheid van fofor in twee verschillende startvoeders voor varkens. Rapport I.V.V.O. Nr. 228, Lelystad.
- Beers, S. B. M., and A. W. Jongbloed. 1992. Effect of supplementary *Aspergillus niger* phytase in diets for piglets on their performance and apparent digestibility of phosphorus. *Anim. Prod.* 55:425-430.
- Beers, S., B. M. Dellaert, and A. W. Jongbloed. 1992. Effect of supplementary *Aspergillus niger* phytase in diets for piglets on their performance and apparent digestibility of phosphorus. *Anim. Prod.* 55:425-430.
- Berner, Y. N. 1997. Phosphorus. In: B. L. O'Dell and R. A. Sunde (ed.) *Handbook of Nutritionally Essential Mineral Elements*. p 63. Marcell Dekker, Inc., New York, NY.
- Beudeker, R. F. 1990. Analyses voor verwerkingseigenschappen van natuphos. In: Gist-Brocades Agro Business Group (ed.) *Mircrobieel Fytase in de Varkens- en Pluimveevoeding*, Delft, Netherlands.
- Biehl, R. R., D. H. Baker, and H. F. DeLuca. 1995.  $1\alpha$ -hydroxylated cholecalciferol compounds act additively with microbial phytase to improve phosphorus, zinc and manganese utilization in chicks fed soy-based diets. *J. Nutr.* 124:2407-2416.
- Blanco, J. C. G., I. M. Wang, S. Y. Tsai, M. J. Tsia, B. W. O'Malley, P. W. Jurutka, M. R. Haussler, and K. Ozato. 1995. Transcription factor TFIIB and the vitamin D receptor cooperatively activate ligand-dependent transcription. *Proc. Natl. Acad. Sci.* 92:1535-1539.
- Borggreve, G. J., P. J. Van der Aar, and C. H. M. Smits. 1991. Effectiviteit van microbieel fytase in het voer voor slachtvarkens. CLO-Report No. 300, Instituut voor de veevoeding, De Schothorst, Lelystad.
- Boyde, A. and S. J. Jones. 1987. Early scanning electron microscopic studies of hard tissue resorption: their relation to current concepts reviewed. *Scanning Microsc.* 1:369-381.
- Bronner, F., D. Pansu, and W. D. Stein. 1986. An analysis of intestinal calcium transport across the rat intestine. *Am J. Physiol.* 250:G562-G569.
- Brown, N. J., J. Worliding, R. D. E. Rumsey, and N. W. Read. 1988. The effect of guar gum on the distribution of a radiolabelled meal in the gastrointestinal tract of the rat. *Brit. J. Nutr.* 59:223-231.

- Burmester, J. K., R. J. Wiese, N. Maeda, and H. F. DeLuca. 1988. Structure and regulation of the rat 1,25-dihydroxyvitamin D<sub>3</sub> receptor. *Proc. Natl. Acad. Sci.* 85:9499-9502.
- Butler, D. J. and K. Hillier. 1989. Calcium and human large-bowel motility. *Ann. NY Acad. Sci.* 560:447-450.
- Caffrey, J. M. and M. C. Farach-Carson. 1989. Vitamin D<sub>3</sub> metabolites modulate dihydropyridine-sensitive calcium currents in clonal rat osteosarcoma cells. *J. Biol. Chem.* 264:20265-20274.
- Calvert, C. C., R. J. Besecker, M. P. Plumlee, T. R. Cline and D. M. Forsyth. 1978. Apparent digestibility of phosphorus in barley and corn for growing swine. *J. Anim. Sci.* 47:420-426.
- Caniggia, A., C. Gennari, and V. Palazzuoli. 1968. Influenza della tirocalcitonina sul assorbimento intestinale del radiocalcio (Ca 47) nell'ona. *Boll. Soc. Ital. Biol. Sper.* 44:458-460.
- Carafoli, E., P. James, and E. E. Strehler. 1990. Structure-function relationships in the calcium pump of plasma membranes. In: M. Peterlik and F. Bronner (ed.) *Molecular and Cellular Regulation of Calcium and Phosphate Metabolism.* p. 181. Wiley-Liss, New York.
- Chambers, T. J., P. M. J. McSheehy, B. M. Thompson, and K. Fuller. 1985. The effect of calcium regulating hormones and prostaglandins on bone resorption by osteoclasts disaggregated from neonatal rabbit bones. *Endocrinology* 60:234-239.
- Chase, L. R. and G. D. Aurbach. 1967. Parathyroid function and the renal excretion of 3',5'-adenylic acid. *Proc. Natl. Acad. Sci. USA* 58:518-525.
- Chen, H., E. A. Wong, and K. E. Webb. 1999. Tissue distribution of a peptide transporter mRNA in sheep, dairy cows, pigs and chickens. *J. Anim. Sci.* 77:1277-1283.
- Chen, T. C., L. Castilla, M. Korycka-Dahl, and H. F. DeLuca. 1974. Role of vitamin D metabolites in phosphate transport of rat intestine. *J. Nutr.* 104:1056-1060.
- Christakos, S., J. D. Beck, and S. J. Hyllner. 1997. Calbindin-D<sub>28K</sub>. In: D. Fedlman, F. H. Glorieux, and J. W. Pike (ed.) *Vitamin D.* p. 209. Academic Press, San Diego, CA.
- Christensen, L. and B. H. Nielsen. 1995. Effect of supplementation of phytase to grower pig diets. In: *Proc. 2nd European Symp. on feed Enzymes, Noordwijkerhout, Netherlands.* p. 285.
- Combs, G. E., J. M. Vandepopuliere, H. G. Wallace, and M. Kroger. 1962. Phosphorus requirement of young pigs. *J. Anim. Sci.* 21:3-8.
- Combs, N. R., E. T. Kornegay, M. D. Lindemann, D. R. Notter, and F. H. Welker. 1991a. Evaluation of a bone biopsy technique for determining calcium and phosphorus status in swine from weaning to market. *J. Anim. Sci.* 69:664-672.

- Combs, N. R., E. T. Kornegay, M. D. Lindemann, D. R. Notter, J. H. Wilson, and J. P. Mason. 1991b. Calcium and phosphorus requirement of swine from weaning to market: II. Development of response curves for bone criteria and comparison of bending and shear bone testing. *J. Anim. Sci.* 69:682-693.
- Cosgrove, D. J., 1980. *Inositol Phosphates: Their Chemistry, Biochemistry and Physiology.* Elsevier Science Publishing Co., New York, NY.
- Couch, J. R., Y. K. Bakshi, T. M. Ferguson, E. B. Smith, and C. R. Creger. 1967. The effect of processing on the nutritional value of guar meal for broiler chicks. *Brit. Poultry Sci.* 8:243-250.
- Crenshaw, T. D., E. R. Peo, Jr., A. J. Lewis, and B. D. Moser. 1981. Bone strength as a trait for assessing mineralization in swine: a critical review of techniques involved. *J. Anim. Sci.* 53:827-835.
- Cromwell, G. L. 1992. The biological availability of phosphorus from feedstuffs. *Pig News and Info.* 75N-78N.
- Cromwell, G. L., R. D. Coffey, G. R. Parker, H. J. Monegue, and J. H. Randolph. 1995. Efficacy of a recombinant-derived phytase in improving the bioavailability of phosphorus in corn-soybean meal diets for pigs. *J. Anim. Sci.* 73:2000-2008.
- Cromwell, G. L., T. S. Stahly, R. D. Coffey, H. J. Monegue, and J. H. Randolph. 1993. Efficacy of phytase in improving the bioavailability of phosphorus in soybean meal and corn-soybean meal diets for pigs. *J. Anim. Sci.* 71:1831-1840.
- Cromwell, G. L., V. W. Hays, C. H. Chaney and J. R. Overfield. 1970. Effects of dietary phosphorus and calcium level on performance, bone mineralization and carcass characteristics of swine. *J. Anim. Sci.* 30:519-525.
- Danisi, G. and R. W. Straub. 1980. Unidirectional influx of phosphate across the mucosal membrane of the rabbit small intestine. *Pflugers Arch.* 385:117-122.
- Dellaert, B. M., G. F. U. Van Der Peer, A. W. Jongbloed, and S. Beers. 1990. A comparison of different techniques to assess the biological availability of feed phosphorus in pig feeding. *Neth. J. Agric. Sci.* 58:555-566.
- Demay, M. B., M. S. Kiernan, H. F. Deluca, and H. M. Kronenberg. 1992. Sequences in the human parathyroid hormone gene that bind the 1,25-dihydroxyvitamin D<sub>3</sub> receptor and mediate transcriptional repression in response to 1,25-dihydroxyvitamin D<sub>3</sub>. *Proc. Natl. Acad. Sci.* 89:8097-8101.
- Denbow, D. M., V. Ravindran, E. T. Kornegay, Z. Yi, and R. M. Hulet. 1995. Improving phosphorus availability in soybean meal for broilers by supplemental phytase. *Poultry Sci.* 74:1831-1842.

- Deshpande, S. S. and M. Cheryan. 1984. Effects of phytic acid, divalent cations, and their interactions on  $\alpha$ -amylase activity. *J. Food Sci.* 49:516-519.
- Doige, C. E., B. D. Owen, and J. H. L. Mills. 1975. Influence of calcium and phosphorus on growth and skeletal development of growing swine. *Can. J. Anim. Sci.* 55:147-164.
- Dominguez, J. H., R. W. Gray and J. Seenan, Jr. 1976. Dietary phosphate deprivation in women and men: effect on mineral and acid balances, parathyroid hormone, and the metabolism of 25-OH-vitamin D. *J. Endocrinol. Metab.* 43:1056-1068.
- Donkoh, A., P. J. Moughan, and W. C. Smith. 1994. Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig. *Anim. Feed Sci. Tech.* 49:43-56.
- Duengelhof, M., and M. Rodehutsord. 1995. Wirkung von phytasen auf die verdaulichkeit des phosphors beim schwein (Effects of phytases on the digestibility of phosphorus in pigs). *Ubers. Tierernahrg.* 23:133-157.
- Dungelhof M., M. Rodehutsord, H. Spiekers, and E. Pfeffer. 1994. Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticales to pigs. *Anim. Feed Sci. Tech.* 49:1-10.
- Eeckhout, W. and M. De Paepe. 1991. The quantitative effects of an industrial microbial phytase and wheat phytase on the apparent phosphorus absorbability of mixed feed by piglets. *Med. Fac. Landbouww. Rijksuniv. Gent* 56:1643-1647.
- Eeckhout, W. and M. de Paepe. 1992a. 1. Meilleur utilization des aliments. 1.1 Phytase microbienne. 1.1.2. Phytase de ble, phytase microbienne et digetibilite apparente du phosphore d'un aliment simple pour porcelets. *Revue de l'Agriculture* 45:195-207.
- Eeckhout, W. and M. de Paepe. 1992b. 1. Meilleur utilization des aliments. 1.1 Phytase microbienne. 1.1.1. Influence d'une phytase microbienne sur la digestibilite apparente du phosphore d'aliments pour porcelets. *Revue de l'Agriculture* 45:183-192.
- Eeckhout, W. and M. de Paepe. 1992c. 1. Meilleur utilization des aliments. 1.1 Phytase microbienne. 1.1.3. Comparison de l'effet 500 unities de phytase de ble et d'une phytase microbienne sur la digetibilite apparente du phosphore d'un aliment pour porcs a l'engrais. *Revue de l'Agriculture* 45:209-217.
- Eeckhout, W. and M. De Paepe. 1994. Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs. *Anim. Feed Sci. Tech.* 47:19-29.
- Elaroussi, M. A., J. M. Prah, and H. F. DeLuca. 1994. The avian vitamin D receptors: primary structures and their origins. *Proc. Natl. Acad. Sci.* 91:11596-11600.
- Erdman, J. W., Jr. 1979. Oilseed phytates: Nutritional implications. *J. Am. Oil Chemists' Soc.* 56:736-741.

- Erickson, R. H., J. R. Gum, Jr., M. M. Lindstrom, D. McKean, and Y. S. Kim. 1995. Regional expression and dietary regulation of rat small intestinal peptide and amino acid transporter mRNAs. *Biochem. and Biophys. Res. Commun.* 216:249-257.
- Feher, J. J., C. S. Fullmer, and R. H. Wasserman. 1992. Role of facilitated diffusion of calcium by calbindin in intestinal calcium absorption. *Am. J. Physiol.* 262:C517-C526.
- Fei, Y.-J., Y. Kanal, S. Nussbereger, V. Ganapathy, F. H. Leibach, M. F. Romero, S. K. Singh, W. F. Boron, and M. A. Hediger. 1994. Expression cloning of a mammalian proton-coupled oligopeptide transporter. *Nature.* 368:563-566.
- Forman, B. M., K. Umenson, J. Chen, and R. M. Evans. 1995. Unique response patterns are established by allosteric interactions among nuclear hormone receptors. *Cell.* 81:541-550.
- Garabedian, M., M. F. Holick, H. F. DeLuca, and I. T. Boyle. 1972. Control of 25-hydroxycholecalciferol metabolism by parathyroid glands. *Proc. Natl. Acad. Sci.* 69:1673-1676.
- Garrahan, P. J. and A. F. Rega. 1990. Plasma membrane calcium pump. In: F. Bronner (ed.) *Intracellular Calcium Regulation.* p. 271. Wiley-Liss, New York.
- Gill, R. K., and S. Christakos. 1993. Identification of sequence elements in mouse calbindin-D<sub>28K</sub> gene that confer 1,25-dihydroxyvitamin D<sub>3</sub>- and butyrate-inducible responses. *Proc. Natl. Acad. Sci.* 84:2984-2988.
- Guggino, S. E., D. Lajeunesse, J. A. Wagner, and S. H. Snyder. 1989. Bone remodeling signaled by a dihydropyridine- and phenylalkylamine sensitive calcium channel. *Proc. Natl. Acad. Sci. USA* 86:2957-2960.
- Habener, J. F. and J. T. Potts, Jr. 1990. Fundamental considerations in the physiology, biology and biochemistry of parathyroid hormone. In: L. V. Avioli and S. M. Krane (ed.) *Metabolic Bone Disease and Clinically related Disorders.* p. 69. Saunders, Philadelphia.
- Hahn, J. D., M. J. Gahl., M. A. Giesemann, D. P. Holzgraefe, and D. W. Fodge. 1995. Diet type and feed form effects on the performance of finishing swine fed the mannanase enzyme product Hemicel<sup>®</sup>. *J. Anim. Sci.* 73(Suppl. 1):175 (Abstr.).
- Han, Y. M., F. Yang, A. G. Zhou, E. R. Miller, P. K. Ku, M. G. Hogberg, and X. G. Lei. 1997. Supplemental phytases of microbial and cereal sources improve dietary phytate phosphorus utilization by pigs from weaning through finishing. *J. Anim. Sci.* 75:1017-1025.
- Harper, A. F., E. T. Kornegay, and T. C. Schell. 1997. Phytase supplementation of low-phosphorus growing-finishing pig diets improves performance, phosphorus digestibility, and bone mineralization and reduces phosphorus excretion. *J. Anim. Sci.* 75:3174-3186.

- Hess, P. and R. W. Tsien. 1984. Mechanism of ion permeation through calcium channels. *Nature* 309:453-458
- Hidalgo, I. J. and R. T. Bocharadt. 1990. Transport of a large neutral amino acid (phenylalanine) in a human intestinal cell line: Caco-2. *Biochim. Biophys. Acta.* 1028:25-30.
- Hidalgo, I. J., T. J. Raub, and R. T. Bocharadt. 1989. Characterization of the human colon carcinoma cell line (Caco-2) as a model system for intestinal epithelial permeability. *Gastroenterology* 96:736-749.
- Homaidan, F. R., M. Donowitz, G. A. Weiland, and G. W. G. Sharp. 1989. Two calcium channels in basolateral membranes of rabbit ileal epithelial cells. *Am. J. Physiol.* 257:G86-G93.
- Hoppe, P. P., F. J. Schoner, H. Wiesche, and G. Schwartz. 1992. Vergleich von mikrobieller phytase und anorganischem phosphate bei ferkeln: effekte auf die leitungen, die mineralstoff-retention und den mineralstoffgehalt der phalanx I. Poster, 45, Tagng der GEH, Gottingen.
- Huang, K. C. and G. L. Allee. 1981. Bioavailability of phosphorus in selected feedstuffs for young chicks and pigs. *J. Anim. Sci.* 53:248 (Abstr.).
- Hughes, M. R. and M. R. Haussler. 1978. 1,25-Dihydroxyvitamin D<sub>3</sub> receptors in parathyroid galnds. Preliminary characterization of cytoplasmic and nuclear binding components. *J. Biol. Chem.* 252:1065-1073.
- Irving, G. C. J. 1980. Phytates. In: D. J. Cosgrove (ed.) *Inositol Phytates.* p. 85. Elsevier, Amsterdam.
- Irving, G. C. J., and D. J. Cosgrove. 1974. Inositol phosphate phosphatases of microbiological origin. Some properties of the partially purified phosphatases of Aspergillus ficuum NRRL 3135. *Aust. J. Biol. Sci.* 27:361-368.
- IUPAC-IUB. 1975. Enzyme nomenclature recommendations. Supplement I. *Biochim Biophys. Acta* 429:1.
- Johnston, S. L., L. L. Southern, and L. D. Bunting. 2000. Effect of reduction of dietary calcium and phosphorus and(or) phytase addition on ileal digestibility of amino acids in pigs. *J. Anim. Sci.* 78(Suppl. 1):(In press) (Abstr.).
- Jondreville, C., J. Van den Broecke, F. Gatel, and S. Van Cauwenberghe. 1995. Ileal digestibility of amino acids in feedstuffs for pigs. *Eurolysine and ITCF, Paris, France.* p. 1.
- Jones, G., S. A. Strugnell, and H. F. DeLuca. 1998. Current understanding of the molecular actions of vitamin D. *Physiol. Rev.* 78:1193-1231.

- Jongbloed, A. W. 1987. Phosphorus in the Feeding of Pigs: Effect of Diet on the Absorption and Retention of Phosphorus by Growing Pigs. Ph. D. Thesis, Instituut voor Veevoedingsonderzoek (I.V.V.O.), Lelystad, Netherlands.
- Jongbloed, A. W., P. A. Kemme and Z. Mroz. 1996. Effectiveness of natuphos phytase in improving the bioavailabilities of phosphorus and other nutrients for growing-finishing pigs. In: M. B. Coelho and E. T. Kornegay, (ed.) Phytase in Animal Nutrition and Waste Management. p. 393. BASF Corporation, Mount Olive, NJ.
- Jongbloed, A. W., P. A. Kemme, Z. Mroz, and R. ten Bruggencate. 1995. Apparent total tract digestibility of organic matter, N, Ca, Mg, and P in growing pigs as affected by levels of Ca, microbial phytase and phytate. In: Proc. 2nd European Symp. on feed Enzymes, Noordwijkerhout, Netherlands. p. 198.
- Jongbloed, A. W., Z. Mroz, and P. A. Kemme. 1992. The effect of supplementary *Aspergillus niger* phytase in diets for pigs on concentration and apparent digestibility of dry matter, total phosphorus, and phytic acid in different sections of the alimentary tract. *J. Anim. Sci.* 70:1159-1168.
- Jongbloed, A. W., Z. Mroz, P. A. Kemme, C. Geerse, and Y. Van der Honing. 1993. The effect of dietary calcium level on microbial phytase efficacy in growing pigs. *J. Anim. Sci.* 71(Suppl. 1):166 (Abstr.).
- Juan, D., P. Liptak, and T. K. Gray. 1976. Absorption of inorganic phosphate in the human jejunum and its inhibition of salmon calcitonin. *J. Clin. Endocrinol. Metab.* 43:517-522.
- Kabakoff, B., N. C. Kendrick, and H. F. DeLuca. 1982. 1,25-Dihydroxyvitamin D<sub>3</sub> stimulated active uptake of phosphate by rat jejunum. *Am. J. Physiol.* 243:E470-E475.
- Kamei, Y., T. Kawada, T. Fukuwatari, T. Ono, S. Kato, and E. Sugimoto. 1995. Cloning and sequencing of the gene encoding the mouse vitamin D receptor. *Gene.* 152:281-282.
- Kemme, P. A. and A. W. Jongbloed. 1993a. Het effect van *Aspergillus niger* fytase, voorwerken en leeftijd op de verteerbaarheid van Weende analyse-komponenten, Ca en P bij in grondhokken gehuisveste mestvarkens. Rapport. I.V.V.O. Nr. 245, Lelystad, Netherlands
- Kemme, P. A. and A. W. Jongbloed. 1993b. Effect van plantaardig en *Aspergillus niger* fytase, leeftijd en voerniveau op de verteerbaarheid van Weende analyse-komponenten, Ca en P bij biggen. Rapport I.V.V.O. Nr. 257, Lelystad, Netherlands.
- Kemme, P. A., A. W. Jongbloed, Z. Mroz, and M. Makinen. 1995. Effect of microbial phytase and phytate on ileal amino acid digestibility of a maize soybean meal diet in pigs. In: Proc. Nutrient Mgmt. Symp., Blacksburg, VA. p. 6.
- Kemme, P. A., and A. W. Jongbloed. 1993c. Rapport IVVO-DLO, No. 251, Res. Inst. Livest. Feeding and Nutr. Res., 8220 AD Lelystad, Netherlands.

- Ketaren, P. P., E. S. Batherham, E. B. Dettmann, and D. J. Farrell. 1993b. Phosphorus studies in pigs. 3. Effect of phytase supplementation on the digestibility and availability of phosphorus in soy-bean meal for grower pigs. *Brit. J. Nutr.* 70:289-311.
- Ketaren, P. P., E. S. Batterham, E. White, D. J. Farrell, and B. K. Milthorpe. 1993a. Phosphorus studies in pigs. 1. Available phosphorus requirements of grower/finisher pigs. *Brit. J. Nutr.* 70:249-268.
- Khan, N. and D. J. A. Cole. 1993. The effect of dietary inclusions of phytase and yeast on apparent phosphorus digestibility in pigs. In: *Proc. of Winter Meeting of the British Society of Animal Production*, Scarborough, England. p. 2.
- Kies, A. K. 1996. Phytase: mode of action. In: M. B. Coelho and E. T. Kornegay, (ed.) *Phytase in Animal Nutrition and Waste Management*. p. 205. BASF Corporation, Mount Olive, NJ.
- Kimmel-Jehan, C., F. Jehan, and H. F. DeLuca. 1997. Salt concentration determines 1,25-dihydroxyvitamin D<sub>3</sub> dependency of vitamin D receptor-retinoid X receptor-vitamin D-responsive element complex formation. *Arch. Biochem. Biophys.* 341:75-80.
- Kliwer, S. A., K. Umenson, D. J. Mangelsdorf, and R. M. Evans. 1992. Retinoid X receptor interacts with nuclear receptors in retinoic acid, thyroid hormone and vitamin D<sub>3</sub> signaling. *Nature.* 355:446-449.
- Koch, M. E. and D. C. Mahan. 1985. Biological characteristics for assessing low phosphorus intake in growing swine. *J. Anim. Sci.* 60:699-708.
- Koch, M. E., D. C. Mahan, and J. R. Corley. 1984. An evaluation of various biological characteristics in assessing low phosphorus intake in weanling swine. *J. Anim. Sci.* 59:1546-1556.
- Kornegay, E. T. 1981. Calcium and phosphorus requirements of developing boars and gilts. *Feed Management* 30(2):40-46.
- Kornegay, E. T. 1985. Calcium and phosphorus in swine nutrition. In: *Calcium and Phosphorus in Swine Nutrition*. National Feed Ingredients Association, Des Moines, IA. p. 1.
- Kornegay, E. T. 1995. Important considerations for using microbial phytase in swine diets. p. 28. BASF Technical Symposium, Nov. 8, Champaign, IL.
- Kornegay, E. T. 1996. Effect of phytase on bioavailability of phosphorus, calcium, amino acids, and trace minerals in broilers and turkeys. *BASF Technical Symp.*, Atlanta, GA. p. 39.
- Kornegay, E. T. and H. Qian. 1996. Replacement of inorganic phosphorus by microbial phytase for young pigs fed on a maize-soyabean meal diet. *Brit. J. Nutr.* 76:563-578.

- Kornegay, E. T. and H. R. Thomas. 1981. Phosphorus in swine. II. Influence of dietary calcium and phosphorus levels and growth rate on serum minerals, soundness scores and bone development in barrows, gilts and boars. *J. Anim. Sci.* 52:1049-1059.
- Kornegay, E. T. and J. S. Radcliffe. 1997. Relative bioavailability of phosphorus sources with different solubilities in neutral ammonium citrate (NAC) for young pigs. *J. Anim. Sci.* 76(Suppl. 1):188 (Abstr.).
- Kornegay, E. T., J. S. Radcliffe, and D. M. Denbow. 1996. Influence of natuphos<sup>®</sup> phytase on calcium bioavailability in plant ingredients and development of calcium equivalency values for swine and poultry. In: M. B. Coelho and E. T. Kornegay, (ed.) *Phytase in Animal Nutrition and Waste Management*. p. 419. BASF Corporation, Mount Olive, NJ.
- Kornegay, E. T., J. S. Radcliffe, and Z. Zhang. 1998. Influence of phytase and diet composition on phosphorus and amino acid digestibilities, and phosphorus and nitrogen excretion in swine. *BASF Technical Symposium, Durhan, NC*. p. 125.
- Kowaski, S. and D. Schachter. 1969. Effects of vitamin D on phosphate transport and incorporation into mucosal constituents of rat intestinal mucosa. *J. Biol. Chem.* 244:211-217.
- Krawielitzki, K., T. Zebrowska, R. Schadereit, J. Kowalczyk, J. Wünsche, and U. Herrman. 1990. Determination of nitrogen absorption and nitrogen secretion in different sections of the pigs intestine by digesta exchange between <sup>15</sup>N labelled and unlabelled animals. *Arch. Anim. Nutr.* 27:39-47.
- Lantzsch, H.-J. and W. Drochner. 1995. Efficacy of microbial phytase (A. Niger.) on apparent absorption and retention of some minerals in breeding sows. In: *Proc. 2nd European Symp. on feed Enzymes, Noordwijkerhout, Netherlands*. p. 300.
- Lantzsch, H. J. and S. Wjst. 1992. Wirkung mikrobieller phytase (*Aspergillus niger*) auf den phosphor-, kalzium-, magnesium- und zinkstoffwechsel junger schweine unter den einflub stegender kalziumgehalte im futter. *Tag. Ges. Ernährungsphysiol., Gottingen, Kurzfassungen*. 45:107-108.
- Lei, X. G., P. K. Ku, E. R. Miller, and M. T. Yokoyama. 1993a. Supplementing corn-soybean meal diets with microbial phytase linearly improves phytate phosphorus utilization by weanling pigs. *J. Anim. Sci.* 71:3359-3367.
- Lei, X. G., P. K. Ku, E. R. Miller, D. E. Ullrey, and M. T. Yokoyama. 1993c. Supplemental microbial phytase improves bioavailability of dietary zinc to weanling pigs. *J. Nutr.* 123:1117-1123.
- Lei, X. G., P. K. Ku, E. R. Miller, M. Y. Yokoyama, D. E. Ullrey. 1993b. Supplementing corn soybean meal diets with microbial phytase maximum phytate phosphorus utilization by weanling pigs. *J. Anim. Sci.* 71:3369-3375.

- Liang, R., Y.-J. Fei, P. D. Prasad, S. Ramamoorthy, H. Han, T. L. Yang-Feng, M. A. Hediger, V. Ganapathy, F. H. Leibach. 1995. Human intestinal H<sup>+</sup>/peptide cotransporter. *J. Biol. Chem.* 270:6456-6463.
- Liu, J., D. W. Bollinger, D. R. Ledoux, M. R. Ellersieck, and T. L. Veum. 1997. Soaking increases the efficacy of supplemental microbial phytase in a low-phosphorus corn-soybean meal diet for growing pigs. *J. Anim. Sci.* 75:1292-1298.
- Low, A. G. and A. L. Rainbird. 1984. Effect of guar gum on nitrogen secretion into isolated loops of jejunum in conscious growing pigs. *Brit. J. Nutr.* 52:499-505.
- MacDonald, P. N., D. R. Sherman, D. R. Dowd, S. C. Jefcoat, Jr., and R. K. DeLisle. 1995. The vitamin D receptor interacts with general transcription factor IIB. *J. Biol. Chem.* 270:4748-4752.
- Mackenzie, B., D. D. F. Loo, Y.-J. Fei, W. Liu, V. Ganapathy, F. H. Leibach, and E. M. Wright. 1996. Mechanisms of the human intestinal H<sup>+</sup>-coupled oligopeptide transporter hPepT1. *J. Biol. Chem.* 271:5430-5437.
- Maddaih, V. T., A. A. Kurnick, and B. L. Reid. 1964. Phytic acid studies. *Proc. Soc. Exp. Biol. Med.* 115:391-393.
- Maga, J. A. 1982. Phytate: its chemistry, occurrence, food interactions, nutritional significance, and methods of analysis. *J. Agric. Food Chem.* 30:1-9.
- Mahan, D. C. 1980. Dietary Ca and P levels for reproducing sows. Ohio State University, Swine Day Report. p. 5.
- Malgaroli, A., J. Medolesi, J., A. Z. Zallone, and A. Teti. 1989. Control of cytosolic free calcium in rat and chicken osteoclasts. The role of extracellular calcium and calcitonin. *J. Biol. Chem.* 264:14342-14347.
- Massry, S. G. 1982. Renal handling of calcium. In: F. Bronner and J. Coburn (ed.) *Disorders of Mineral Metabolism.* p. 189. Academic Press, New York.
- Mathews, D. M. and S. A. Adibi. 1976. Peptide absorption. *Gastroenterology.* 71:151-161.
- McDonnell, D. P, D. J. Mangelsdorf, J. W. Pike, M. R. Haussler, and B. W. O'Malley. 1987. Molecular cloning of complementary DNA encoding the avian receptor for vitamin D. *Science.* 235:1214-1217.
- Miller, E. R., D. E. Ullrey, C. L. Zutaut, B. V. Baltzer, D. A. Schmidt, J. A. Hoefler and R. W. Luecke. 1962. Calcium requirement of the baby pig. *J. Nutr.* 77:7-17.
- Miller, E. R., D. E. Ullrey, C. L. Zutaut, B. V. Baltzer, D. A. Schmidt, J. A. Hoefler and R. W. Luecke. 1964. Phosphorus requirement of the baby pig. *J. Nutr.* 82:34-40.

- Miyamoto, K.-I., T. Shiraga, K. Morita, H. Yamamoto, H. Haga, Y. Taketani, I. Tamai, Y. Sai, A. Tsuji, and E. Takeda. 1996. Sequence, tissue distribution and developmental changes in rat intestinal oligopeptide transporter. *Biochim. Biophys. Acta.* 1305:34-38.
- Moran, Jr., E. T. 1982. *Comparative Nutrition of Fowl and Swine. The Gastrointestinal Systems.* Office for Educational Practice, University of Guelph, Guelph, Ontario, Canada.
- Morris, E. R. 1986. Phytate and dietary mineral bioavailability. In: E. Graf (ed.) *Phytic Acid: Chemistry and Applications.* p. 57. Pilatus Press, Minneapolis, MN.
- Mroz, Z., A. W. Jongbloed, and P. A. Kemme. 1994. Apparent digestibility and retention of nutrients bound to phytate complexes as influenced by microbial phytase and feeding regimen in pigs. *J Anim. Sci.* 72:126-132.
- Mroz, Z., A. W. Jongbloed, P. A. Kemme, and K. Geerse. 1993. Digestibility and urinary losses of calcium and phosphorus in pigs fed a diet with suboptimal levels of both elements and graded doses of microbial phytase (Natuphos®). In: Wenk, C. & Boessinger (ed.). *Enzymes in Animal Nutrition.* p. 217. Proc. 1st Symp.-Kartause Ittingen, Switzerland.
- Mroz, Z., A. W. Jongbloed, P. A. Kemme, and N. P. Lenis. 1991. Ileal and overall digestibility of nitrogen and amino acids in a diet for pigs as influenced by *Aspergillus Niger* phytase and feeding frequency or levels. In: Proc. 6th Int. Symp. Protein Metabolism and Nutrition, Herning, Denmark. p. 225.
- Mroz, Z., G. C. M. Bakker, A. W. Jongbloed, R. A. Dekker, R. Jongbloed, and A. van Beers. 1996. Apparent digestibility of nutrients in diets with different energy density, as estimated by direct and marker methods for pigs with or without ileo-cecal cannulas. *J. Anim. Sci.* 74:403-412.
- Murry, A. C., R. D. Lewis, and H. E. Amos. 1997. The effect of microbial phytase in a pearl millet-soybean meal diet on apparent digestibility and retention of nutrients, serum mineral concentration, and bone mineral density of nursery pigs. *J. Anim. Sci.* 75:1284-1291.
- Nagpal, M. L., O. P. Agrawal, and I. S. Bhatia. 1971. Chemical and biological examination of *guar-meal (Cyamopsis tetragonoloba L.)*. *Indian J. Anim. Sci.* 41:283-293.
- Näsi, M. 1990. Microbial phytase supplementation for improving the availability of plant phosphorus in the diet of young growing pigs. *J. Agric. Sci. in Finland* 62:435-443.
- Näsi, M. 1991. Plant phosphorus responses to supplemental microbial phytase in the diet of the growing pigs. In: *Digestive physiology in pigs.* EAAP Pub. #54. p 114.
- Näsi, M. and E. Helander. 1994. Effects of microbial phytase supplementation and soaking barley-soybean meal on availability of plant phosphorus for growing pigs. *Sect. A. Anim. Sci. Acta. Agric. Scand.* 44:79-86.

- Nayini, N. R. and P. Markakis. 1986. Phytases. In: E. Graf (ed.) Phytic Acid: Chemistry and Applications. p. 101. Pilatus Press. Minneapolis.
- Nellans, H. N. and J. R. Popovitch. 1984. Role of sodium in intestinal calcium transport. In: F. Bronner and M. Peterlik (ed.) Epithelial Calcium and Phosphate Transport: Molecular and Cellular Aspects. p. 301. Allan R. Liss, New York.
- Nelson, T. S., J. J. McGillivray, T. R. Shieh, R. J. Wodzinski, and J. H. Ware. 1968. Effect of phytate on the calcium requirement of chicks. *Poultry Sci.* 47:1985-1989.
- Nelson, T. S., T. R. Shieh, R. J. Wodzinski, and J. H. Ware. 1971. Effect of supplemental phytase on utilization of phytate phosphorus by chicks. *J. Nutr.* 101:1289-1293.
- Nolan, K. B. and P. A. Duffin. 1987. Effects of phytate on mineral availability. In vitro studies of  $Mg^{2+}$ ,  $Ca^{2+}$ ,  $Fe^{3+}$ ,  $Cu^{2+}$ , and  $Zn^{2+}$  (also  $Cd^{2+}$ ) solubilities in the presence of phytate. *J. Sci. Food Agric.* 40:79-85.
- Norman, A. W. and G. Litwack. 1987. Hormones. Orlando, FL, Academic Press.
- NRC. 1998. Nutrient Requirements of Swine (10th Rev. ed.). National Academy Press, Washington, D.C.
- Nyachoti, C. M., C. F. M. de Lange, B. W. McBride, and H. Schulze. 1997. Significance of endogenous gut nitrogen losses in the nutrition of growing pigs: a review. *Can. J. Anim. Sci.* 77:149-163.
- Oberleas, D. and B. F. Harland. 1996. Impact of phytic acid on nutrient availability. In: M. B. Coelho and E. T. Kornegay (ed.) Phytase in Animal Nutrition and Waste Management. p 77. BASF Corporation, Mount Olive, NJ.
- Officer, D. I. and E. S. Batterham. 1992. Enzyme supplementation of Linola™ meal. In: Proc. Wollongbar Pig Industry Seminar on Feed Enzymes. p. 56.
- Online Medical Dictionary. 2000. <http://www.graylab.ac.uk/omd/index>.
- Pallauf, J., G. Rimbach, S. Pippig, B. Schindler, D. Hohler, and E. Most. 1994. Dietary effect of phytogenic phytase and an addition of microbial phytase to a diet based on field beans, wheat, peas and barley on the utilization of phosphorus, calcium, magnesium, zinc and protein in piglets. *Z. Ernährungswiss* 33:128-135.
- Pallauf, V. J., D. Holer, G. Rimbach, and H. Neusser. 1992. Effect of microbial phytase supplementation to a maize-soy-diet on the apparent absorption of phosphorus and calcium in piglets. *J. Anim. Physiol. and Anim. Nutr.* 67:30-40.
- Patel, M. B. and J. McGinnis. 1985. The effect of autoclaving and enzyme supplementation of guar meal on the performance of chicks and laying hens. *Poultry Sci.* 64:1148-1156.

- Peo, E. R. 1991. Calcium, phosphorus, and vitamin D in swine nutrition. In: E. R. Miller, D. E. Ullrey and A. J. Lewis (ed.) Swine Nutrition. p. 165. Butterworth-Heinemann, Stoneham, MA.
- Petty, L. A., S. D. Carter, B. W. Senne, and J. A. Shriver. 1999. Effects of Hemicell addition to nursery diets on growth performance of weanling pigs. *J. Anim. Sci.* 77(Suppl. 1):195 (Abstr.).
- Petty, L. A., S. D. Carter, B. W. Senne, and J. A. Shriver. 2000. Effects of Hemicell addition to corn-soybean meal diets on growth performance, carcass traits, and apparent nutrient digestibility of finishing pigs. *J. Anim. Sci.* 78(Suppl. 1):(In press) (Abstr.).
- Pierce, A. B., C. E. Doige, J. M. Bell and D. B. Owen. 1977. Availability of phytate phosphorus to the growing pigs receiving isonitrogenous diets based on wheat or corn. *Can J. Anim. Sci.* 55:573-583.
- Pointillart, A. 1993. Importance of phytates and cereal phytases in the feeding of pigs. In: *Enzymes in Animal Nutrition Proc. 1st Symp.-Kartause Ittingen, Switzerland.* p. 192.
- Pointillart, A. 1994. The importance of cereal phytases. *Feed Mix* 2(3):12-15.
- Pointillart, A., A. Fourdin, and N. Fontaine. 1987. Importance of cereal phytase activity for phytate utilization by growing pigs fed diets containing tritical corn. *J. Nutr.* 117:907-913.
- Pointillart, A., N. Fontaine, and M. Thomasset. 1984. Phytate phosphorus utilization and intestinal phosphates in pigs fed low phosphorus: wheat or corn diets. *Nutr. Rep. Internat'l.* 19:473-483.
- Pond, W. G., E. F. Walker, Jr., and D. Kirtland. 1975. Weight gain, feed utilization and bone and liver mineral composition of pigs fed high or normal Ca-P diets from weaning to slaughter weight. *J. Anim Sci.* 41:1053-1056.
- Prattley, C. A., D. W. Stanley, and F. R. Van de Voort. 1982. Protein-phytate interactions in soybeans. II. Mechanisms of protein-phytate binding as affected by calcium. *J. Food Biochem.* 6:255-271.
- Qian, H., E. T. Kornegay, and D. E. Conner, Jr. 1996a. Adverse effects of wide calcium:phosphorus ratios on supplemental phytase efficacy for weanling pigs fed two dietary phosphorus levels. *J. Anim. Sci.* 74:1288-1297.
- Qian, H., E. T. Kornegay, and D. M. Denbow. 1996b. Utilization of phytate phosphorus and calcium as influenced by microbial phytase, cholecalciferol, and the calcium:total phosphorus ratio in broiler diets. *Poultry Sci.* 76:37-46.
- Qian, H., E. T. Kornegay, H. P. Veit, and D. M. Denbow. 1996. Effects of supplemental phytase and phosphorus on histological and other tibial bone characteristics and performances of broilers fed semi-purified diets. *Poultry Sci.* 75:618-626.

- Radcliffe, J. S. 1997. Quantifying the Effects of Microbial Phytase and Diet Acidity on Ca and P Utilization by Weanling Pigs. M. S. Thesis. Virginia Polytechnic Institute and State University. Blacksburg, VA.
- Radcliffe, J. S. and E. T. Kornegay. 1998. Phosphorus equivalency value of microbial phytase in weanling pigs fed a corn-soybean meal based diet. *J. Anim. Feed Sci.* 7:197-211.
- Radcliffe, J. S., E. T. Kornegay, and D. E. Conner, Jr. 1995. The effect of phytase on calcium release in weanling pigs fed corn-soybean meal diets. *J. Anim. Sci.* 73(Suppl. 1):173 (Abstr.).
- Rainbird, A. L. and A. G. Low. 1986a. Effect of guar gum on gastric emptying in growing pigs. *Brit. J. Nutr.* 55:87-98.
- Rainbird, A. L., A. G. Low, and T. Zebrowska. 1984. Effect of guar gum on glucose and water absorption from isolated loops of jejunum in conscious growing pigs. *Brit. J. Nutr.* 52:489-498.
- Rainbird, A. L., and A. G. Low. 1986b. Effect of various types of dietary fibre on gastric emptying in growing pigs. *Brit. J. Nutr.* 55:111-121.
- Raisz, L. G., C. L. Trummel, H. F. Holick, and H. F. DeLuca. 1972. 1,25-Dihydroxycholecalciferol: a potent stimulator of bone resorption in tissue culture. *Science.* 175:768-769.
- Rajendran, V. M., J. M. Harig, and K. Ramaswamy. 1987. Characteristics of glycyl-L-proline transport in intestinal brush-border membrane vesicles. *Am. J. Physiol.* 252:G281-G286.
- Rajendran, V. M., S. A. Ansari, J. M. Harig, M. B. Adams, A. H. Khan, and K. Ramaswamy. 1985. Transport of glycyl-L-proline by human intestinal brush border membrane vesicles. *Gastroenterology* 89:1298-1304.
- Rambeck, W. A. and P. Walther. 1993. Phytase reduces cadmium retention in rats and Japanese quails. In: C. Wenk and M. Boessinger (ed.) *Enzymes in Animal Nutrition.* p. 199. Proc. 1<sup>st</sup> Symp. Kartause Ittigen, Switzerland.
- Ravindran, V., E. T. Kornegay, D. M. Denbow, Z. Yi, and R. M. Hulet. 1995. Response of turkey poults to tiered level of Natuphos<sup>®</sup> phytase added to soybean meal-based semi-purified diets containing three levels of nonphytate phosphorus. *Poultry Sci.* 74:1843-1854.
- Ravindran, V., G. Ravindran, and S. Sivalogan. 1994. Total and phytate phosphorus contents of various foods and feedstuffs of plant origin. *Food Chem.* 50:133-136.
- Ravindran, V., W. L. Bryden, and E. T. Kornegay, . 1995. Phytates: Occurrence, bioavailability and implications in poultry nutrition. *Poultry and Avian Biology Reviews* 6:125-143

- Ray, S., M. H. Pubols, and J. McGinnis. 1982. The effect of a purified guar degrading enzyme on chick growth. *Poultry Sci.* 61:488-494.
- Reddy, N. R., S. K. Sathe, and D. K. Salunkhe. 1982. Phytates in legumes and cereals. In: C. O. Chichester, E. M. Mrak, and G. F. Stewart (ed.) *Advances in Food Research.* p. 1. Academic Press Inc., New York, NY.
- Reeves, J. P. 1990. Sodium-calcium exchange. In: F. Bronner (ed.) *Intracellular Calcium Regulation.* p. 305. Wiley-Liss, New York, NY.
- Reinhard, M. K., D. C. Mahan, B. L. Workman, J. H. Cline, A. W. Eetter, and A. P. Grifo, Jr. 1976. Effects of increasing dietary protein level, calcium and phosphorus on feedlot performance, bone mineralization and serum mineral values with growing swine. *J. Anim. Sci.* 433:770-780.
- Rice, J. P., B. C. Robbins, J. S. Radcliffe, E. T. Kornegay. 2000. Evaluation of organic acids as a replacement for antibiotics in weanling pig diets with or without phytase supplementation. *J. Anim. Sci.* (Submitted)(Abstr.).
- Rice, J. P., J. S. Radcliffe, and E. T. Kornegay. 1999. Efficacy of two commercially available phytase preparations for weanling pigs fed a low-P plant-based diet. *J. Anim. Sci.* 77(Suppl. 1):174 (Abstr.).
- Rimbach, G. and J. Pallauf. 1993. Enhancement of zinc utilization from phytate-rich soy protein isolate by microbial phytase. *Z. Ernährungswiss.* 32:308-315.
- Rimbach, G., H.-J. Ingelmann, and J. Pallauf. 1994. The role of phytase in the dietary bioavailability of minerals and trace elements. *Ernährungsforschung* 39:1-10.
- Rimbach, G., J. Pallauf, and O. P. Walz. 1996. Personal Communication. Effect of microbial phytase on cadmium accumulation in pigs.
- Rimbach, G., K. Brandt, E. Most, and J. Pallauf. 1995. Supplemental phytic acid and microbial phytase change zinc bioavailability and cadmium accumulation in growing rats. *J. Trace Elements Med. Biol.* 9:117-122.
- Robbins, B. C., J. S. Radcliffe, and E. T. Kornegay. 2000. Evaluation of two commercially available phytase sources in weanling pigs fed a high phytate diet. *J. Anim. Sci.* (Submitted)(Abstr.).
- Roberson, K. D. and M. Edwards, Jr. 1994. Effects of 1,25-dihydroxycholecalciferol and phytase on zinc utilization in broiler chicks. *Poultry Sci.* 73:1312-1326.
- Roche, C., C. Bellaton, D. Pansu, A. Miller III, and F. Bronner. 1986. Localization of vitamin D-dependent active  $\text{Ca}^{2+}$  transport in the rat duodenum in relation to CaBP. *Am. J. Physiol.* 251:G314-G320.

- Ross, R. D., G. L. Cromwell, and T. S. Stahly. 1984. Effects of source and particle size on the biological availability of calcium supplements for growing pigs. *J. Anim. Sci.* 59:125-134.
- Rutledge, E. A., L. E. Hanson, and R. J. Meade. 1961. A study of the calcium requirement of pigs weaned at three weeks. *J. Anim. Sci.* 20:243-245.
- Saito, H., M. Okuda, T. Terada, S. Sasaki, and K.-I. Inui. 1995. Cloning and characterization of a rat H<sup>+</sup>/peptide cotransporter mediating absorption of beta-lactam antibiotics in the intestine and kidney. *J. Pharmacol. Exp. Therap.* 275:1631-1637.
- Sambrook, I. E. and A. L. Rainbird. 1985. The effect of guar gum and level and source of dietary fat on glucose tolerance in growing pigs. *Brit. J. Nutr.* 54:27-35.
- SAS Institute. 1990. SAS/STAT<sup>®</sup> User's Guide: Statistics. Release 6.04 Edition. SAS Institute Inc., Cary, NC.
- Sauer, W. C. and K. de Lange. 1993. Novel methods for determining protein and amino acid digestibilities in feedstuffs. In: S. Nissen (ed.) *Modern Methods in Protein Metabolism*. p. 87. Academic Press, Inc. New York, NY.
- Saunders, J. C. J. and L. C. Isaacson. 1990. Patch clamp study of Ca channels in isolated reanal tubule segments. In: D. Pansu and F. Bronner (ed.) *Calcium Transport and Intracellular Calcium Homeostasis*. p. 27. Springer, Heidelberg.
- Schöner, F. J. and P. P. Hoppe. 1992. Microbial phytase, a tool to alleviate environmental phosphorus pollution from broiler production. *Proc. World's Poultry Congress* 3:429-432.
- Schöner, F. J., G. Schwarz, P. P. Hoppe, and H. Wiesche. 1994. Effect of microbial phytase on Ca-availability in broilers, Third Conf. of Pig and Poultry Nutrition. Halle, Germany. p. 147.
- Schöner, F. J., P. P. Hoppe and G. Schwarz. 1991. Comparative effects of microbial phytase and inorganic phosphorus on performance and on retention of phosphorus, calcium and crude ash in broilers. *J. Anim. Physiol. Anim. Nutr.* 66:248-255.
- Schöner, F. J., P. P. Hoppe, G. Schwarz, and H. Wiesche. 1993. Effects of microbial phytase and inorganic phosphate in broiler chickens: performance and mineral retention at various calcium levels. *J. Anim. Physiol. Anim. Nutr.* 69:235-244.
- Schulze, H. 1994. Endogenous Ileal Nitrogen Losses in Pigs: Dietary Factors. Ph.D. Dissertation. Wageningen Agricultural University, Netherlands.
- Shieh, T. ., R. J. Wodzinski, and J. W. Ware. 1969. Regulation of the formation of acid phosphatases by inorganic phosphate Aspergillus ficuum. *J. Bacteriol.* 100:1161-1165.

- Shinki, T., Ch. H. Jin, A. Nishimura, Y. Nagai, Y. Ohyama, M. Noshiro, K. Okuda, and T. Suda. 1992. Parathyroid hormone inhibits 25-hydroxyvitamin D<sub>3</sub>-24-hydroxylase mRNA expression stimulated by 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> in rat kidney but not in intestine. *J. Biol. Chem.* 287:13757-13762.
- Shinki, T., H. Shimada, S. Wakino, H. Anazawa, M. Hayashi, T. Saruta, H. F. DeLuca, and T. Suda. 1997. Cloning and expression of rat 25-hydroxyvitamin D<sub>3</sub>-1 $\alpha$ -hydroxylase cDNA. *Proc. Natl. Acad. Sci.* 94:12920-12925.
- Shiraga, T., K.-I. Miyamoto, H. Tanaka, H. Yamamoto, Y. Taketani, K. Morita, I. Tamai, A. Tsuji, and E. Takeda. 1999. Cellular and molecular mechanisms of dietary regulation of rat intestinal H<sup>+</sup>/peptide transporter PepT1. *Gastroenterology* 116:354-362.
- Simons, P. C. M., H. A. J. Versteegh, A. W. Jongbloed, P. A. Kemme, P. Slump, K. D. Bos, M. G. E. Wolters, R. F. Beudeker, and G. J. Verschoor. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. *Brit. J. Nutr.* 64:525-540.
- Singh, M. and A. D. Krikorian. 1982. Inhibition of trypsin activity in vitro by phytate. *J. Agric. Food Chem.* 30:799-800.
- Skaggs, J. H. 1999. Efficacy and Safety of a New Genetically Modified Phytase for Improving Dietary Phosphorus Utilization of Swine and Poultry. M.S.Thesis. Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Soares, J. H., Jr. 1995. Calcium bioavailability. In: C. B. Ammerman, D. H. Baker, and A. J. Lewis (ed.) *Bioavailability of Nutrients for Animals*. p 95. Academic Press, Inc., San Diego, CA.
- Souffrant, W. B., A. Rerat, J. P. Laplace, B. Darcy-vrillon, R. Köhler, T. Corring, and G. Gebhardt. 1993. Exogenous and endogenous contributions to nitrogen fluxes in the digestive tract of pigs fed a casein diet. III. Recycling of endogenous nitrogen. *Reprod. Nutr. Dev.* 33:373-382.
- Stein, W. D. 1992. Facilitated diffusion of calcium across the intestinal epithelial cell. *J. Nutr.* 122:651-656.
- Stern, P. H. 1997. 1,25-Dihydroxyvitamin D<sub>3</sub> interactions with local factors in bone remodeling. In: D. Fedlman, F. H. Glorieux, and J. W. Pike (ed.) *Vitamin D*. p. 341. Academic Press, San Diego, CA.
- Suda, T. and N. Takahashi. 1997. Vitamin D and osteogenesis. In: D. Fedlman, F. H. Glorieux, and J. W. Pike (ed.) *Vitamin D*. p. 329. Academic Press, San Diego, CA.
- Tanaka, H., E. Abe, C. Miyaura, T. Kuribayashi, K. Konno, Y. Nishii, and T. Suda. 1982. 1 $\alpha$ ,25-Dihydroxycholecalciferol and a human myeloid leukemia cell line (HL-60). *Biochem. J.* 204:713-719.

- Tanaka, Y, R. S. Lorenc, and H. F. DeLuca. 1975. The role of 1,25-dihydroxyvitamin D<sub>3</sub> and parathyroid hormone in regulation of chick renal 25-hydroxyvitamin D<sub>3</sub>-24-hydroxylase. *Arch. Biochem. Biophys.* 171:521-526.
- Teti, A. and A. Z. Zallone. 1992. Control of cytosolic calcium in osteoclasts in vitro. In: F. Bronner and M. Peterlik (ed.) *Extra- and Intracellular Calcium Regulation: From Basic Research to Clinical Medicine.* p. 113. CRC Press, Boca Raton, FL.
- Thamotharan, M., Y. B. Lombardo, S. Z. Bawani, and S. A. Adibi. 1997. An active mechanism for completion of the final stage of protein degradation in the liver, lysosomal transport of dipeptides. *J. Biol. Chem.* 272:11786-11790.
- Thomasett, M., C. O. Parkes, and P. Cuisinier-Gleizes. 1982. Rat calcium-binding proteins: distribution, development and vitamin D-dependence. *Am. J. Physiol.* 243:E483-E488.
- Thomasset, M. 1997. Cabindin-D<sub>9K</sub>. In: D. Fedlman, F. H. Glorieux, and J. W. Pike (ed.) *Vitamin D.* p 223. Academic Press, San Diego, CA.
- Thompson, L. U. 1986. Phytic acid: A factor influencing starch digestibility and blood glucose response. In: E. Graf (ed.) *Phytic Acid: Chemistry and Applications.* p. 173. Pilatus Press, Minneapolis, MN.
- Thwaites, D. T., C. D. A. Brown, B. H. Hirst, and N. L. Simmons. 1993. Transepithelial glycylsarcosine transport in intestinal Caco-2 cells mediated by expression of H<sup>+</sup>-coupled carriers at both apical and basal membranes. *J. Biol. Chem.* 268:7640-7642.
- Todd, P. A., P. Benfield, and K. L. Goa. 1990. Guar Gum: A review of its pharmacological properties, and use as a dietary adjunct in hypercholesterolaemia. *Drugs* 39:917-928.
- Tonroy, B., M. P. Plumlee, J. H. Conrad and T. R. Cline. 1973. Apparent digestibility of the phosphorus in sorghum grain and soybean meal for growing swine. *J. Anim. Sci.* 36:669-673.
- Umenson, K. K. Murakami, C. C. Thompson, and R. M. Evans. 1991. Direct repeats as selective response elements for the thyroid hormone retinoic acid, and vitamin D<sub>3</sub> receptors. *Cell.* 65:1255-1266.
- Van der Klis, J. D. and H. A. J. Versteegh. 1991. Ileal absorption of P in lightweight white laying hens using microbial phytase and various calcium contents in laying hen feed. Spelderholt Pub. No. 563. Het Sperderholt, Wageningen, Netherlands.
- Van Kempen, G. J. M., P. van de Kerk, and A. H. M. Grimbergen. 1976. The influence of the phosphorus and calcium content of feeds on growth, feed conversion and slaughter quality, and on the chemical, mechanical and histological parameters of the bone tissue of pigs. *Neth. J. Agric. Sci.* 24:120-673.
- Van Kleef, D. J., K. Deuring, and P. van Leeuwen. 1994. A new method of faeces collection. *Lab. Anim.* 28:78-79.

- Venekamp, J. C., A. C. Tas, and W. A. C. Somers. 1995. Developments in phytase activity determination: and NMR-approach. In: W. van Hartingsveldt, M. Hessing, J. P. Van der Lugt, and W. A. C. Somers (ed.) Proceeding of the 2<sup>nd</sup> European Symposium on Feed Enzymes. p. 151. Noordwijkherhout. TNO, Zeist, Netherlands.
- Verma, A. K., A. G. Filoteo, and D. R. Stanford. 1988. Complete primary structure of a human plasma membrane Ca<sup>2+</sup> pump. *J. Biol. Chem.* 263:14152-14159.
- Verma, S. V. S. and J. M. McNab. 1982. Guar meal in diets for broiler chickens. *Brit. Poultry Sci.* 23:95-105.
- Veum, T. L. 1996. Influence of dietary calcium levels or calcium:phosphorus ratios on the effectiveness of natuphos phytase for swine. In: M. B. Coelho and E. T. Kornegay, (ed.) *Phytase in Animal Nutrition and Waste Management.* p. 393. BASF Corporation, Mount Olive, NJ.
- Vohra, P. and F. H. Kratzer. 1965. Improvement of guar meal by enzymes. *Poultry Sci.* 44:1201-1205.
- Vohra, P., G. A. Gray, and F. H. Kratzer. 1965. Phytic acid-metal complexes. *Proc. Soc. Exp. Biol. Med.* 120:447-449.
- Walling, M. W. 1977. Intestinal inorganic phosphate transport. *Adv. Exp. Med. Biol.* 103:131-147.
- Washburn, E. W. (ed.). 1928. *International Critical Tables of Numerical Data, Physics, Chemistry and Technology.* Vol. 3., p. 377. McGraw-Hill, New York, NY.
- Wasserman, R. H., J. S. Chandler, and S. A. Meyer. 1992. Intestinal calcium transport and calcium extrusion processes at the basolateral membrane. *J. Nutr.* 122:662-671.
- Wasserman, R. H., R. A. Corradino, and A. N. Taylor. 1968. Vitamin D-dependent calcium binding protein: purification and some properties. *J. Biol. Chem.* 243:3978-3986.
- Wasserman, R. H. and J. J. Feher. 1977. Vitamin D-dependent calcium-binding proteins. In: R. H. Wasserman, R. A. Corradino, E. Carafoli, R. H. Kretsinger, D. H. MacLennan, and F. L. Siegel (ed.) *Calcium Binding Proteins and Calcium Function.* p 293. Elsevier-North Holland, New York.
- Wasserman, R. H., C. S. Fullmer, and A. N. Taylor. 1978. The vitamin D-dependent calcium binding proteins. In: D. E. M. Lawson (ed.) *Vitamin D.* p. 133. Academic Press, London.
- Wasserman, R. H. and A. N. Taylor. 1969. Some aspects of the intestinal absorption of calcium, with special reference to vitamin D. In: C. L. Comar and F. Bronner (ed.) *Mineral Metabolism—An Advanced Treatise.* Vol. 3, p. 321. Academic Press, New York and London.

- Weiser, M. M. 1984. Calcium. In: N. W. Solomons and I. H. Rosenberd (ed.) Current Topics in Nutrition and Disease Vol. 12, p. 15. Alan R. Liss, Inc., New York.
- Williams, K. R., H. C. Hemmings, Jr., M. B. LoPresti, P. Greengard. 1989. ARPP-21, a cyclic AMP regulated phosphoprotein enriched in dopamine-innervated brain regions. I. Amino acid sequence of ARPP-21B from bovine caudate nucleus. *J. Neurosci.* 9:3631-3637.
- Wise, A. and D. J. Gilbert. 1982. Phytate hydrolysis by germfree and conventional rats. *Appl. Environ. Microbiol.* 43:753-756.
- Yang, W., P. A. Friedman, R. Kumar, J. L. Omdahl, B. K. May, M.-L. Siu-Caldea, G. S. Reddy, and S. Christakos. 1999. Expression of 25(OH)D<sub>3</sub> 24-hydroxylase in distal nephron: coordinate regulation by 1,25(OH)<sub>2</sub>D<sub>3</sub> and cAMP or PTH. *Am. J. Physiol.* 276:E793-E805.
- Yi, Z. and E. T. Kornegay. 1996. Sites of phytase activity in the gastrointestinal tract of young pigs. *Anim. Feed Sci. Tech.* 61:361-368.
- Yi, Z., E. T. Kornegay, and D. M. Denbow. 1996a. Supplemental microbial phytase improves zinc utilization in broilers. *Poultry Sci.* 75:540-546.
- Yi, Z., E. T. Kornegay, and D. M. Denbow. 1996b. Effect of microbial phytase on nitrogen and amino acid digestibility and nitrogen retention of turkey poult fed corn-soybean meal diets. *Poultry Sci.* 75:979-990.
- Yi, Z., E. T. Kornegay, M. D. Lindemann, V. Ravindran, and J. H. Wilson. 1996c. Effectiveness of Natuphos<sup>®</sup> phytase in improving the bioavailabilities of phosphorus and other nutrients in soybean meal-based semipurified diets for young pigs. *J. Anim. Sci.* 74:1601-1611.
- Yi, Z., E. T. Kornegay, V. Ravindran, and D. M. Denbow. 1996d. Improving phytate phosphorus availability in corn and soybean meal for broilers using microbial phytase and calculation of equivalency values for phytase. *Poultry Sci.* 75:240-249.
- Z. Zhang and E. T. Kornegay. 1999. Phytase effects on ileal amino acid digestibilities and nitrogen balance in finishing pigs fed a low-protein plant-based diet. *J. Anim. Sci.* 77(Suppl. 1):175 (Abstr.).
- Zhang, Z. 1999. Reducing Nutrient Excretion via Improved Nutrient Utilization by Supplementing Pigs and Poultry Diets with Phytase Enzyme. Ph.D. Dissertation. Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Ziegler, E. E. and L. J. Filer. 1996. Present Knowledge in Nutrition. ILSI Press, Washington, DC.