

References

- [1] Azzouz, M., S., Mei, C., Bevan, J. S., and Ro, J. J., 2001, "Finite Element Modeling of MFC/AFC Actuators and Performance of MFC," *Journal of Intelligent Material Systems and Structures*, Vol. 12, pp. 601-612.
- [2] Balas, M. J., 1978, "Active Control of Flexible Systems," *Journal of Optimization Theory and Applications*, Vol. 25, No. 3, pp. 415-436.
- [3] Banks, H. T., Smith, R. C., and Wang, Y. 1996, *Smart Material Structures: Modeling, Estimation, and Control*, Wiley, New York.
- [4] Bent, A. A., 1997, *Active Fiber Composites for Structural Actuation*, Ph.D. Dissertation, Massachusetts Institute of Technology, Cambridge, MA.
- [5] Bent, A. A., Hagood, N. W., and Rodgers, J. P., 1995, "Anisotropic Actuation with Piezoelectric Fiber Composite," *Journal of Intelligent Material Systems and Structures*, Vol. 6, No. 5, pp. 338-349.
- [6] Birman, V. and Simonyan, A. 1994, "Theory and Applications of Cylindrical Sandwich Shells with Piezoelectric Sensors and Actuators," *Smart Materials and Structures*, Vol. 3, pp. 391-396.
- [7] Blachut, J., and Jaiswal, O. R., 2000, "On Buckling of Toroidal Shells Under External Pressure," *Computers and Structures*, Vol. 77, pp. 233-251.
- [8] Brush, D. O. and Almroth, B. O., 1975, *Buckling of Bars, Plates, and Shells*, McGraw-Hill, New York.
- [9] Budiansky, B., 1968, "Notes on Nonlinear Shell Theory," *Journal of Applied Mechanics*, Vol. 35, pp. 393-401.
- [10] Callahan, J. and Baruh, H. 1999. "Modal Sensing of Circular Cylinder Shells Using Segmented Piezoelectric Elements," *Smart Materials and Structures*, Vol. 8, pp. 125-135.

- [11] Chattopadhyay, A., and Seeley, C. E., 1995, "A Coupled Controls/Structures Optimization Procedure for the Design of Rotating Composite Box Beams with Piezoelectric Actuators," *Smart Structures and Materials*, Vol. 4, pp. 170-178.
- [12] Chen, S., and Cao, Z., 2000, "A New Method for Determining Locations of Piezoelectric Sensor/Actuator for Vibration Control of Intelligent Structures," *Journal of Intelligent Material Systems and Structures*, Vol. 11, pp. 108-115.
- [13] Choi, S. B., Cheong, C. C., and Kim, M. S., 1997, "Discrete-Time Sliding Mode Control of Flexible Smart Structures with Piezofilm Actuators," *Journal of Intelligent Material Systems and Structures*, Vol. 8, No. 2, pp.138-148.
- [14] Chopra, I., 2001, "Review of State-of-Art of Smart Structures and Integrated Systems," *42nd AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference and Exhibit*, Seattle WA, April 2001.
- [15] Clark, L. R. and Fuller, C. R., 1992, "Optimal Placement of Piezoelectric Actuators and Polyvinylidene Fluoride Errors Sensors in Active Structural Acoustic Control Approaches," *Journal of the Acoustical Society of America*, Vol. 92, pp. 1521-1533.
- [16] Colbourne, J. R., and Flügge, W., 1967, "The Membrane Theory of the Toroidal Shell - A Singular Perturbation Problem," *International Journal of Non-linear Mechanics*, Vol. 2, pp. 39-53.
- [17] Combescure, A., and Galletly, G. D., 1999, "Plastic Buckling of Complete Toroidal Shells of Elliptical Cross-Section Subjected to Internal Pressure," *Thin-Walled Structures*, Vol. 34, pp. 135-146.
- [18] Crawley, E. F., and de Luis, J., 1987, "Use of Piezoelectric Actuators as Elements of Intelligent Structures," *AIAA Journal*, Vol. 25, No. 10, pp. 1373-1385.
- [19] Deb, K., 1996, *Optimization for Engineering Design: Algorithms and Examples*, Prentice Hall of India, New Delhi.
- [20] DeCarlo, R. A., Zak, S. H., Matthews, G. P., 1988, "Variable Structure Control of Nonlinear Multivariable Systems: A Tutorial," *Proceedings of the IEEE*, Vol. 76, No. 3, pp. 212-232.
- [21] Dietz, A., Proffitt, R., Chabot, R., and Moak, E., 1969, "Wind Tunnel Tests and Analyses for Ground Mounted, Air-Supported Structures (Revised)," Technical Report 70-7-GP, United States Army, United States Army Natick Laboratory, Natick, Massachusetts.

- [22] Dimitriadis, E. K., and Fuller, C. R., 1989, "Piezoelectric Actuators for Noise and Vibration Control of Thin Plates," *12th ASME Conference on Mechanical Vibration and Noise*, Montreal, 1989.
- [23] Dökmeci, M. J., 1990, "Shell Theory for Vibration of Piezoceramic Under a Bias," *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, Vol. 37, No. 5, September, pp. 369-385.
- [24] Donnell, L. H., 1934, "Stability of Thin-Walled Tubes Under Torsion," *NACA Report No. 479*.
- [25] Dornheim, M. A., and Anselmo, J., 1996, "Complex Antenna is Star of Mission 77", *Aviation Week & Space Technology*, May 27, pp. 58-59.
- [26] Dornheim, M. A., 1999, "Inflatable Structures Taking to Flight," *Aviation Week & Space Technology*, <http://www.lgarde.com/programs/iaearticle/awarticle.html>, January, pp. 60-62,
- [27] Edward, C. and Spurgeon, S. K., 1998, *Sliding Mode Control: Theory and Applications*, Taylor & Francis, Bristol, PA.
- [28] Freeland, R. E., 1997, "Inflatable Antenna Flight Experiment Experiences," *NASA Solar Thermal Propulsion Workshop Proceedings*, NASA Marshall Space Flight Center, Huntsville, AL, March 19-20.
- [29] Freeland, R. F., 2000, "History of Relevant Inflatable High-Precision Space Structures Technology Developments," *Gossamer Spacecraft: Membrane and Inflatable Structures Technology for Space Applications*, AIAA, Vol. 191, pp. 33-48.
- [30] Ghaedi, S. K. and Misra A. K. 1999, "Active Control of Shallow Spherical Shells Using Piezoceramic Sheets," *SPIE Conference on Smart Structures and Integrated Systems*, Newport Beach, California, March, Vol. 3668, pp. 890-912.
- [31] Giraudeau, A., Pierron, F., Chambard, 2002, "Experimental Study of Air Effect on Vibrating Lightweight Structures," *SEM Annual Conference*, June 10-12, Milwaukee, Wisconsin.
- [32] Goldberg, D. E., 1989, *Genetic Algorithms in Search, Optimization & Machine Learning*, Addison-Wesley, Reading, MA.
- [33] Granger, R., Washington, G., and Kwak, S-K, 2000, "Modeling and Control of a Singly Curved Active Aperture Antenna Using Curved Piezoceramic Actuators," *Journal of Intelligent Material Systems and Structures*, Vol. 11, March, pp. 225-233.
- [34] Hac, A., and Lui, L., 1993, "Sensor and Actuator Location in Motion Control of Flexible Structures," *Journal of Sound and Vibration*, Vol. 167, No. 2, pp. 239-261.

- [35] Hagood, N. W., and Bent, A. A., 1993, Development of Piezoelectric Fiber Composites for Structural Actuation,” *Proceedings 34th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conferences*, AIAA Paper 93-1717, La Jolla, CA.
- [36] Hamadan, A. M. A., and Nayfeh, A. H., 1989, “Measures of Modal Controllability and Observability for First- and Second-Order Linear Systems,” *Journal of Guidance, Control, and Dynamics*, Vol. 12, No. 3, pp. 421-428.
- [37] Han, J.-H., and Lee, I., 1999, “Optimal Placement of Piezoelectric Sensors and Actuators for Vibration Control of a Composite Plate Using Genetic Algorithm,” *Smart Materials and Structures*, Vol. 8, pp. 257-267.
- [38] IEEE Std. 176-1798, 1978, *IEEE Standard on Piezoelectricity*, The Institute of Electronics and Electronics Engineers.
- [39] Jayachandran, V. and Sun, J. Q. 1998, “Modeling Shallow-Spherical-Shell Piezoceramic Actuators as Acoustic Boundary Control Elements,” *Smart Materials and Structures*, Vol. 7, pp. 72-84.
- [40] Jayachandran, V., King, P., Meyer, N. E., Li, F. J., Petrova, M., Westervelt, M. L., Hirsch, S. M., and Sun, J. Q., 1999, “Real-time Feedforward Control of Low-Frequency Interior Noise Using Shallow Spherical Shell Piezoceramic Actuators,” *Smart Materials and Structures*, Vol. 8, pp. 579-584.
- [41] Jordan, P. F., 1962, “Stresses and Deformations of Thin-Walled Pressurized Torus,” *Journal of Aerospace Science*, Vol. 29, pp. 213-225.
- [42] Jordan, P. F., 1966, “Vibration and Buckling of Pressurized Torus Shells,” *4th Aerospace Science Meeting*, Los Angeles, California, AIAA Paper No. 66-445.
- [43] Jordan, P. F., 1967, “Vibration Study of a Pressurized Torus Shell Part I – Experimental Study,” *NASA CR-884*, October.
- [44] Kao, C. K. and Sinha, A., 1992, “Coupled Modal Sliding Mode Control Vibration in Flexible Structures,” *Journal of Guidance, Navigation, and Control*, Vol. 15, No. 1, pp. 65-71.
- [45] Kawaguchi, M., Chin, Y., Tanaka, A., Baba, T., Hosogaya, T., Oki, H., and Mochizuki, T., 1972, “Engineering Problems of Pneumatic Structures,” *IASS Symposium Part II on Tension Structures and Space Frames*, Tokyo and Kyoto, 449-460.
- [46] Kim, S. J. and Jones, D., 1991, “Optimal Design of Piezoactuators for Active Noise and Vibration Control,” *AIAA Journal*, Vol. 29, No. 12, pp. 2047-2053.

- [47] Kim, S. J., and Song, K. Y., 1999, "Active Control of Sound Fields from Plates in Flow by Piezoelectric Sensor/Actuator," *AIAA Journal*, Vol. 37, No. 10, pp. 1180-1186.
- [48] Kordes, E. E., 1960, *Vibration Analysis of Toroidal Shells of Circular Cross Section*, Ph.D. Dissertation, Engineering Mechanics, Virginia Polytechnic Institute and State University.
- [49] Kraus, H., 1967, *Thin Elastic Shells*, Wiley, New York.
- [50] Lalande, F., Chaudhry, Z., and Rogers, C. A., 1995, "Impedance-Based Modeling of Actuators Bonded to Shell Structures," *Journal of Intelligent Material Systems and Structures*, Vol. 6, November, pp. 765-775.
- [51] Lee, C. K., 1990, "Theory of Laminated Piezoelectric Plates for the Design of Distributed Sensors/Actuators. Part I: Governing Equations and Reciprocal Relationships," *Journal of the Acoustical Society of America*, Vol. 87, pp. 1144-1158.
- [52] Leigh, L., Hamidzadeh, H., Tinker, M. L., and Slade, K. N., 2001, "Dynamic Characterization on an Inflatable Concentrator for Solar Thermal Propulsion," *42nd AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference and Exhibit*, Seattle, WA, 15-19 March, pp.1-7.
- [53] Leissa, A. W., 1973, *Vibration of Shells*, NASA SP-288.
- [54] Leleu, S., Abou-Kandil, H., and Bonnassieux, Y., 2000, "Piezoelectric Actuators and Sensors Location for Active Control of Flexible Structures," *Proceedings of the IEEE International Measurement Technology Conference*, Baltimore, Maryland, USA, pp. 818-823.
- [55] Lester, H. C., and Lefebvre, S., 1993, "Piezoelectric Actuator Models for Active Sound and Vibration Controls of Cylinders," *Journal of Intelligent Material Systems and Structures*, Vol. 4, pp. 295-306.
- [56] Leung, A. Y. T., Kwok, N. T. C., 1994, "Free Vibration Analysis of a Toroidal Shell," *Thin-Walled Structures*, Vol. 18, pp. 317-332.
- [57] Lewis, J. A., 2000, *Finite Element Modeling and Active Control of an Inflated Torus Using Piezoelectric Devices*, MS Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.
- [58] Li, X., and Steigmann, D. J., 1995, "Finite Deformation of a Pressurized Toroidal Membrane," *International Journal of Non-Linear Mechanics*, Vol. 30, No. 4, pp. 583-595.

- [59] Liepins, A. A., 1965, "Free Vibrations of Prestressed Toroidal Membrane," *AIAA Journal*, Vol. 3, No. 10, pp. 1924-1933.
- [60] Longman, R. W., Sirlin, S. W., Li, T., and Sevaston, G., 1982, "The fundamental Structure of Degree of Controllability and Degree of Observability," *AIAA/AAS Paper 82-1434*, San Diego, CA.
- [61] Lukasiewicz, S., and Balas, L., 1990, "Collapse Loads of a Cylindrical and Toroidal Free-Standing Inflatable Membrane," *Mechanics of Structures and Machines*, Vol. 18, pp. 499-513.
- [62] Maksimyuk, V. A., and Chernyshenko, I. S., 1999, "Nonlinear Elastic State of Thin-Walled Toroidal Shells Mode of Orthotropic Composites," *International Applied Mechanics*, Vol. 35, No. 12, pp.1238-1245.
- [63] Main, J. A., Garcia, E., and D. Howard, 1994, "Optimal Placement and Sizing of Paired Pizoactuators in Beams and Plates," *Smart Materials and Structures*, Vol. 3, pp. 373-381.
- [64] Maji, A. K., and Starnes, M. A., 2000, "Shape Measurement and Control of Deployable Membrane Structures," *Experimental Mechanics*, Vol. 40, No. 2, pp.154-159.
- [65] Matheu, E. E., 1997, *Active and Semi-Active Control of Civil Structures Under Seismic Excitation*, Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.
- [66] McGill, D. J. M., 1966, *Axisymmetric Free Oscillations of Thick Toroidal Shells*, Ph.D. Dissertation, Department of Mechanics and Aerospace Engineering, University of Kansas.
- [67] Meirovitch, L., and Baruh, H., 1983, "On the Problem of Observation Spillover in Self-Adjoint Distributed-Parameter Systems," *Journal of Optimization Theory and Applications*, Vol. 39, No. 2, pp. 269-291.
- [68] Merivitch, L., 1990, *Dynamics and Control of Structures*, John Wiley & Sons, New York.
- [69] Mohan, P., 1997, *Development and Applications of a Flat Triangular Element for Thin Laminated Shell*, Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.
- [70] Molloy, S. J., 1998, *Finite Element Analysis of a Pair of Leaning Pressurized Arch-Shell Under Snow and Wind Loads*, M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.

- [71] Moore, B. C., 1981, “*Principal Component Analysis in Linear Systems: Controllability, Observability, and Model Reduction*,” IEEE Transactions on Automatic Control, Vol. 26, No. 1, pp. 17-32.
- [72] Padula, S. L. and Kincaid, R. K., 1999, “Optimization Strategies for Sensor and Actuator Placement,” *NASA/TM-1999-209126*.
- [73] Palisoc, A. L., and Huang, Y., 1997, “Design Tool for Inflatable Space Structures,” *AIAA-97-1378*, pp. 2922-2930.
- [74] Papargyri-Pegiou, S., 1995, “Stability of the Axisymmetric Analytical and Numerical Solutions in a Thin-Walled Pressurized Torus of Compressible Nonlinear Elastic Material,” *International Journal of Engineering Science*, Vol. 33, No. 7, pp. 1005-1025.
- [75] Park, G., Kim, M.-H., Inman, D. J., 2002, “Integration of Smart Materials into Dynamics and Control of Inflatable Space Structures,” *Journal of Intelligent Material Systems and Structures*, Vol. 12, No. 6, pp. 423-433.
- [76] Park, G., Ruggiero, E., and Inman, D. J., 2002, “Dynamic Testing of an Inflatable Structure using Smart Materials,” *Smart Materials and Structures*, Vol. 11, No.1, pp. 147-166.
- [77] Plaut, R. H., Goh, J. K. S., Kigudde, M., and Hammerand, D. C., 2000, “Shell Analysis of an Inflatable Arch Subjected to Snow and Wind Loading,” *International Journal of Solids and Structures*, Vol. 37, pp. 4275-4288.
- [78] Pletner, B., and Abramovich, H., 1997, “Consistent Methodology for the Modeling of Piezolaminated Shells,” *AIAA Journal*, Vol. 35, No. 8, pp. 1316-1326.
- [79] Qiu, J., and Tani, J. 1994, “Vibration Control of a Cylindrical Shell Using Distributed Piezoelectric Sensors and Actuators,” *Proceedings of the Second International Symposium on Intelligent Materials*, pp. 1003-1014.
- [80] Qiu, J., Tani, J., 1996, “Vibration Suppression of a Cylindrical Shell Using a Hybrid Control Method,” *Journal of Intelligent Material Systems and Structures*, Vol. 27, pp. 278-287.
- [81] Raouf, R., Palazotto, A. N., 1996, “Nonlinear analysis of Pressurized Spinning Fiber-Reinforced Tori,” *AIAA Journal*, Vol. 34, No. 12, 1996.
- [82] Reddy, J. N., 1996, *Mechanics of Laminated Composite Plates: Theory and Analysis*, CRC Press, Boca Raton.
- [83] Reissner, E., 1941, “A New Derivation of the Equations for the Deformation of Elastic Shell,” *American Journal of Mathematics*, Vol. 63, pp. 177-184.

- [84] Reissner, E., 1963, "On Stresses and Deformations in Toroidal Shells of Circular Cross-Section Which are Acted upon by Uniform Normal Pressure," *Quarterly of Applied Mathematics*, Vol. 21, pp. 177.
- [85] Rogacheva, N. N. 1994, *The Theory of Piezoelectric Shells and Plates*, CRC Press, Boca Raton, Florida.
- [86] del Rosario, R. C. H., and Smith, R. C., 1998, "LQR Control of Thin Shell Dynamics: Formulation and Numerical Implementation," *Journal of Intelligent Material Systems and Structures*, Vol. 9, pp. 301 – 320.
- [87] Ruggiero, Eric, 2002, *Active Dynamic Analysis and Vibration Control of Gossamer Structures Using Smart Materials*, MS Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.
- [88] Saada, A. S., 1974, *Elasticity: Theory and Applications*, New York: Pergamon Press.
- [89] Sadri, A. M., Wright, J. R. and Wyne, R. J., 1999, "Modeling and Optimal Placement of Piezoelectric Actuators in Isotropic Plates Using Genetic Algorithms," *Smart Structures and Materials*, Vol. 8, pp. 490-498.
- [90] Saigal, S., Yang, T. Y., Kim, H. W., and Soedel, W., 1986, "Free Vibration of a Tire as a Toroidal Membrane," *Journal of Sound and Vibration*, Vol. 107, No. 1, pp. 71-82.
- [91] Salama, M., Kuo, C. P., Garba, J., Wada, B., and Thomas, M., 1994, "On-Orbit Shape Correction of Inflatable Structures," *AIAA Paper No. 94-1771*, pp. 348-355.
- [92] Sanders, J. L., 1959, "An Improved First Approximation Theory for Thin Shells," *NASA Report 24*, June.
- [93] Sanders, J. L., 1963, "Nonlinear Theories for Thin Shells," *Quarterly of Applied Mathematics*, Vol. 21, No. 1, pp. 21-36.
- [94] Sanders, J. L., and Liepins, A. A., 1963, "Toroidal Membrane under Internal Pressure," *AIAA Journal*, Vol. 1, No. 9, pp. 2105-2110.
- [95] Seo, S., Yoo, H. H., 2002, "Dynamic Analysis of Flexible Beams Undergoing Overall Motion Employing Linear Strain Measures," *AIAA Journal*, Vol. 40, No. 2, pp. 319-326.
- [96] Soedel, W., 1986, *Vibrations of Shells and Plates*, Marcel Dekker, New York.
- [97] Sonti, V. R. and Jones, J. D. 1996, "Curved Piezoactuator Model for Active Vibration Control of Cylindrical Shell," *AIAA Journal*, Vol. 34, No. 5, pp. 1034-1040.

- [98] Steeves, E, 1978, "Structural Behavior of Pressure Stabilized Arches," *Technical Report Natick/TR-78/018*, United States Army, Natick Research & Development Command, Natick, Massachusetts.
- [99] Sun, D., Tong, L., 2001, "Modal Control of Smart Shells by Optimized Discretely Distributed Piezoelectric Transducers," *International Journal of Solids and Structures*, Vol. 38, pp. 3281-3299.
- [100] Sunar, M. and Rao, S.S., 1999, "Recent Advances in Sensing and Control of Flexible Structures via Piezoelectric Materials Technology, " *Applied Mechanics Review*, Vol. 52, No. 1, pp. 1-16.
- [101] Tang, J., Wang, K. W., and Philen, M., 1999, "Sliding Mode Control of Structural Vibrations via Active-Passive Hybrid Piezoelectric Network," *Proceedings of SPIE*, Vol. 3668, No. 2., pp. 543-554.
- [102] Teng, J. G., and Hong, T., 1998, "Nonlinear Thin Shell Theories for Numerical Buckling Predictions," *Thin-Walled Structures*, Vol. 31, pp. 89-115.
- [103] Timoshenko, S., 1940, *Theory of Plates and Shells*, McGraw-Hill, New York.
- [104] Tinker, M. L., 1998, "Passively Adaptive Inflatable Structure for the Shooting Star Experiment," *AIAA Paper No. 98-1986*, pp. 2320-2326.
- [105] Tsai, M. S., and Wang, K. W., 1996, "Control of a Ring Structure with Multiple Active-Passive Hybrid Piezoelectrical Networks," *Smart Materials and Structures*, No. 5, pp. 695-703.
- [106] Tzou, H.-S. 1993, *Piezoelectric Shells: Distributed Sensing and Control of Continua*, Kluwer Academic Publishers, Dordrecht, The Netherlands.
- [107] Tzou, H.-S., 1998, "Multifield Transducers, Devices, Mechatronic Systems, and Structronic Systems with Smart Materials," *The Shock and Vibration Digest*, Vol. 30, No. 4, pp. 282-294.
- [108] Tzou, H.-S., and Fu, H. Q., 1994, "A Study of Segmentation of Distributed Piezoelectric Sensors and Actuators, Part I: Parametric Study and Active Vibration Controls," *Journal of Sound and Vibration*, Vol. 172, No. 2, pp. 261-275.
- [109] Tzou, H.-S., Zhong, J. P., Hollkamp, J. J., 1994, "Spatially Distributed Orthogonal Piezoelectric Shell Actuators: Theory and Applications," *Journal of Sound and Vibration*, Vol. 177, No. 3, pp. 363-378.

- [110] Tzou, H.-S., Bao, Y., and Venkayya, V. B., 1996, "Parametric Study of Segmented Transducers Laminated on Cylindrical Shells, Part 1: Sensor Patches," *Journal of Sound and Vibration*, Vol. 197, No. 2, pp. 207-224.
- [111] Tzou, H.-S., Bao, Y., and Venkayya, V. B., 1996, "Parametric Study of Segmented Transducers Laminated on Cylindrical Shells, Part 2: Actuator Patches," *Journal of Sound and Vibration*, Vol. 197, No. 2, pp. 225-249.
- [112] Tzou, H.-S., Wang, D. W., and Hagiwara, I., 2001, "Distributed Dynamic Signal Analysis of Piezoelectric Laminated Linear and Nonlinear Toroidal Shells," *Proceedings of 2001 ASME International Mechanical Engineering Congress and Exposition*, November 11-16, 2001, New York, NY.
- [113] Utkin, V. I., 1971, "Equations of Sliding Regime in Discontinuous Systems – Part I," *Automation and Remote Control*, No. 12, pp. 42-54.
- [114] Utkin, V. I., 1978, *Sliding Modes and their Application in Variable Structure Systems*, MIR Publishers, Moscow.
- [115] Utkin, V. I., 1992, *Sliding Modes in Control Optimization*, Springer-Verlag, Berlin.
- [116] Varadan, V. V., Kim, J., and Varadan, V. K., 1997, "Optimal Placement of Piezoelectric Actuators for Active Noise Control," *AIAA Journal*, 35, No. 3, pp. 526-533.
- [117] Wang, C.-Y. and Vaiciatis, R. 1998, "Active Control of Vibrations and Noise of Double Wall Cylindrical Shells," *Journal of Sound and Vibration*, Vol. 216, pp. 865-888.
- [118] Wang, Q. and Wang, C. M., 2001, "A Controllability Index for Optimal Design of Piezoelectric Actuators in Vibration Control of Beam Structures," *Journal of Sound and Vibration*, Vol. 241, No. 3, pp. 507-518.
- [119] Wilkie, W. K., Park, K. C., and Belvin, W. K., 1998, "Helicopter Dynamic Stall Suppression Using Piezoelectric Active Fiber Composite Rotor Blades," *AIAA-98-2002*, pp. 2458-2472.
- [120] Wilkie, W. K., Bryant, R. G., High, J., Fox, R. L., Hellbaum, R. F., Jalink, Jr. A., Little, B. D., and Mirick, P. H., 2000, "Low-Cost Piezocomposite Actuator for Structural Control Applications," *Proceedings SPIE, 7th International Symposium on Smart Structures and Materials*, Vol. 3991, pp. 323-334.
- [121] Williams, B., 2000, *Experimental and Analytical Investigation to Ascertain the Effects of Piezopolymer Actuators on the Dynamics of Inflatable Space-Based Structures*, M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.

- [122] Williams, T., 1990, "Closed-Form Grammians and Model Reduction for Flexible Space Structures," *IEEE Transactions on Automatic Control*, Vol. 35, No. 3, pp. 379-382.
- [123] Yang, J. S., Fang, H. Y., and Jiang, Q. 2000, "A Vibratory Piezoelectric Ceramic Shell as a Rotation Sensor," *Smart Materials and Structures*, Vol. 9, pp. 445-451.
- [124] Yang, S. M., and Lee, Y. J., 1993, "Vibration Suppression with Optimal Sensor/Actuator Location and Feedback Gain," *Smart Materials and Structures*, Vol. 2, pp. 232-239.
- [125] Yurkovitch, S., Özgüner, Ü, and Al-Abbass, F., 1988, "Model Reference, Sliding Mode Adaptive Control for Flexible Structure," *Journal of the Astronautical Sciences*, Vol. 36, No. 3, pp. 285-310.
- [126] Zhou, Y.-H., and Tzou, H. S., 2002, "Active Control of Nonlinear Piezoelectric Circular Shallow Spherical Shells," *International Journal of Solids and Structures*, Vol. 37, pp. 1663-1677.