

References

Chapter 1

- 1.1) G. Gray, and G. M. Savage, "Advanced Thermoplastic Composite Materials," *Metals and Materials*, Vol. 5, 513, (September 1989).
- 1.2) L. T. Drzal, M. J. Rich, and P. F. Lloyd, "Adhesion of Graphite Fibers to Epoxy Matrices: I. The Role of Fiber Surface Treatment", *Journal of Adhesion*, Vol.16, 30, (1982).
- 1.3) J. J. Lesko, R. E. Swain, J. M. Cartwright, J. W. Chen, K. L. Reifsnider, D. A. Dillard, and J. P. Wightman, "Interphases Developed from Fiber Sizings and Their Chemical-Structural Relationship to Composite Performance", *Journal of Adhesion*, Vol. 45, 43, (1994).
- 1.4) J.J. Lesko, A. Rau, and J.S. Riffle, "The Effect of Interphase Properties on the Durability of Woven Carbon/Vinyl Ester Matrix Composites", *Proceedings of the 10th American Society for Composites*, 18-20 September 1995, pp. 53-62.
- 1.5) S.H. Kim, P.M. Cotts, and W.Volksen, *J. Polym. Sci., Polym. Phys. Ed.*, 1992, Vol. 30, 177.
- 1.6) P.M.Cotts, W.Volksen, and S. Ferline, *J. Polym. Sci., Polym. Phys. Ed.*, 1992, Vol. 30, 373-379.
- 1.7) N.S. Broyles, 'Sizing and Characterization of Carbon Fibers with Aqueous-Water Dispersible Polymeric Interphases', MS Thesis, Department of Chemical Engineering, VPI&SU, February 1996.
- 1.8) N.S. Broyles, R. Chan, R.M. Davis, J.J. Lesko, and J.S. Riffle, 'Sizing and Characterization of Carbon Fibers with Aqueous Solutions of Poly(vinylpyrrolidone)', submitted to Polymer.
- 1.9) N.J. Pagano, and G.P. Tandon, 'Elastic Response of Multi-directional Coated-Fiber Composites', *Composites Science and Technology*, 1988, Vol. 31, 273-293.
- 1.10) N.J. Pagano, and G.P. Tandon, '2-D Damage Model for Unidirectional Composites under Transverse and/or Shear', *Mechanics of Composite Materials and Structures*, 1994, Vol. 1, 119-155.

1.11) G.P. Carman, S. Eskandari, S.W. Case, 'Analytical Investigation of Fiber Coating Effects on Shear and Compression Strength', *ASME WAM*, 1994.

Chapter 2

2.1) Gray, G. and Savage, G., "Advanced Thermoplastic Composite Materials," *Metals and Materials.*, Vol. 5, 513 (1989).

2.2) Drzal, L. T., Rich, M. J., and Lloyd, P. F., "Adhesion of Graphite Fibers to Epoxy Matrices: 1. The Role of Fiber Surface Treatment," *J. Adh.*, Vol. 16, 30 (1982).

2.3) Lesko, J. J., Swain, R. E., Cartwright, J. M., Chen, J. W., Reifsnider, K. L., Dillard, D. A., and Wightman, J. P., "Interphases Developed from Fiber Sizings and their Chemical-Structural Relationship to Composite Performance," *J. Adh.*, Vol. 45, 43 (1994).

2.4) Lesko, J. J., Rau, A., and Riffle, J. S., "The Effect of Interphase Properties on the Durability of Woven Carbon/Vinyl Ester Matrix Composites," *Proc. 10th Am. Soc. Comp.*, 18-20 Sept., 1995, 53-62.

2.5) Broyles, N. S., Verghese, K. E., Davis, S. V., Li, H., Davis, R. M., Lesko, J. J., and Riffle, J. S., "Designed Polymeric Interphases in Carbon Fiber-Vinyl Ester Composites," *Polymer (London)*, Vol. 39(15), 3417-3424 (1998).

2.6) Broyles, N. S., Chan, R., Davis, R. M., Lesko, J. J., and Riffle, J. S., "Sizing and Characterization of Carbon Fibers with Aqueous Solutions of Poly(vinylpyrrolidone)," *Polymer (London)*, Vol. 39(12), 2607-2613 (1998).

2.7) Bump, M. B., Robertson, M. A. F., Broyles, N. S., Flynn, M. C., Verghese, K. E., Lesko, J.J., and Riffle, J. S., "Designed Polymeric Interphases for Vinyl Ester Composites," *Proc. Int. Comp. Expo '98, Session 20-D*, 1998.

2.8) Hercules AS-4 Product Literature, Hercules Incorporated.

2.9) Li, H., Burts, E., Bears, K., Li, Q., Lesko, J. J., Dillard, D. A., and Riffle, J. S., "*Network Structure and Properties of Dimethyl acrylate-Styrene Matrix Materials*," submitted to *Journal of Composite Materials*, 1998.

2.10) Vanlandingham, M. R., McKnight, S. H., Palmese, G. R., Elings, J. R., Huang, X., Bogetti, T. A., Eduljee, R. F., and Gillespie, Jr. J. W., "Nanoscale Indentation of Polymer Systems using the Atomic Force Microscope," *J. Adh.*, Vol. 64, 31 (1997).

- 2.11) Pharr, G. M., Oliver, W. C., and Brotzen, F. R., "On the Generality of the Relationship among Contact Stiffness, Contact Area, and Elastic Modulus during Indentation," *J. Mat. Res.*, Vol. 7, 1564 (1992).
- 2.12) Doerner, M.F. and Nix, W.D. "A method for interpreting the data from depth-sensing indentation instruments," *J. Mat. Res.*, Vol. 1, 601 (1986).
- 2.13) Baker, S.P. and Burnham, N. A., "Measuring Mechanical Properties in the Nanometer Regime," MRS 1998, Symposium T Tutorial.
- 2.14) Tsui, T. Y., Oliver, W. C., and Pharr, G. M., "Nanoindentation of Soft Films on Hard Substrates: The Importance of Pile-Up," *Mat. Res. Soc. Symp. Proc.* Vol. 436, 207-212 (1997).
- 2.15) Bolshakov, A., Oliver, W. C., and Pharr, G. M., "Finite Element Studies of the Influence of Pile-Up on the Analysis of Nanoindentation Data," *Mat. Res. Soc. Symp. Proc.* Vol. 436, 141-146 (1997).

Chapter 3

- 3.1) L. E. Nielsen, *Mechanical Properties of Polymers*, Van Nostrand Reinhold, New York, 1962
- 3.2) L. Plangsangmas, J. J. Mecholsky, Jr., and A. B. Brennan, *J. Appl. Polym. Sci.*, 72, 257 (1999).
- 3.3) E. Crawford and A. J. Lesser, *J. Polym. Sci.: Part B: Polym. Phys.*, 36, 1371 (1998).
- 3.4) H. L. Bos and J. J. H. Nusselder, *Polymer*, 35, 2793 (1994).
- 3.5) V. B. Gupta, L. T. Drzal, C. Y.-C. Lee, and M. J. Rich, *Polym. Eng. Sci.*, 25, 812, 1985.
- 3.6) B.-G. Min, J. H. Hodgkin, and Z. H. Stachurski, *J. Appl. Polym. Sci.*, 48, 1303 (1993).
- 3.7) H. Li, E. Burts, K. Bears, Q. Ji, J. J. Lesko, D. A. Dillard, and J. S. Riffle, *Network Structure and Properties of Dimethacrylate-Styrene Matrix Materials*, submitted to *Journal of Composites Materials*
- 3.8) H. Li, A. C. Rosario, S. V. Davis, T. Glass, T. V. Holland, R. M. Davis, J. J. Lesko, J. S. Riffle, and J. Florio, *J. Advanced Materials*, July, p. 55 (1997).

- 3.9) H. Li, *Doctoral Dissertation*, Department of Chemistry, Virginia Polytechnic Institute and State University, 1997
- 3.10) T. G. Fox and S. Loshaek, *J. Poly. Sci.*, 15, 371 (1955).
- 3.11) G. Adam and J. H. Gibbs, *J. Chem. Phys.*, 43, 139 (1965).
- 3.12) I. M. Hodge, *J. Non-Cryst. Solids*, 169, 211 (1994).
- 3.13) S. Matsuoka, *Relaxation Phenomena in Polymers*, Hanser, New York, 1992.
- 3.14) C. G. Robertson and G. L. Wilkes, "Correlation Between Physical Aging Rates and Glass Transition Cooperativity (Fragility): Part 1. Experimental Results", submitted to *Macromolecules*
- 3.15) K. L. Ngai and C. M. Roland, *Macromolecules*, 27, 2454 (1994).
- 3.16) J.-F. Shi, L. C. Dickinson, W. J. MacKnight, and J. C. W. Chien, *Macromolecules*, 26, 5908 (1993).
- 3.17) B. Fitz, S. Andjelic, and J. Mijovic, *Macromolecules*, 30, 5227 (1997).
- 3.18) S. Andjelic, B. Fitz, and J. Mijovic, *Macromolecules*, 30, 5239 (1997).
- 3.19) C. M. Roland and K. L. Ngai, *J. Non-Cryst. Solids*, 172-174, 868 (1994).
- 3.20) P. G. Santangelo, K. L. Ngai, and C. M. Roland, *Macromolecules*, 26, 2682 (1993).
- 3.21) C. M. Roland and K. L. Ngai, *Macromolecules*, 24, 5315 (1991).
- 3.22) M. Connolly, F. Karasz, and M. Trimmer, *Macromolecules*, 28, 1872 (1995).
- 3.23) J. J. Aklonis and W. J. MacKnight, *Introduction to Polymer Viscoelasticity*, John Wiley and Sons, New York, 1983.
- 3.24) J. D. Ferry, *Viscoelastic Properties of Polymers*, John Wiley & Sons, New York, 1961.
- 3.25) M. L. Williams, R. F. Landel and J. D. Ferry, *J. Am. Ceram. Soc.*, 77, 3701 (1955).
- 3.26) C. G. Robertson and G. L. Wilkes, in *Structure and Properties of Glassy Polymers* (eds. M. R. Tant and A. J. Hill), ACS Books, Washington DC, 1998, p. 133 (Chapter 9).
- 3.27) R. Kohlrausch, *Pogg. Ann. Phys.*, 91, 198 (1854).
- 3.28) G. Williams and D. C. Watts, *Trans. Faraday Soc.*, 66, 80 (1970).
- 3.29) K. L. Ngai, *Comments Solid State Physics*, 9, 127 (1979).
- 3.30) K. L. Ngai, R. W. Rendell, A. K. Rajagopal, and S. Teitler, *Ann. NY Acad. Sci.*, 484, 150 (1986).
- 3.31) D. J. Plazek and K. L. Ngai, *Macromolecules*, 24, 1222 (1991).

- 3.32) G. Williams, *Comprehensive Polymer Science, Vol. 2, Polymer Properties*, ed. C. Booth and C. Price, Pergamon, Oxford, UK, 601(Chapter 18), 1989
- 3.33) R. Bohmer, K. L. Ngai, C. A. Angell, and D. J. Plazek, *J. Chem. Phys.*, 99, 4201 (1993).
- 3.34) R. F. Boyer, *Polym. Eng. Sci.*, 8, 161 (1968).
- 3.35) B. Hartmann and G. F. Lee, *J. Appl. Polym. Sci.*, 23, 3639 (1979).
- 3.36) J. R. Fried, in *Physical Properties of Polymers Handbook*, J. E. Mark., ed., American Institute of Physics Press, Woodbury, NY, 1996, Chapter 13, pp. 161-175.
- 3.37) N. G. McCrum, B. E. Read, and G. Williams, *Anelastic and Dielectric Effects in Polymeric Solids*, John Wiley and Sons Ltd., London, 1967.
- 3.38) C. A. Angell, *Proc. Natl. Acad. Sci.*, 92, 6675 (1995).

Chapter 4

- 4.1) Madhukar, M. S and Drzal, L. T, *Journal of Composite Materials*, 1991, 25, 932
- 4.2) Madhukar, M. S and Drzal, L. T, *Journal of Composite Materials*, 1991, 25, 958
- 4.3) Madhukar, M. S and Drzal, L. T, *Journal of Composite Materials*, 1992, 26, 936
- 4.4) Lesko, J. J, Swain, R. E., Cartwright, J. M., Chin, J. W., Reifsnider, K. L., Dillard, D. A., and Wightman, J. P., *Journal of Adhesion*, 1994, 45, 43
- 4.5) Lewis, T. B., Nielsen, L. E. *J. Appl. Polym. Sci.*, 1970, 14, 1449
- 4.6) Cousin, P., Smith, P. *J. Polym. Sci., Polym. Phys.*, 1994, 32, 459
- 4.7) Tsagaropoulos, G, Eisenberg, A. *Macromolecules*, 1995, 28, 396
- 4.8) Tsagaropoulos, G, Eisenberg, A. *Macromolecules*, 1995, 28, 6067
- 4.9) Reed, K. E. *Polymer Composites*, 1980, 1, 44
- 4.10) Thomason, J. L., *Polymer Composites*, 1990, 11, 105
- 4.11) Landel, R. F. *Trans. Soc. Rheo.*, 1958, 2, 53
- 4.12) Fitzgerald, J. J., Landry, C. J. T., Pochan, J. M. *Macromolecules*, 1992, 25, 3715
- 4.13) McCrum, N. G., Read, B. E., Williams, G. *Anelastic and Dielectric Effects in Polymeric Solids*, John Wiley & Sons: New York, 1967
- 4.14) Plazek, D. J., Ngai, K. L. *Macromolecules*, 1991, 24, 1222

- 4.15) McCrum, N. G., Read, B. E., Williams, G. *Anelastic and Dielectric Effects in Polymeric Solids*, Dover Publications, New York, 1991
- 4.16) Jensen, R. E., O'Brien, E., Wang, J., Bryant, J., Ward, T. C., James, L. T., Lewis, D. A. *J. Polym. Sci., Polym. Phys.*, 1998, 36, 2781
- 4.17) Roland, C. M., Ngai K. L., *Macromolecules*, 1991, 24, 5315
- 4.18) Roland C. M., Ngai K. L., O'Reilly J. M., Sedita J. S., *Macromolecules*, 1992, 25, 3904
- 4.19) Aklonis, J. J., MacKnight, W. J. *Introduction to Polymer Viscoelasticity*, Second Edition, John Wiley and Sons, New York, 1983
- 4.20) Sullivan, J. C., Wen, Y. F., Gibson, R. F. *Polym. Comp.*, 1995, 16, 3
- 4.21) Buhler, Volker, 'Kollidon: Polyvinylpyrrolidone for the Pharmaceutical Industry', BASF publication.
- 4.22) Broyles, N. S., Verghese, K. N. E., Davis, S. V., Li, H., Davis, R. M., Lesko, J. J. and Riffle, J. S., *Polymer*, 1998, 39, 3417
- 4.23) Broyles, N. S., Verghese, K. N. E., Davis, R. M., Lesko, J. J. and Riffle, J. S., *To be submitted*
- 4.24) Shan, L., Robertson, C. G., Verghese, K. N. E, Burts, E., Riffle, J. S., Ward, T. C. and Reifsnider, K. L., *Submitted to the Journal of Applied Polymer Science*
- 4.25) Rosen, B. W., Chapter 3, American Society for Metals, Metals Park, OH, 37,1965

Chapter 5

- 5.1) Shen, C. H., and Springer, G. S. (1976). "Moisture Absorption and Desorption of Composite Materials," *Journal of Composite Materials*, Vol. 10, 2-20.
- 5.2) Loos, A. C., Springer, G. S., Sanders, B. A., and Tung, R. W. (1980) "Moisture Absorption of Polyester-E-Glass Composites," *Journal of Composite Materials*, Vol. 14, 142-154.
- 5.3) Whitney, J. M., and Browning, C. E. (1977). "Some Anomalies Associated with Moisture Diffusion in Epoxy Matrix Composite Materials," *ASTM Special Technical Publication 658 on Advanced Composite Materials-Environmental Effects*, 43-60.

- 5.4) Adamson, M. J. (1980). "Thermal Expansion and Swelling of Cured Epoxy Resin used in Graphite/Epoxy Composite Materials," *Journal of Material Science*, 15, 1736-1745.
- 5.5) El-Sa'ad, L., Darby, M. I., and Yates, B. (1990) "Moisture Absorption by Epoxy Resins: The Reverse Thermal Effect," *Journal of Material Science*, 25, 3577-3581.
- 5.6) Zeng, Q., and Morgan, R. J., (1993), "Synergistic Thermal-Moisture Damage Mechanisms of Epoxies and Their Carbon Fiber Composites", *Journal of Composite Materials*, Vol. 27, No. 15, 1465-1478.
- 5.7) Amer, M. S., and Schadler, L. (1996). "Effect of Hydrothermal Exposure on Interfacial Stress Transfer in Graphite/Epoxy Composites Loaded in Compression," *Accepted for publication in Advanced Composite Letters*, December.
- 5.8) Ghorbel, I., and Valentin, V. (1993). "Hydrothermal Effects on the Physio-Chemical Properties of Pure and Glass Reinforced Polyester and Vinylester Resins," *Polymer Composites*, August, Vol.14, No.4, 324-334.
- 5.9) Mijovic', J., and Lin, K. (1985). "The effect of Hygrothermal Fatigue on Physical/Mechanical Properties and Morphology of Neat Epoxy Resin and Graphite/Epoxy Composite," *Journal of Applied Polymer Science*, Vol.30, 2527-2549.
- 5.10) Kessenikh, R. M., et al. (1972). *Vysokomol Soyed*, A14 (2), 416.
- 5.11) Prausnitz, J. M., Lichtenthaler, R. N. and Gomes de Azevedo, E., *Molecular Thermodynamics of Fluid-Phase Equilibria*, Second Edition, Prentice-Hall International Series, 1985.
- 5.12) Lefebvre, R. D., Takahashi, M. K., Muller, J. A. and Raju, R. V. (1991). "Degradation of Epoxy Coatings in Humid Environments: The Critical Relative Humidity for Adhesion Loss," *Journal of Adhesion Science and Technology*, Vol.5, No.3, 201-227.

Chapter 6

- 6.1) D. Blacketter, D. Upadhyaya, T. King, and J. King, 'Evaluation of fiber surface treatment and sizing on the shear and transverse tensile strengths of carbon fiber-

reinforced thermoset and thermoplastic matrix composites', *Polymer Composites*, Vol. 14, Number 5, pp. 430-436.

6.2) M. S. Madhukar and L. T. Drzal, 'Fiber-Matrix Adhesion and Its Effect on Composite Mechanical Properties: I. Inplane and Interlaminar Shear Behavior of Graphite/Epoxy Composites', *Journal of Composite Materials*, Vol. 25, 1991, pp. 932-957.

6.3) M. S. Madhukar and L. T. Drzal, 'Fiber-Matrix Adhesion and Its Effect on Composite Mechanical Properties: II. Longitudinal (0°) and Transverse (90°) Tensile and Flexure Behavior of Graphite/Epoxy Composites', *Journal of Composite Materials*, Vol. 25, 1991, pp. 958-991.

6.4) N. S. Broyles, K.N. E. Verghese, S. V. Davis, H. Li, R. M. Davis, J.J. Lesko, and J. S. Riffle, 'Fatigue performance of carbon fibre/vinyl ester composites: the effect of two dissimilar polymeric sizing agents', *Polymer*, Vol.39, Number 15, 1998, pp. 3417-3424.

6.5) K. L Reifsnider, 'Modeling of the interphase in polymer-matrix composite material systems', *Composites*, Vol.25, Number 7, 1994, pp. 461-469.

6.6) Argon, A. S. "Fracture of Composites", *Treatise of Materials Science and Technology*, Vol. 1, 1972, Academic Press, New York.

6.7) Fleck, N. A. and Budiansky, B. "Compressive failure in fiber composites due to microbuckling," IUTAM Symposium, Troy, New York, May 29-June1, 1990, 253-273.

6.8) Moran, P. M. and Shih, C. F., "Kink band propagation and broadening in ductile matrix fiber composites: experiments and analysis," *International Journal of Solids and Structures*, Vol. 35, No.15, 1998, 1709-1722.

6.9) N. S. Broyles, R. C. Chan, and R. M. Davis, 'Sizing of carbon fibers with aqueous solutions of poly(vinyl pyrrolidone)', *Polymer*, Volume 39, Number 12, 1998, pp. 2607-2613.

6.10) H. L. Cox, *British Journal of Applied Physics*, Vol.3, 1952.

6.11) V. Rao and L. T. Drzal, 'The Dependence of Interfacial Shear Strength on Matrix and Interphase Properties', *Polymer Composites*, Vol. 12, No. 1, February, 1991, pp.48-56.

6.12) L. T. Drzal, 'The Effect of Polymeric Matrix Mechanical Properties on the Fiber-Matrix Interfacial Shear Strength', *Materials Science and Engineering*, A126, 1990, pp. 289-293.

6.13) Buhler, Volker, 'Kollidon: Polyvinylpyrrolidone for the Pharmaceutical Industry', BASF publication.

6.14) ASTM D790-95a "Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials."

6.15) ASTM D 2344-84 "Standard Test Method for Apparent Interlaminar Shear Strength of Parallel Fiber Composites by Short-Beam Method."

6.16) ASTM 3410/D 3410M-95 "Standard Test Method for Compressive Properties of Polymer Matrix Composite Materials with Unsupported Gage Section by Shear Loading."

Chapter 7

7.1) M.S. Madhukar and L.T. Drzal, "Effect of Fiber-Matrix Adhesion on the Longitudinal Compressive Properties of Graphite/Epoxy Composites," *Proceedings of the Fifth Technical Conference of the American Society for Composites*, 1990, 849-858.

7.2) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effect on Composite Mechanical Properties. I. In-plane and Interlaminar Shear Behavior of Graphite/Epoxy Composites," *Journal of Composite Materials*, **25**, August 1991, 932-957.

7.3) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effects on Composite Material Properties. II. Tensile and Flexural Behavior of Graphite/Epoxy Composites," *Journal of Composite Materials*, **25**, August 1991, 958-991.

7.4) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effects on Composite Mechanical Properties: IV. Mode I and Mode II Fracture Toughness of Graphite/Epoxy Composites," *Journal of Composite Materials*, **26**, 7, 1992, 936-968.

7.5) Broyles, N. S., Verghese, K. N. E, Lesko, J. J., Davis, R. M. and J. S. Riffle, "Pultruded, Hexcel AS-4 Carbon Fiber/Vinyl Ester Composites Processed with G', Phenoxy, and K-90 Sizing Agents Part I: Processing and Static Mechanical Performance", *to be submitted*

- 7.6) Janssens, W., Doxsee, L. E., Jr. and Verpoest, I., "Influence of the fiber-matrix interface on the moisture absorption Characteristics of Aramid-Epoxy Composites", *SAMPE*, 1989
- 7.7) W. L. Bradely and T. S. Grant, "The Effects of the Moisture Absorption in Interfacial Strength of Polymeric Composites," *Journal of Materials Science*, 1995, Vol. 30, pp. 5537-5542.
- 7.8) T. S. Grant and W. L. Bradely, "In situ Observations in SEM of Degradation of Graphite/Epoxy Composite Materials Due to Seawater Immersion," *Journal of Composite Materials*, 1995, Vol. 29, No. 7, pp. 852-867.
- 7.9) Komai, K., Minoshima, K. and Shiroshita, S., "Hygrothermal Degradation and Fracture Process of Advanced Fiber-Reinforced Plastics", *Materials Science and Engineering*, A143, 1991, pp. 155-166
- 7.10) Smith, L. V. and Weitsman, Y. J., "The Immersed Fatigue Response of Polymer Composites", *International Journal of Fracture*, Vol. 82, 1996, pp. 31-42
- 7.11) Springer G. S., "Environmental Effects on Composite Materials", G. S. Springer, Editor, Technomic, 1981, Chapter 1, pp. 1-6
- 7.12) Blikstad, M., Sjöblom, P. O. W and Johannesson, T. R., "Long-Term Moisture Absorption in Graphite/epoxy Angle-Ply Laminates", *Environmental Effects on Composite Materials*, G. S. Springer, editor, Technomic, Vol 3, 1988, pp. 107-121
- 7.13) Chateauminois, A., Vincent, L., Chabert, B. and Soulier, J. P., "Study of the Interfacial Degradation of a Glass-Epoxy Composite during Hygrothermal Ageing Using Water Diffusion Measurements and Dynamic Mechanical Thermal Analysis", *Polymer*, Vol.35, No.22, 1994, pp 4766-4774
- 7.14) Bühler, V., "Kollidon: Polyvinylpyrrolidone for the Pharmaceutical Industry," *BASF Publication*, 1992
- 7.15) Sheng C. H. and Springer G. S., "Moisture Absorption and Desorption of Composite Materials", *Journal of Composite Materials*, Vol. 10, 1976, pp.2-20
- 7.16) Li, H., *Doctoral Dissertation*, Department of Chemistry, Virginia Polytechnic Institute and State University
- 7.17) Schehlmann, V, "Technical Information on Luviscol[®] K Grades, Polyvinylpyrrolidone for Use in Cosmetics", *Personal communication on the brochure*

7.18) Bump, M., *Personal communications*

Chapter 8

8.1) J.J. Lesko, "Effect of Fiber/Matrix Interphase on the Long Term Behavior of Cross-Ply Laminates," Dissertation, Department of Engineering Science and Mechanics, Virginia Polytechnic Institute & State University, January, 1994.

8.2) S. Subramanian, "Effect of Fiber/Matrix Interphase on the Long Term Behavior of Cross-Ply Laminates," Dissertation, Department of Engineering Science and Mechanics, Virginia Polytechnic Institute & State University, January, 1994.

8.3) L.H., Sharpe, "The Interphase in Adhesion," *Journal of Adhesion*, Vol. 4, 1, 1972, 51-64.

8.4) L.H., Sharpe, "Some Thoughts About the Mechanical Response of Composites," *Journal of Adhesion*, Vol.6, 1, 1974, 15-21.

8.5) M.S. Madhukar and L.T. Drzal, "Effect of Fiber-Matrix Adhesion on the Longitudinal Compressive Properties of Graphite/Epoxy Composites," *Proceedings of the Fifth Technical Conference of the American Society for Composites*, 1990, 849-858.

8.6) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effect on Composite Mechanical Properties. I. In-plane and Interlaminar Shear Behavior of Graphite/Epoxy Composites," *Journal of Composite Materials*, Vol.25, August 1991, 932-957.

8.7) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effects on Composite Material Properties. II. Tensile and Flexural Behavior of Graphite/Epoxy Composites," *Journal of Composite Materials*, Vol.25, August 1991, 958-991.

8.8) M.S. Madhukar and L.T. Drzal, "Fiber-Matrix Adhesion and its Effects on Composite Mechanical Properties: IV. Mode I and Mode II Fracture Toughness of Graphite/Epoxy Composites," *Journal of Composite Materials*, Vol.26, 7, 1992, 936-968.

8.9) R.E. Swain III, "The Role of the Fiber/Matrix Interphase in the Static and Fatigue Behavior of Polymeric Composite Laminates," Dissertation, Department of Engineering Science and Mechanics, Virginia Polytechnic Institute & State University, February, 1992.

- 8.10) Y.S. Chang, J.J. Lesko, S.W. Case, D.A. Dillard and K.L. Reifsnider, "Mechanical Properties of Thermoplastic Composites: The Interphase Effect," *Proceedings of the Seventh Technical Conference of the American Society for Composites*, 1992, 871-826.
- 8.11) J.J. Lesko, S. Subramanian, D.A. Dillard and K.L. Reifsnider, The Influence of Fiber Size Developed Interphases on Interlaminar Fracture Toughness," *Proceedings of the 39th International Symposium*, Anaheim, CA; Covina, CA SAMPE, April 1994.
- 8.12) J.J. Lesko, R.E. Swain, J.M. Cartwright, J.W. Chin, K.L. Reifsnider, D.A. Dillard, and J.P. Wightman, "Interphase Developed from Sizings and Their Chemical-Structural Relationship to Composite Performance," *Journal of Adhesion*, 1994, Vol.45, 43-57.
- 8.13) Reifsnider, K. L., "Modelling of the Interphase in Polymer-Matrix Composite Material Systems," *Composites*, Vol. 25, No. 7, 1994, pp. 461-469
- 8.14) V. Bühler, "Kollidon: Polyvinylpyrrolidone for the Pharmaceutical Industry", BASF, 1992.
- 8.15) Broyles, N. S., Verghese, K. N. E, Lesko, J. J., Davis, R. M. and J. S. Riffle, "Pultruded, Hexcel AS-4 Carbon Fiber/Vinyl Ester Composites Processed with G', Phenoxy, and K-90 Sizing Agents Part I: Processing and Mechanical Performance", *to be submitted*
- 8.16) Broyles, N. S., Verghese, K. N. E, Davis, S. V., Li, H., Davis, R. M., Lesko, J. J., and Riffle, J. S., "Fatigue Performance of Carbon Fiber-Vinyl Ester Composites: The Effect of Two Dissimilar Polymeric Sizing Agents", *Polymer*, Vol.39, No. 15, 1998, pp. 3417-3424
- 8.17) Broyles, N. S., Verghese, K. N. E., Davis, S. V., Li, H., Davis, R. M., Lesko, J. J., and Riffle, J. S. "Fatigue Performance of Carbon Fiber/vinylester Composites: the Effect of Two Dissimilar Polymeric Sizing Agents," *Polymer*, Vol. 39, No. 15, 1998, pp. 3417-3424
- 8.18) Yurgartis, S. W., "Measurement of Small Angle Fiber Misalignments in Continuous Fiber Composites," *Composites Science and Technology*, Vol. 30, 1987, pp. 279-293
- 8.19) Broyles, N. S., Verghese, K. N. E, Lesko, J. J., Davis, R. M. and J. S. Riffle, "Pultruded, Hexcel AS-4 Carbon Fiber/Vinyl Ester Composites Processed with G', Phenoxy, and K-90 Sizing Agents Part II: Enviro-mechanical Durability", *to be submitted*

- 8.20) Li, H., *Doctoral Dissertation*, Department of Chemistry, Virginia Tech
- 8.21) Subramanian, S., Reifsnider, K. L., and Stinchcomb, W. W., "Tensile Strength of Unidirectional Composites: The Role of Efficiency and Strength of the Fiber-Matrix Interface", *Journal of Composites Science and Technology, JCTRER*, Vol. 17, No. 4, October 1995, pp. 280-300
- 8.22) Gao, Z., and Reifsnider, K. L., "Tensile Failure of Composites: Influence of Interphase and Matrix Yielding," *Journal of Composite Materials Technology and Research*, Vol. 14, No. 4, Winter 1992, pp. 201-210
- 8.23) Batdorf, S. B., "Tensile Strength of unidirectionally Reinforced Composites," *Journal of Reinforced Plastics and Composites*, Vol.1, 1982, pp.153
- 8.24) Robertson, M. A. F., Bump, M. B., Verghese, K. E., McCartney, S. R., Lesko, J. J., and Riffle, J. S., "Designed Interphase Regions in Carbon Fiber Reinforced Vinyl Ester Matrix Composites", *Journal of Adhesion*, In press
- 8.25) Rosen, B. W., "Mechanics of Composite Strengthening in Fiber Composite Materials," *American Society of Metals Seminar*, 1965, PP. 37-75
- 8.26) Argon, A. S., "Fracture of Composites", in "*Treatise of Materials Science and Technology*," Vol.1, Academic Press, New York, 1972, pp. 79-114
- 8.27) Budiansky, B., "Micromechanics", *Computers and Structures*, 1983, Vol. 16, pp. 3-12
- 8.28) Budiansky, B. and Fleck, N. A., "Compressive Failure of Fiber Composites", *J. Mech. Phys. Solids*, Vol.41, 1993, pp. 183-211
- 8.29) Stief, P. S., "A Model for Kinking in Fiber Composites-I. Fiber Breakage Via Microbuckling," *International Journal of Solids and Structures*, Vol.26, No.5/6, 1990, pp. 549-561
- 8.30) Fleck, N. A., Sutcliffe, M. P. E, Sivashankar, S., and Xin, X. J., "Compressive R-Curve of a Carbon Fiber-Epoxy Matrix Composite," *Composites Part B*, Vol. 27B, 1996, pp. 531-541
- 8.31) Budiansky, B., Fleck, N. A., and Amazigo, J. C., "On Kink-Band Propagation in Fiber Composites", *J. Mech. Phys. Solids*, Vol. 46, No. 9, 1998, pp. 1637-1653

8.32) Liu, X. H., Moran, P. M., and Shih, C. F., "The Mechanics of Compressive Kinking in Uni-directional Fiber Reinforced Ductile Matrix Composites," *Composites Part B*, Vol. 27B, 1996, pp. 553-560

8.33) H. L. Cox, *British Journal of Applied Physics*, 3, 1952.

Chapter 9

9.1) Sheng C. H. and Springer G. S., "Moisture Absorption and Desorption of Composite Materials", *Journal of Composite Materials*, Vol. 10, 1976, pp.2-20

9.2) Chateauinois, A., Vincent, L., Chabert, B. and Soulier, J. P., "Study of the Interfacial Degradation of a Glass-Epoxy Composite during Hygrothermal Ageing Using Water Diffusion Measurements and Dynamic Mechanical Thermal Analysis", *Polymer*, Vol.35, No.22, 1994, pp. 4766-4774.

9.3) Pomiès, F., Carlsson, L. A., and Gillespie, J. W. Jr., "Marine Environmental Effects on Polymer Matrix Composites," *Composites Materials: Fatigue and Fracture-Fifth Volume*, ASTM STP 1230, 1995, pp. 283-303.

9.4) Drzal, L. T., "Fiber-Matrix Interphase Structure and its Effect on Adhesion and Composite Mechanical Properties," *In Controlled Interphases in Composite Materials*, H. Ishida, Editor, Elsevier, 1990, pp. 309

9.5) Sottos, N., Hiemdra, d. L., and Scott, W. R., "Correlating Interphase Glass Transition and Interfacial Microcracking in Polymer Composites," *Fracture mechanics*, Vol. 25, ASTM STP 1220, 1994

9.6) Pagano, N. J., and Tandon, G. P., "2-D Damage Model for Unidirectional Composites under Transverse tension and/or Shear," *Mechanics of Composite Materials and Structures*, Vol. 1, 1994, pp. 119-155.

9.7) Lesko, J. J., Elmore, J. S., Case, S. W., Swain, R. E., Reifsnider, K. L., and Dillard, D. A., "A Global and Local Investigation of Compressive Strength to Determine the Influence of the Fiber/Matrix Interphase," *ASTM STP 1185*, American Society for Testing and Materials, 1994, pp. 228-240