

## References

- Ababou, R., (1988). "Three-dimensional flow in random porous media." Ph.D. thesis, Mass. Inst. of Technol., Cambridge.
- ABB Environmental Services, Inc. (1993). "Contaminant assessment report: Marine Corps Exchange Service Station, Laurel Bay." *GWPD#A-07-AA-13575*, Knoxville, TN.
- Aelion, C.M. and Long, S.C. (1994). "Heterogeneity in contaminant concentration and microbial activity in subsurface sediments." *Hydrocarbon Bioremediation*, R.E. Hinchee, B.C. Alleman, R.E. Hoepfel, and R.N. Miller, eds., Lewis Publishers, Boca Raton, FL, 192-200.
- Arcangeli, J.P. and Arvin, E. (1992). "Modeling of toluene biodegradation and biofilm growth in a fixed biofilm reactor." *Water Sci. Tech.*, 26(3-4), 617-626.
- Arcangeli, J.P. and Arvin, E. (1994). "Biodegradation of BTEX compounds in a biofilm system under nitrate reducing conditions." *Hydrocarbon Bioremediation*, R.E. Hinchee, B.C. Alleman, R.E. Hoepfel, and R.N. Miller, eds., Lewis Publishers, Boca Raton, FL, 374-382.
- Aris, R. (1956). "On the dispersion of a solute in a fluid through a tube." *Proc. R. Soc. London, Ser. A*, 235, 67-78.
- Atlas, R.M. and Cerniglia, C.E. (1995). "Bioremediation of petroleum pollutants: diversity and environmental aspects of hydrocarbon biodegradation." *BioScience*, 45, 332-338.
- Baehr, A.L. and Corapcioglu, M.Y. (1987). "A compositional multiphase model for groundwater contamination by petroleum products. II: Numerical solution." *Water Resour. Res.*, 23(1), 201-213.
- Baedecker, M.J., Cozzarelli, I.M., Eganhouse, R.P., Siegel, D.I., and Bedient, P.C. (1993). "Crude oil in a shallow sand and gravel aquifer. III: Biogeochemical reactions and mass balance modeling in anoxic groundwater." *Applied Geochemistry*, 8, 569-586.
- Bailey, J.E. and Ollis, D.F. (1977). *Biochemical Engineering Fundamentals*. McGraw-Hill, New York.

- Bedient, P.B., Rifai, H.S., and Newell, C.J. (1994). *Ground Water Contamination: Transport and Remediation*. Prentice Hall PTR, Englewood Cliffs, NJ.
- Beljin, M.S. and van der Heijde, P.K.M. (1989). "Testing, verification, and validation of two-dimensional solute transport models." *Groundwater Contamination: Use of Models in Decision-Making*. G. Jousma et al., eds. Kluwer Academic, 121-137.
- Borden, R.C. and Bedient, P.B. (1986). "Transport of dissolved hydrocarbons influenced by oxygen limited biodegradation. I: Theoretical development." *Water Resour. Res.*, 22(13), 1973-1982.
- Borden, R.C., Gomez, C.A., and Becker, M.T. (1995). "Geochemical indicators of intrinsic bioremediation." *Ground Water*, 33, 180-189.
- Bosma, T.N.P., Ballemans, E.M.W., Hoekstra, N.K., te Welscher, R.A.G., Smeenk, J.G.M.M., Schraa, G., and Zehnder, A.J.B. (1996). "Biotransformation of organics in soil columns and an infiltration area." *Ground Water*, 34, 49-56.
- Bouwer, H. (1978). *Groundwater Hydrology*. McGraw-Hill, New York, p 56.
- Brauner, J.S. and Widdowson, M.A. (in press). "Sequential electron acceptor model for evaluation of *in situ* bioremediation of petroleum hydrocarbon contaminants in groundwater." *Annals*, Engineering Foundation, New York.
- Brock T.D., Madigan, M.T., Martinko, J.M., and Parker, J. (1994). *Biology of Microorganisms*, 7<sup>th</sup> ed. Prentice Hall, Englewood Cliffs, N.J.
- Button, D.K. (1985). "Kinetics of nutrient-limited transport and microbial growth." *Microbiol. Rev.*, 49, 270-297.
- Byers, E., and Stephans D.B. (1983). "Statistical and stochastic analysis of hydraulic conductivity and particle size in a fluvial sand." *Soil Sci. Soc. Am. J.*, 47, 1072-1081.
- Carsel, R.F. and Parrish, R.S. (1988). "Developing joint probability distributions of soil water retention characteristics." *Water Resour. Res.*, 24, 755-769.

- Chang, M.-K., Voice, T.C., and Criddle, C.S. (1993). "Kinetics of competitive inhibition and cometabolism in the biodegradation of benzene, toluene, and p-xylene by two *Pseudomonas* isolates." *Biotech. and Bioeng.*, 41(11), 1057-1065.
- Chapelle, F.H. and Lovley, D.R. (1990). "Rates of microbial metabolism in deep coastal plain aquifers." *Appl. Environ. Microbiol.*, 56(6), 1865-1874.
- Chapelle, F.H. (1993). *Ground-Water Microbiology and Geochemistry*. Wiley & Sons, New York.
- Chapelle, F.H. (1995). "Factors affecting the efficiency of intrinsic bioremediation under anaerobic conditions." *Platform Abstracts, In Situ and On-Site Bioreclamation*, The Third Int'l Symp., April 24-27, San Diego, CA.
- Chen, Y.M., Abriola, L.M., Alvarez, P.J.J., Anid, P.J., and Vogel, T.M. (1992). "Modeling transport and biodegradation of benzene and toluene in sandy aquifer material: comparisons with experimental measurements." *Water Resour. Res.*, 28, 1833-1847.
- Chen, Z., Govindaraju, R.S., and Kavvas, M.L. (1994). "Spatial averaging of unsaturated flow equations under infiltration conditions over areally heterogeneous fields. II: Numerical simulations." *Water Resour. Res.*, 30, 535-548.
- Corapcioglu, M.Y. and Baehr, A.L. (1987). "A compositional multiphase model for groundwater contamination by petroleum products. I: Theoretical considerations." *Water Resour. Res.*, 23(1), 191-200.
- Dagan, G. (1990). "Transport in heterogeneous porous formations: Spatial moments, ergodicity and effective dispersion." *Water Resour. Res.*, 26, 1281-1290.
- de Blanc, P.C., McKinney, D.C., and Speitel, G.E. (1995). "Modeling subsurface biodegradation of non-aqueous phase liquids: A literature review." *CRWR 257*, Center for Research in Water Studies, Univ. of Texas, Austin.
- Edwards, E.A., Wills, L.E., Reinhard, M., and Grbic-Galic, D. (1992). "Anaerobic degradation of toluene and xylene by aquifer microorganisms under sulfate-reducing conditions." *Appl. Environ. Microbiol.*, 58(3), 794-800.

- Gelhar, L.W. (1986). "Stochastic subsurface hydrology from theory to applications." *Water Resour. Res.*, 22, 135S-145S, 1986.
- Grbic-Galic, D. and Vogel, T.M. (1987). "Transformation of toluene and benzene by mixed methanogenic cultures." *Appl. Environ. Microbiol.*, 53, 254-260.
- Imhoff, P.Y., Jaffe, P.R., and Pinder, G.F. (1993). "An experimental study of complete dissolution of a nonaqueous phase liquid in saturated porous media." *Water Resour. Res.*, 30(2), 307-320.
- Kieft, T.L., Fredrickson, J.K., McKinley, J.P., Bjornstad, B.N., Rawson, S.A., Phelps, T.J., Brockman, F.J., and Piffner, S.M. (1995). "Microbiological comparisons within and across contiguous lacustrine, paleosol, and fluvial subsurface sediments." *Appl. Environ. Microbiol.*, 61(2), 749-757.
- Kim, S. and Corapcioglu, M.Y. (1996). "A kinetic approach to modeling mobile bacteria-facilitated groundwater contaminant transport." *Water Resour. Res.*, 32, 321-331.
- Kindred, J.S. and Celia, M.A. (1989). "Contaminant transport and biodegradation. II: Conceptual model and test simulations." *Water Resour. Res.*, 25(6), 1149-1159.
- Konopka, A. and Turco, R. (1991). "Biodegradation of organic compounds in vadose zone and aquifer sediments." *Appl. Environ. Microbiol.*, 57(8), 2260-2268.
- Jørgensen, B.B. (1989). "Biochemistry of chemoautotrophic bacteria." *Autotrophic Bacteria*, H.G. Schegel and B. Bowien, eds., Science Tech. Publishers, Madison, WI., 117-146.
- Jury, W.A., Russo, D., Sposito, G., and Elabd, H. (1987). "The spatial variability of water and solute spatial structure in unsaturated soil. I: Analysis of property variation and spatial structure with statistical models." *Hilgardia*, 55, 1-32.
- Landmeyer, J.E., Chapelle, F.H., and Bradley, P.M. (1996). "Evaluation of intrinsic bioremediation as an option to contain gasoline contamination, Laurel Bay Exchange, Marine Corps Air Station, Beaufort, South Carolina." *USGS Water Res. Inv. Rep. No. 96-4026*, Denver, CO.

- Lovley, D.R. and Lonergan, D.J. (1990). "Anaerobic oxidation of toluene, phenol and p-cresol by the dissimilatory iron-reducing organism GS-15." *Appl. Environ. Microbiol.*, 56, 858-864.
- Lovley, D.R. (1991). "Dissimilatory Fe(III) and Mn(IV) reduction." *Microbiol. Rev.*, 55, 259-287.
- Lovley, D.R. Chapelle, F.H., and Woodward, J.C. (1994). "Use of dissolved H<sub>2</sub> concentrations to determine distribution of microbially catalyzed redox reactions in anoxic groundwater." *Environ. Sci. Technol.*, 28(7), 1205-1210.
- Ludvigsen, L., Heron, G., Albrechtsen, H., and Christensen, T.H. (1995). "Geomicrobial and geochemical redox processes in a landfill-polluted aquifer." *Intrinsic Bioremediation*, R.E. Hincsee, J.T. Wilson, and D.C. Downey, eds., Battelle Press, Columbus, 135-142.
- Lumley, J.L. and Panofsky, A. (1964). *The structure of atmospheric turbulence*. Wiley & Sons, New York.
- MacIntyre, W.G., Boggs, M., Antworth, C.P., and Stauffer, T.B. (1993). "Degradation kinetics of aromatic organic solutes introduced into a heterogeneous aquifer.", *Water Resour. Res.*, 29(12), 4045-4051.
- Mantoglou, A. and Wilson, J.L. (1982). "The turning bands method for simulation of random fields using line generation by a spectral method." *Water Resour. Res.*, 18, 1379-1394.
- Mayer, A.S. and Miller, C.T. (1996). "The influence of mass transfer characteristics and porous media heterogeneity on nonaqueous phase dissolution.", *Water Resour. Res.*, 32(6), 1551-1567.
- MacQuarrie, K.T.B. and Sudicky, E.A. (1990). "Simulation of biodegradable organic contaminants in groundwater. II: Plume behavior in uniform and random fields.", *Water Resour. Res.*, 26(2), 223-239.
- McDonald, J.M. and Harbaugh, A.W. (1988). "A modular three-dimensional finite-difference ground-water flow model." *Tech. of Water Res. Inv. of the USGS, Book 6*, Scientific Software Group, Washington, D.C.

- McNab, W.W., and Narasimhan, T.N. (1995). "Reactive transport of petroleum hydrocarbon constituents in a shallow aquifer: Modeling geochemical interactions between organic and inorganic species." *Water Resour. Res.*, 31, 2027-2033.
- Miralles-Wilhelm, F., Gelhar, L.W., and Kapoor, V. (1997). "Stochastic analysis of oxygen-limited biodegradation in three-dimensionally heterogeneous aquifers.", *Water Resour. Res.*, 33(6), 1251-1263.
- Molz, F.J., Widdowson, M.A., and Benefield, L.D. (1986). "Simulation of microbial growth dynamics coupled to nutrient and oxygen transport in porous media." *Water Resour. Res.*, 22(8), 1207-1216.
- Molz, F.J. and Widdowson, M.A. (1988). "Internal Inconsistencies in Dispersion-Dominated Models that Incorporate Chemical and Microbial Kinetics", *Water Resour. Res.*, 24(4), 615-619.
- Parker, J.C. and van Genuchten M.Th. (1984). "Flux-averaged and volume-averaged concentrations in continuum approaches to solute transport." *Water Resour. Res.*, 20(7), 866-872.
- Parker, J.C., Waddill, D.W., and Johnson, J.A. (1994). *UST Corrective Action Technologies: Engineering Design of Free Product Recovery Systems*, US EPA. Risk Reduction Engineering Laboratory, Edison, N.J.
- Parker, J.C., Katyal, A.K., Kaluarachchi, J.J., Lenhard, R.J., Johnson, T.J., Jayaraman, K., Ünlü, K., and Zhu, J.L. (1991). "Modeling multiphase organic chemical transport in soils and ground water." *Rep. EPA/600/2-91/042*, U.S. Environ. Protect. Agency, Washington, D.C.
- Parr, J.L., Walters, G., and Hoffman, M. (1991). "Sampling and analysis of soils for gasoline range organics." *Hydrocarbon Contaminated Soils and Groundwater: Analysis, Fate, Environmental and Public Health Effects, and Remediation*, P.T. Kosteki and E.J. Calabrese, eds., Lewis Publishers, Chelsea, MI, 120-132.
- Pfannkuch, H. O. (1984). "Determination of the contaminant source strength from mass exchange processes at the petroleum-ground-water interface in shallow aquifer systems." *Proc. NWWA/API*

*Conf. on Petroleum Hydrocarbons and Organic Chemicals in Groundwater – Prevention, Detection, and Restoration*, NWWA, Worthington, Ohio, 5-7, Nov.

- Powers, S.E., Abriola, L.M., and Weber, W.J. (1994). “An experimental investigation of nonaqueous phase liquid dissolution in saturated subsurface systems: Transient mass transfer rates.” *Water Resour. Res.*, 30(2), 321-332.
- Reuter, P., Rabus, R., Wilkes, H., Aeckersberg, F., Rainey, F.A., Jannasch, H.W., and Widdel, F. (1994). “Anaerobic oxidation of hydrocarbons in crude oil by new types of sulphate-reducing bacteria.” *Nature*, 372, 455-458.
- Rixey, W.G. and Dortch, I.J. (1992). “Effects of oxygenated fuels on groundwater contamination: Equilibria and transport considerations.” *Hydrocarbon Contaminated Soils and Groundwater. Vol. 2*, E.J. Calabrese and P.T. KostECKI, eds., Lewis Publishers, Chelsea, MI, 115-136.
- Rixey, W.G., Johnson, P.C., Deeley, G.M., Byers, D.L., Dortch, I.J. (1991). “Mechanisms for the removal of residual hydrocarbons from soils by water, solvent, and surfactant flushing.” *Hydrocarbon Contaminated Soils. Vol. I*, E.J. Calabrese and P.T. KostECKI, eds., Lewis Publishers, Chelsea, MI, 387-409.
- Russo, D. (1991). “Stochastic analysis of simulated vadose zone solute transport in a vertical cross section of heterogeneous soil during nonsteady water flow.” *Water Resour. Res.*, 27, 267-283.
- Russo, D., Zaidel, J., and Laufer, A. (1994). “Stochastic analysis of solute transport in partially saturated heterogeneous soil. I: Numerical experiments.” *Water Resour. Res.*, 30, 769-779.
- Simkins, S., and Alexander, M. (1984). “Models for mineralization kinetics with the variables of substrate concentration and population density.” *Appl. Environ. Microbiol.*, 47, 1299-1306.
- Sigsby, J.E., Silvestre, T., Ray, W., Lang, J.M., and Duncan, J.W. (1987). “Volatile organic compound emissions from 46 in-use passenger cars.” *Environ. Sci. Technol.*, 21(5), 466-475.
- Sposito, G., Jury, W.A., and Gupta, V.K. (1986). “Fundamental problems in the convection-dispersion model of solute transport in aquifers and field soils.” *Water Resour. Res.*, 22, 77-88.

- Sudicky, E.A. (1986) "A natural gradient experiment on solute transport in a sand aquifer: Spatial variability of hydraulic conductivity and its role in the dispersion process." *Water Resour. Res.*, 22, 2069-2082.
- Thomas, J.M. and Ward, C.H. (1992). "Subsurface microbial ecology and bioremediation." *J. Hazardous Materials*, 32, 179-194.
- Tompson, A.F., Ababou, A., and Gelhar, L. (1987). "Application and use of the three-dimensional Turning Bands random field generation: Single realization problem." *Research Report #313*, Ralph M. Parsons Laboratory, MIT, Cambridge, Mass..
- van der Heijde, P.K.M. and Elnawawy, O.A. (1992). "Quality assurance and quality control in the development and application of ground-water models." *GWMI 92-03*, Internat. Ground Water Modeling Center, Colo. School of Mines, Golden, Colo.
- van der Heijde, P.K.M., Huyakorn, P.S., and Mercer, J.W. (1984). "Testing and validation of groundwater models." *Proc. Practical Applications of Ground-Water Modeling*, NWWA/IGWMC Conf., Columbus, Ohio, 19-20 Aug.
- Voss, C.I. (1984). "A finite-element simulation model for saturated-unsaturated, fluid-density-dependent ground-water flow with energy transport or chemically-reactive single-species solute transport." *USGS Water Res. Inv. Rep. No. 84-4369*, Denver, CO.
- Vroblecky, D.A. and Chapelle, F.H. (1994). "Temporal and spatial changes of terminal electron-accepting processes in a petroleum hydrocarbon-contaminated aquifer and significance for contaminant biodegradation." *Water Resour. Res.*, 30, 1561-1570.
- Vroblecky, D.A., Bradley, P.M., and Chapelle, F.H. (1996). "Influence of electron donor on the minimum sulfate concentration required for sulfate reduction in a petroleum hydrocarbon-contaminated aquifer." *Environ. Sci. Technol.*, 30(4), 1377-1381.
- Widdowson, M.W., Molz, F.J., and Benefield, L.D. (1988). "A numerical transport model for oxygen- and nitrate-based respiration linked to substrate and nutrient availability in porous media." *Water Resour. Res.*, 24, 1553-1565.

- Wilson, J.L., Conrad, S.H., Mason, W.R., Peplinski, W., and Hagan, E. (1990). "Laboratory investigation of residual liquid organics from spills, leaks, and the disposal of hazardous wastes in groundwater." *Rep. EPA/600/6-90/004*, U.S. Environ. Protect. Agency, Washington, D.C.
- Wodzinski, R.S. and Johnson, M.J. (1968). "Yields of bacterial cells from hydrocarbons." *Appl. Microbiol.*, 16, 1886-1891.
- Yeh, T.-C., Gelhar, L.W., and Gutjahr, A.L. (1985). "Stochastic analysis of unsaturated flow in heterogeneous soils. II: Statistically anisotropic media with variable  $\alpha$ ." *Water Resour. Res.*, 21, 457-464.
- Zheng, C. (1990). "MT3D: A modular three-dimensional transport model for simulation of advection, dispersion, and chemical reactions of contaminants in groundwater systems." *Reference Manual*, Prepared for the U.S. Environ. Protect. Agency Robert S. Kerr Environmental Research Laboratory, Ada, OK.
- Zheng, C. (1993). "Extension of the method of characteristics for simulation of solute transport in three dimensions." *Ground Water*, 31, 456-465.
- Zheng, C. and Bennett, G.D. (1995). *Applied Contaminant Transport Modeling: Theory and Practice*, Van Nostrand Reinhold, New York.