

## Literature Cited

- Adel, M., D. Wolf, R. Vogrig, and R. Husson 1993. Evaluation of Colour Spaces in Computer Vision Application of Wood defects Detection. Proceedings of the IEEE International Conference on Systems, Man, and Cybernetics. v 2, IEEE Service Center, Piscataway, NJ. p 499-504.
- Aggarwal, J. K. 1993. Multisensor fusion for computer vision. Springer-Verlag, New York.
- Araman, P. A., D. L. Schmoldt, T. Cho, R. W. Connors, D. E. Kline. 1992. Machine Vision Systems for Processing Hardwood Lumber and Logs. *AI Applications*. 6(2):13-26.
- ASTM. 1992. ASTM Handbook Vol 17, Nondestructive Evaluation and Quality Control. ASTM International.
- ASTM. 1994. Standard Test Methods for Direct Moisture Content Measurement of Wood and Wood-Based Materials. Annual Book of ASTM Standards. Vol. 04.10 p493-497.
- ASTM. 1994. D2395-93. Standard Test Methods for Specific Gravity of Wood and Wood-Based Materials. Annual Book of ASTM Standards. Vol. 04.10 p359-366.
- Åstrand, E. 1992. Detection and classification of surface defects in wood: A preliminary study. Department of Electrical Engineering, Linköping University, LiTH-ISY-I-1437.
- Åstrand, E. and A. Åström. 1995. A single chip multi-function sensor system for wood inspection. In: Proceedings, 2nd International Workshop on Scanning Technology and Image Processing on Wood, August 14-16, 1995, Skelleftea, Sweden. pp. 151-156.
- Aune, J. E. 1995. An X-ray Log-Scanner for Sawmills. In: Proceedings, 2nd International Workshop on Scanning Technology and Image Processing on Wood, August 14-16, 1995, Skelleftea, Sweden. pp. 51-64.
- Ballard, D. H. and C. M. Brown. 1982. Computer vision. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Baxes, G. A. 1988 Digital Image Processing. Cascade Press. Denver.
- Beckwith, J. R. III. 1974. An Illustration of Wood Color Measurement. Georgia Forest Research Paper. No. 74. Georgia Forest Research Council.
- Beckwith, J. R. III. 1979. Theory and Practice of Hardwood Color Measurement. *Wood Science* 11(3):169-175.

- Bernstein, I. H., C. P. Garbin, and G. K. Teng. 1988. *Applied multivariate analysis*. Springer-Verlag, New York, New York.
- Boardman, B. E., J. F. Senft, G. McCabe, and C. M. Ladisch. 1992. Colorimetric analysis in grading black walnut veneer. *Wood and Fiber Science*. 24(1):99-107.
- Bodig, J, and B. A. Jayne. 1982. *Mechanics of Wood and Wood Composites*. Van Nostrand Rienhold Company. New York.
- Brunner, C. C., G. B. Shaw, D. A. Butler, and J. W. Funck. 1990. Using color in machine vision systems for wood processing. *Wood and Fiber Science*, 22(4):413-428.
- Brunner, C. C., A. G. Maristany, D. A. Butler, D. VanLeeuwen and J. W. Funck. 1992. An evaluation of color spaces for detecting defects in Douglas-fir veneer. *Industrial Metrology*. 2:169-184.
- Bühlmann, U., J. K. Wiedenbeck, and D. E. Kline. 1997. Character-marked furniture potential for lumber yield increase in rip-first rough mills. *Forest Products Journal*. In Review.
- Bush, R. J., S. A. Sinclair, and P. A. Araman. 1990. Matching your hardwood lumber to current market needs. *Southern Lumberman*, 25(7):24-27.
- Butler, D. A., C. C. Brunner, and J. W. Funck. 1989. A dual-threshold image sweep-and-mark algorithm for defect detection in veneer. *Forest Products Journal*. 39(5):25-28.
- Butler, D. A., J. W. Funck, and C. C. Brunner. 1993. An adaptive image preprocessing algorithm for defect detection in Douglas-fir veneer. *Forest Products Journal*. 43(5):57-60.
- Chang, S. J., Olson, J. R., and Wang, P.C. 1989. NMR imaging of internal features in wood. *Forest Products Journal*, 39(6):43-49.
- Chang, S. J., M. Cohen, and P. C. Wang. 1991. Ultrafast scanning of hardwood logs with an NMR scanner. In: *Proceedings of the 4th International Conference on Scanning Technology in the Wood Industry*. October 28-29, 1991. San Francisco, California.
- Cho, T. H. 1991. A knowledge-based machine vision system for automated industrial web inspection, Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.
- Cho, T. H., R. W. Conners, and P. A. Araman. 1990. A computer vision system for automated grading of rough hardwood lumber using a knowledge-based approach. In:

Proceedings, IEEE Systems, Man and Cybernetics Society, November 4-7, 1990, Los Angeles, California, pp. 345-350.

Choffel, D., B. Goy, P. Martin, and D. Gapp. 1992. Interaction between wood and micro-waves - automatic grading application. In: Proceedings of Scanning Technology and Image Processing on Wood, August 30 - September 1, Skelleftea, Sweden. 8 p.

Clauson, M. L. and J. B. Wilson. 1991. Comparison of video and x-ray for scanning wood density. Forest Products Journal. March 41(3):58-62.

Conners, R.W., C. W. McMillin, K. Lin, and R. Vasquez-Espinosa. 1983. Identifying and Locating Surface Defects in Wood: Part of an Automated Lumber Processing System. IEEE.Trans. on Pattern Analysis and Machine Intelligence. PAMI-5(6):573-583.

Conners, R. W., C. W. McMillin, and C. N. Ng. 1985. The utility of color information in the location and identification of defects in surfaced hardwood lumber. Proceedings, 1st International Conference on Scanning Technology in Sawmilling, San Francisco, California, pp. XVIII-1 to XVIII-33.

Conners, R. W., C. T. Ng, T. H. Drayer, J. G. Tront, D. E. Kline, and C. J. Gatchell. 1990. Computer Vision System Hardware System for Automating Rough Mills of Furniture Plants. In: Proceedings of SPIE, Applications of Artificial Intelligence, VIII, Orlando, Florida. pp 777-787.

Conners, R. W, T. H. Cho, C. T. Ng, T. H. Drayer, P. A. Araman, and R. L. Brisbin. 1992. A machine vision system for automatically grading hardwood lumber. Industrial Metrology, 2(3/4):317-342.

Conners, R. W., D. E. Kline, and P. A. Araman. 1995. Developing a multi-sensor scanning system for hardwood inspection and processing. In: Proceedings, 2nd International Workshop on Scanning Technology and Image Processing on Wood, August 14-16, 1995. Skelleftea, Sweden. pp. 107-118.

Conners, R. W., D. E. Kline, P. A. Araman, and T. H. Drayer. 1997. Machine Vision Technology for the Forest Products Industry. IEEE Computer Innovative Technology for Computer Professionals 30(7):43-48.

Davis, J. and P. Wells. 1992. Computed tomography measurements on wood. Industrial Metrology, 2(3/4):195-218.

Davis, J., P. Wells, N. Benci, J. Grant, and D. McLachlan. 1996. A Portable CT-scanner for Electricity Power Pole and Tree Inspection and a High-Resolution Laboratory CT-system. Proceedings 2<sup>nd</sup> International Workshop/Seminar on Scanning Technology and Image Processing on Wood. Skelleftea, Sweden, August 14-16.

Dickens, J. R., D. A. Bender, and D. E. Bray. 1996. A critical-angle ultrasonic technique for the inspection of wood parallel-to-grain. *Wood and Fiber Science*, 28(3):380-388.

Duda, R. D. and P. E. Hart. 1973. *Pattern Classification and Scene Analysis*. John Wiley and Sons.

Echols, R. M. 1973. Uniformity of Wood Density Assessed from X-rays of Increment Cores. *Wood Science and Technology*. 7(1):34-44.

Everitt, B. S. and G. Dunn. 1992. *Applied Multivariate Data Analysis*. Oxford University Press. New York.

Forrer, J. B., D. A. Butler, J. W. Funck and C. C. Brunner. 1988. Image sweep-and-mark algorithms. Part 1. Basic algorithms. *Forest Products Journal* 38(11/12):75-79.

Forrer, J. B., D. A. Butler, C. C. Brunner, and J. W. Funck. 1989. Image sweep-and-mark algorithms, Part 2 - performance evaluations. *Forest Products Journal*, 39(1):39-42.

Fuller, J. J., R. J. Ross, and J. R. Dramm. 1995. Nondestructive evaluation of honeycomb and surface checks in red oak lumber. *Forest Products Journal*, 45(5):42-44.

Gardner, W. D., R. S. Jonstone, and W. Pitt. 1980. Detection of defects in standing poles by x-ray techniques. 11th Annual Meeting of the International Research Group on Wood Preservation. Raleigh, North Carolina. May 5-9.

Grum, F., and C. J. Bartleson. Ed. 1980. *Color measurement*. Academic Press. New York.

Guddanti, S. and S. J. Chang. 1995. High-speed industrial CT-scanning and image processing of a full-length red oak sawlog. In: *Proceedings, 2nd International Workshop on Scanning Technology and Image Processing on Wood*, August 14-16, 1995, Skelleftea, Sweden. pp. 23-38.

Haas, M. P. and P. M. Smith. 1997. Global Markets for U.S. Hardwood Components. *Forest Products Journal*. 47(3):45-51.

Hagman, P. O. G. and S. Grundberg. 1993. Multivariate image analysis methods to classify features on Scots Pine: evaluation of a multi-sensor approach. In: R. Szymani (ed.) *5th International Conference on Scanning Technology and Process Control for the Wood Products Industry*, October 25-27, 1993, Atlanta, Georgia. 18 p.

Hand, D. J. 1981. *Discrimination and Classification*. John Wiley and Sons. New York.

Hand, D. J. 1986. Recent advances in error estimation. *Pattern Recognition Letters*. 4:335-346.

- Haralick, R. M. and L. G. Shapiro. 1985. Survey images segmentation techniques. *IEEE Transactions on CVGIP* 29:100-132.
- Harding, O.V., P. H. Steele, and K. Nordin. Description of defects by type for six grades of red oak lumber. *Forest Products Journal*, 43(6)45-50.
- Hardwood Market Report. *Lumber News Letter*. 1995. Memphis, Tennessee. LXXV(1):10-12.
- Haygreen, J. G. and J. L. Bowyer. 1996. *Forest Products and Wood Science*. 3<sup>rd</sup> ed. Iowa State University Press. Ames.
- Hoge, L., M. L. Pasrker, and R. W. Kennedy. 1974. X-ray densitometry: A technique and an example of application. *Wood Science*. 7(2):140-149.
- Hoadley, R. B. 1990. *Identifying Wood: Accurate results with simple tools*. The Taunton Press. Newton, CT.
- Huber, H. A., C. W. McMillin, J. P. McKinney. 1985. Lumber defect detection abilities of furniture rough mill employees. *Forest Products Journal*, 35(11/12):79-82.
- Huber, H. A., C. W. McMillin, and A. Rasher. 1992. Economics of cutting wood parts with a laser under optical image analyzer control. *Forest Products Journal*. 32(3):16-21.
- Huberty, C. J. 1994. *Applied Discriminant Analysis*. John Wiley and Sons. New York, New York.
- Jordan, J. R., and A. C. Bovic. 1988. Computational stereo vision using color. *IEEE Control Systems Magazine*. June:31-36.
- Kauppinen, H., and O. Silven. 1995. Development of color-vision-based solutions for lumber grading. *Proceedings-of-SPIE-The-International-Society-for-Optical-Engineering*. v 2423, 1995. Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, USA. p 203-214.
- Kenway, D. J. 1990. A supercomputer-based machine vision grading system and trimmer optimizer for dimension lumber. In: *Proceedings of the Process Control/Production Management of Wood Products: Technology for the '90s*, October 31-November 1, Athens, Georgia, 22 p.
- Kenway, D. J. and S. C. Stewart. 1990. Computer aided lumber grading. In: *Proceedings, Seventh Symposium on the Nondestructive Testing of Wood*, September 27-29, 1989. Madison, Wisconsin, pp. 189-206.

Kline, D. E., R. W. Conners, D. L. Schmoltdt, P. A. Araman, and R. L. Brisbin. 1993. A multiple sensor machine vision system for automatic hardwood feature detection. In: R. Szymani (Ed.) 5th International Conference on Scanning Technology & Process Control for the Wood Industry, October 25-27, 1993, Atlanta, Georgia, 11 p.

Kline, D. E., R. W. Conners, Q. Lu, and P. Araman. 1996. Automatic Sorting of Hardwood Edge-glued Panels Parts. Proceedings, 25th Annual Hardwood Symposium. pp.161-166.

Klinkhachorn, P., R. Kothari, H. A. Huber, C. W. McMillin, K. Mukherjee, V. Barnekov. 1993. Prototyping an automated lumber processing system. Forest Products Journal 43(2):11-18.

Klinkhachorn, P., R. Kothari, H. A. Huber. 1993. A Modified Vision System for the Automated Lumber Processing System ALPS. In: R. Szymani (Ed.) 5th International Conference on Scanning Technology & Process Control for the Wood Industry, October 25-27, 1993, Atlanta, Georgia.

Kollman, F. R., and L. Malquist. 1952. Untersuchungen über die Trocknung von Kiefern-schnittholz mit erhöhten Temperaturen. No. 32. Stockholm: Svensk Traforkn Inst.

Koivo, A. J., and C. W. Kim. 1989. Automatic classification of surface defects on red oak boards. Forest Products Journal. 39(9):22-30.

Kothari R., P. Klinkhachorn, and H. A. Huber. 1991. A Neural Network Based Histogramic Procedure for Fast Image Segmentation. Southeastern Symposium on System Theory. Columbia, SC. pp203-206. March 10-12.

Lachenbruch, P. A. 1975. Discriminant Analysis. Hafner Press. New York.

Lakatos, B. K. 1966. Defectoscopy of Wood. Izdatel Stvo, Moskva. Translated from Russian USDA, FS. and NSF Washington D.C. by the Indian National Scientific Documentation Center. New Deli.

Lamb, F. M. 1997. Stains and discoloration's during handling and drying of lumber. 16<sup>th</sup> Oak Drying Workshop. Department of Wood Science and Forest Products. Virginia Polytechnic and State University, Blacksburg, Virginia.

Lampinen, J. and S. Smolander. 1996. Self-organizing feature extraction in recognition of wood surface defects and color images. International Journal of Pattern Recognition and Artificial Intelligence 10(2):97-113.

Lebow, P. K., C. C. Brunner, A. G. Maristany, and D. A. Butler. 1996. Classification of wood surface features by spectral reflectance. Wood and Fiber Science, 28(1):74-90.

- Lefevre, R. 1995. Scanwood II Color: 1st color scanner working in industry. In: Proceedings, 2nd International Workshop on Scanning Technology and Image Processing on Wood, August 14-16, 1995, Skelleftea, Sweden. pp. 119-132.
- Lemester, R. L. and D. A. Dornfeld. 1987. Preliminary investigation of the feasibility of using acousto-ultrasonics to measure defects in lumber. *Journal of Acoustic Emission*, 6(3):157-165.
- Li, P. 1996. Automatic Inspection of Computed Tomography (CT) Images for Hardwood Log Defect Detection. Thesis. Virginia Polytechnic and State University. Blacksburg, Virginia.
- Luppold, W. G. 1991. Hardwood lumber demand in the 1990's. Proceedings of the 19th Annual Hardwood Symposium of the Hardwood Research Council. Starkeville, Mississippi, pp. 57-63.
- MacAdam, D. L. 1981. Color measurement : theme and variations. Springer-Verlag. New York
- Manly, B.F.J. 1994. Multivariate Statistical Methods: A Primer. 2<sup>nd</sup> ed. Chapman and Hall. New York.
- Maristany, A. G., D. A. Butler, Brunner, C. C., and J. W. Funck. 1991. Exploiting Local Color Information for Defect Detection on Douglas-Fir Veneer. 4<sup>th</sup> International Conference on Scanning Technology in the Wood Industry. October 28-29, 1991. Curlingame, California.
- Maristany, A. G., Brunner, C. C., D. A. Butler, and J. W. Funck. 1992. An evaluation of color spaces for detecting defects in Douglas-fir veneer. *Sawmill Scanning Technology*. Pp.69-184.
- Maristany, A. G., P. K. Lebow, and C. C. Brunner. 1994. Application of the dichromatic reflection model to wood. *Wood and Fiber Science*, 26(2):249-258.
- Marszalec, E. and M. Pietikainen. 1993. Colour Analysis of Defects for Automated Visual Inspection of Pine Wood. Proceedings SPIE. Machine Vision Applications in Industrial Inspection. February 3-4. San Jose, California. SPIE Vol. 1907:80-94.
- Martin, P. R., Collet, P. Barthelemy, and G. Roussy. 1987. Evaluation of wood characteristics: internal scanning of the material by microwaves. *Wood Science Technology*, 21:361-371.
- Media Cybernetics. 1995. Image Pro Plus Version 1.3 for Windows. Silver Springs, MD. 1995.

Meyer, C. J., J. H. Michael, S. A. Sinclair, and W. G. Luppold. 1992. Wood material use in the U.S. furniture industry. *Forest Products Journal*. 45(5):28-30.

McDonald, K. A. 1980. Lumber defect detection by ultrasonics. Research Paper FPL-311. Madison, Wisconsin: U. S. Department of Agriculture, Forest Service, Forest Products Lab. 20 p.

Miller, D. G. 1964. Detection of rot in wood by electronic fluoroscopy. *British Columbia Lumberman*. 48:64-67.

Nevatia, R. 1986. Image segmentation, *Handbook of Pattern Recognition*. T. Y. Young and K. S. Fu Eds. Academic Press. pp215-245.

National Hardwood Lumber Association. *Hardwood Lumber Grading Rules*. 1996. Memphis.

Ng, C. T. 1993. A General Purpose Machine Vision Prototype for Investigating the Inspection of Planar Webs. Dissertation. Virginia Polytechnic Institute and State University. Blacksburg, Virginia.

Ohta, Y. 1980. Color Information for region segmentation. *IEEE Transactions on Computer Graphics and Image Processing*. 13:222-241.

Ott, L. 1988. *An Introduction to Statistical Methods and Data Analysis*. 3rd ed. PWS-Kent Publishing Company. Boston.

Panshin, A. J. and C. de Zeeuw. 1980. *Textbook of Wood Technology*. 4<sup>th</sup> ed. McGraw-Hill Book Company. New York.

Pao, Y. H. 1989. *Adaptive pattern recognition and neural networks*. Addison-Wesley, Reading, Massachusetts.

Phelps, J. E., E. A. McGinnes, Jr., H. E. Garrett, and G. S. Cox. 1983 Growth-quality evaluation of black walnut wood. Part II-color analysis of veneer produced on different sites. *Wood and Fiber Science*. 15(2):177-185.

Phelps, J. E., D. D. Stoke, and A. D. Pugel. 1994. Color analysis of white oak, edge-glued furniture stock. *Forest Products Journal*. 44(2):35-38.

Polge, H. 1978. Fifteen years of wood radiation densitometry. *Wood Science and Technology*. 12:187-196.

Polzleitner, W. and G. Schwingshagl. 1990. Real-time classification of wooden boards. *SPIE. High-speed Inspection Architectures, Barcoding, and Character Recognition*. 1384:38-49.

- Portala, J. F. and J. Ciccotelli. 1990. NDT techniques for evaluating wood characteristics. In: Proceedings, Seventh Symposium on the Nondestructive Testing of Wood, September 27- 29, 1989. Madison, Wisconsin, pp. 97 - 124.
- Portala, J. F. and J. Ciccotelli. 1992. Nondestructive testing techniques applied to wood scanning. *Industrial Metrology*, 2(3/4):299-307.
- Regalado, C., D. E. Kline, and P. A. Araman. 1992. Value of defect information in automated hardwood edger and trimmer systems. *Forest Products Journal*, 42(3):29-34.
- Rink, G. 1987. Heartwood color and quantity variation in young black walnut progeny test. *Wood and Fiber Science*. 19(1):93-100.
- Rhemrev, J., R. Rhemrev, and R. Lemaster. 1993. Laser scanning for the detection of twist or warp in pencil slats. *Forest Products Journal*, 43(2):29-36.
- Ross, R. J., J. J. Fuller, and J. R. Dramm. 1995. Nondestructive evaluation of green defect-prone red oak lumber: a pilot study. *Forest Products Journal*, 45(11/12):51-52.
- Rowa, P. 1992. Automatic visual inspection and grading of lumber. In: Proceedings of Scanning Technology and Image Processing of Wood, August 30 - September 1, Skelleftea, Sweden. 9 p.
- SAS Institute. SAS Users Guide. Cary, N.C. 1996
- Sadoh, T., and K. Murata. 1993. Detection of knots in hinoki and karamatsu lumber by thermography. *Journal of the Japan Wood Research Society*. 39(1):13-18.
- Sadoh, T., and H. Takita. 1992. Colors of knots in softwood lumber. *Journal of the Japan Wood Research Society*. 38(1):92-95.
- Sahoo, P. K. 1988. A survey of thresholding techniques. *IEEE Transactions on Computer Graphics and Image Processing*. 44:233-260.
- Sawchuk, A. A. 1977. Realtime Correction of Intensity-nonlinearities in Imaging Systems. *IEEE Transactions in Computers*. 26(1):34-39.
- Schmoltdt, D. L., J. C. Duke, Jr., M. Morrone, and C. M. Jennings. 1993. Application of ultrasound NDE to grading pallet parts. In: Proceedings of the Ninth International Symposium on Nondestructive Testing of Wood, Washington State University, Pullman Washington. 183-190.
- Schmoltdt, D. L., P. Li, and P. A. Araman. 1995. Log defect recognition using CT-images and neural net classifiers. In: Proceedings, 2nd International Workshop on Scanning

Technology and Image Processing on Wood, August 14-16, 1995, Skelleftea, Sweden. pp. 107-118.

Schmoldt, D. L., P. Li, and A. L. Abbott, 1997. Machine vision using artificial neural networks with local 3D neighborhoods. *Computers and Electronics in Agriculture* Vol. 16. pp 225-271.

Silvén, S. and H. Kauppinen. 1996. Recent developments in wood inspection. *International Journal of Pattern Recognition and Artificial Intelligence* 10(1):83-95.

Soest, J., P. Matthews, and B. Wilson. 1993. A simple optical scanner for grain defects. *Proceedings, 5th International Conference on Scanning Technology and Process Control for the Wood Products Industry, October 25 - 27, 1993, Atlanta, Georgia.* 11 p.

Srikanteswara, S. 1997. Feature Identification in Wooden Boards Using Color Image Segmentation. Thesis. Virginia Polytechnic Institute and State University. Blacksburg, Virginia.

Suimori, 1993. Recognition of Longitudinal Knot Area by Light Reflection and Image Processing. *Journal of the Japan Wood Research Society.* 39(1):1-6.

Sullivan, J. D. 1966. Color Characterization of wood: Spectrophotometry and Wood color. *Forest Products Journal.* 17(7):43-48.

Sullivan, J. D. 1967. Color Characterization of wood: Color parameters of individual species. *Forest Products Journal.* 17(8):25-29.

Steele, P. H., S. C. Neal, K. A. McDonald, and S. M. Cramer. 1991. The slope-of-grain indicator for defect detection in unplaned hardwood lumber. *Forest Products Journal* 41(1):15-20.

Stokke, D. D., A. D. Pugel, and J. E. Phelps. 1995. Variation in lightness of white oak dimension stock. *Forest Products Journal* 45(10):51-56.

Szymani, R. and K. A. McDonald. 1981. Defect detection in lumber: state of the art. *Forest Products Journal,* 31(11):34-43.

Tansey, J. B. 1988. The hardwood resource in the Southern Appalachians. *Proceedings of the Sixteenth Annual Hardwood Symposium of the Hardwood Research Council,* pp. 123-137.

Taylor, F. W., F. G. Wagner, C. W. McMillin, I. L. Morgan, and F. F. Hopkins. 1984. Locating knots by industrial tomography. *Forest Products Journal,* 34(5):42-46.

- Wagner, F. G., F. W. Taylor, D. S. Ladd, C. W. McMillin, and F. L. Roder. 1989. Ultrafast CT scanning of an oak log for internal defects. *Forest Products Journal*, 39(11/12):62-64.
- Wang, P. C. and Chang, S. J. 1986. Nuclear magnetic resonance imaging of wood. *Wood and Fiber Science*, 18:308-314.
- Weeks, A. R. Jr. 1996. *Fundamentals of Electronic Image Processing*. SPIE. Washington, D.C.
- Widoyoko, A. 1996. Evaluation of color-based machine vision for lumber processing in furniture rough mills. Thesis. Virginia Polytechnic Institute and State University. Blacksburg, Virginia.
- Wiedenbeck, J., and U. Buehlmann. 1995. Character-marked furniture: the yield picture. In: *Proceedings of the 1995 Hardwood Research Symposium*, National Hardwood Lumber Association. 13 p.
- Wiedenbeck, J., C. J. Gatchell, and E. S. Walker. 1995. Quality characteristics of Appalachian red oak lumber. *Forest Products Journal*. 45(3)45-50.
- Wilcox, W. W. 1988. Detection of early stages of wood decay with ultrasonic pulse velocity. *Forest Products Journal*, 38(5):68-73.