

The Circle Criterion and Input-to-State Stability for Infinite-Dimensional Systems*

B. Jayawardhana[†], *H. Logemann*[‡], and *E.P. Ryan*[§]

1 Introduction

In this paper, the focus is on absolute stability and input-to-state stability of the feedback interconnection of an infinite-dimensional linear system Σ and a nonlinearity $\Phi : \text{dom}(\Phi) \subset L^2_{\text{loc}}(\mathbb{R}_+, Y) \rightarrow L^2_{\text{loc}}(\mathbb{R}_+, U)$, where $\text{dom}(\Phi)$ denotes the domain of Φ and U and Y (Hilbert spaces) denote the input and output spaces of Σ , respectively (see Figure 1, wherein v is an essentially bounded input signal). The system Σ is assumed to belong to the rather general class of well-posed systems (see, for example, [11, 13] and the references therein) and the nonlinearity is assumed to satisfy a (generalized) sector condition.

In the literature on the circle criterion for infinite-dimensional systems (see, for example, [3, 4, 5, 7, 9, 12], and the references therein), the emphasis is usually on L^2 - or L^∞ -stability and global asymptotic or global exponential stability (or some variants thereof) of feedback systems of the type shown in Figure 1, with a static sector-bounded nonlinearity Φ in the feedback path. The new contribution of this paper as compared to the previous literature is twofold.

(i) In addition to static nonlinearities, we include a class of dynamic nonlinearities which may exhibit bias, but still satisfy a generalized pointwise sector condition.

*Based on research supported by the UK Engineering & Physical Sciences Research Council (Grant Ref: GR/S94582/01).

[†]Department of Discrete Technology and Production Automation, University of Groningen, 9747 AG Groningen, The Netherlands. Email: B.Jayawardhana@rug.nl

[‡]Department of Mathematical Sciences, University of Bath, Bath BA2 7AY, United Kingdom. Email: h1@maths.bath.ac.uk

[§]Department of Mathematical Sciences, University of Bath, Bath BA2 7AY, United Kingdom. Email: epr@maths.bath.ac.uk




Figure 1. Feedback interconnection of linear system Σ and nonlinearity Φ

As specific subclasses, the class of nonlinearities encompasses both static nonlinearities with “negative resistance” and a wide range of hysteretic effects described by so-called Preisach operators.

(ii) The main results of the paper guarantee input-to-state-stability with “bias” (and “standard” input-to-state-stability if the nonlinearity is unbiased), thereby making contact with the important and rapidly developing input-to-state-stability theory in (finite-dimensional) nonlinear control.

As in the classical theory of absolute stability and circle criteria, the methodology involves a “symbiosis” of (generalized) sector data relating to the nonlinearity Φ and properties of the transfer function of the linear system Σ to conclude stability properties of the feedback interconnection. We mention that the viewpoint of this paper is similar in spirit to that of [1]: however, the class of feedback systems considered here is very different to that in [1] as is the methodology adopted.

For sake of brevity, this paper does not contain any proofs: for these we refer to [6].

Notation and terminology. For $\alpha \in \mathbb{R}$, set $\mathbb{C}_\alpha := \{s \in \mathbb{C} : \operatorname{Re} s > \alpha\}$. If S is a non-empty subset of \mathbb{C} , then a set $R \subset S$ is said to be *discrete* in S , if, for every $s \in S$, there exists a neighbourhood N of s such that $N \cap R$ is finite. For Hilbert spaces U and Y , let $\mathcal{B}(U, Y)$ denote the space of all linear bounded operators mapping U to Y . We write $\mathcal{B}(U)$ for $\mathcal{B}(U, U)$. For $T \in \mathcal{B}(U)$, we define

$$\operatorname{Re} T := \frac{1}{2}(T + T^*) \in \mathcal{B}(U).$$

The space of all holomorphic and bounded functions $\mathbb{C}_\alpha \rightarrow \mathcal{B}(U, Y)$ is denoted by $H_\alpha^\infty(\mathcal{B}(U, Y))$. We write $H^\infty(\mathcal{B}(U, Y))$ for $H_0^\infty(\mathcal{B}(U, Y))$. Moreover, in the scalar case (that is $U = Y = \mathbb{C}$), we simply write H_α^∞ , or, if $\alpha = 0$, H^∞ for $H_\alpha^\infty(\mathcal{B}(U, Y))$ and $H^\infty(\mathcal{B}(U, Y))$, respectively. For $\alpha \in \mathbb{R}$, we define the exponentially weighted L^p -space $L_\alpha^p(\mathbb{R}_+, X) := \{f \in L_{\text{loc}}^p(\mathbb{R}_+, U) : f(\cdot) \exp(-\alpha \cdot) \in L^p(\mathbb{R}_+, U)\}$. The Laplace transform is denoted by \mathcal{L} .

2 Well-posed linear systems with nonlinear feedback

There are a number of equivalent definitions of well-posed systems, see, for example, [11, 13] and the references therein. We will be brief in the following and refer the reader to the literature for more details. Throughout, we shall be considering a well-posed system Σ with state-space X , input space U and output space Y , generating operators (A, B, C) , input-output operator G and transfer function \mathbf{G} . Here X , U and Y are separable (complex) Hilbert spaces, A is the generator of a strongly

continuous semigroup $\mathbf{T} = (\mathbf{T}_t)_{t \geq 0}$ on X and $B \in \mathcal{B}(U, X_{-1})$ and $C \in \mathcal{B}(X_1, Y)$, respectively, are admissible control and observations for \mathbf{T} . The spaces X_1 and X_{-1} , respectively, are interpolation and extrapolation spaces associated with X : $X_1 = \text{dom}(A)$ (the domain of A), endowed with the graph norm of A , whilst X_{-1} denotes the completion of X with respect to the norm $\|x\|_{-1} = \|(\xi I - A)^{-1}x\|$, where $\xi \in \rho(A)$, the resolvent set of A (different choices of ξ lead to equivalent norms) and $\|\cdot\|$ denotes the norm on X . The control operator B is said to be *bounded* if it is so as a map from the input space U to the state space X , otherwise is said to be *unbounded*; the observation operator C is said to be *bounded* if it can be extended continuously to X , otherwise, C is said to be *unbounded*.

The so-called Λ -extension C_Λ of C is defined by

$$C_\Lambda z = \lim_{s \rightarrow \infty, s \in \mathbb{R}} C s(sI - A)^{-1} z,$$

with $\text{dom}(C_\Lambda)$ (the domain of C_Λ) consisting of all $z \in X$ for which the above limit exists. The transfer function \mathbf{G} has the property that $\mathbf{G} \in H_\omega^\infty(\mathcal{B}(U, Y))$ for every $\omega > \omega(\mathbf{T})$, where $\omega(\mathbf{T})$ denotes the exponential growth constant of \mathbf{T} . Moreover, the input-output operator $G : L_{\text{loc}}^2(\mathbb{R}_+, U) \rightarrow L_{\text{loc}}^2(\mathbb{R}_+, Y)$ is continuous and shift-invariant; for every $\omega > \omega(\mathbf{T})$, $G \in \mathcal{B}(L_\omega^2(\mathbb{R}_+, U), L_\omega^2(\mathbb{R}_+, Y))$ and

$$(\mathcal{L}(Gu))(s) = \mathbf{G}(s)(\mathcal{L}(u))(s), \quad \forall s \in \mathbb{C}_\omega, \quad \forall u \in L_\omega^2(\mathbb{R}_+, U).$$

In the following, let $s_0 \in \mathbb{C}_{\omega(\mathbf{T})}$ be fixed, but arbitrary. For $x^0 \in X$ and $u \in L_{\text{loc}}^2(\mathbb{R}_+, U)$, let x and y denote the state and output functions of Σ , respectively, corresponding to the initial condition $x(0) = x^0 \in X$ and the input function u . Then $x(t) = \mathbf{T}_t x^0 + \int_0^t \mathbf{T}_{t-\tau} B u(\tau) d\tau$ for all $t \in \mathbb{R}_+$, $x(t) - (s_0 I - A)^{-1} B u(t) \in \text{dom}(C_\Lambda)$ for a.e. $t \in \mathbb{R}_+$ and

$$\begin{aligned} \dot{x}(t) &= A x(t) + B u(t), \quad x(0) = x^0, \quad \text{a.e. } t \in \mathbb{R}_+, \\ y(t) &= C_\Lambda (x(t) - (s_0 I - A)^{-1} B u(t)) + \mathbf{G}(s_0) u(t), \quad \text{a.e. } t \geq 0. \end{aligned} \quad (1)$$

Of course, the differential equation in (1) has to be interpreted in X_{-1} . In the following, we identify Σ and (1) and refer to (1) as a well-posed system.

We say that (1) is *exponentially stable* if $\omega(\mathbf{T}) < 0$ and we say that (1) is *input-output stable* if $\mathbf{G} \in H^\infty(\mathcal{B}(U, Y))$ or, equivalently, if $G \in \mathcal{B}(L^2(\mathbb{R}_+, U), L^2(\mathbb{R}_+, Y))$. Furthermore, (1) is said to be *optimizable*, if for every x^0 , there exists $u \in L^2(\mathbb{R}_+, U)$ such that the function $t \mapsto \mathbf{T}_t x^0 + \int_0^t \mathbf{T}_{t-\tau} B u(\tau) d\tau$ is in $L^2(\mathbb{R}_+, X)$. Writing $X_{-1}^* := (X^*)_{-1}$, we have that $X_{-1}^* = (X_1)^*$ and $C^* \in \mathcal{B}(Y, X_{-1}^*)$ is an admissible control operator for the adjoint semigroup $\mathbf{T}^* = (\mathbf{T}_t^*)_{t \geq 0}$. We say that (1) is *estimatable* if for every x^0 , there exists $u^* \in L^2(\mathbb{R}_+, Y)$ such the function $t \mapsto \mathbf{T}_t^* x^0 + \int_0^t \mathbf{T}_{t-\tau}^* C^* u^*(\tau) d\tau$ is in $L^2(\mathbb{R}_+, X)$.

In the following, we will consider the closed-loop system obtained by applying the nonlinear feedback

$$u = v - \Phi(y) \quad (2)$$

to the well-posed linear system (1), where $v \in L^\infty(\mathbb{R}_+, U)$ and the nonlinear operator $\Phi : \text{dom}(\Phi) \subset L_{\text{loc}}^2(\mathbb{R}_+, Y) \rightarrow L_{\text{loc}}^2(\mathbb{R}_+, U)$ is causal. To define the concept

of a (local) solution of the feedback system given by (1) and (2), we first need to show that Φ can be “localized” in the sense that it can be “extended” to spaces of functions with a finite time horizon. To this end, let $0 < \sigma \leq \infty$ be arbitrary and set

$$\text{dom}_\sigma(\Phi) := \{w \in L^2_{\text{loc}}([0, \sigma], Y) : \forall \tau \in (0, \sigma) \exists w_\tau \in \text{dom}(\Phi) \text{ s.t. } w = w_\tau \text{ on } [0, \tau]\}.$$

Trivially, $\text{dom}_\infty(\Phi) = \text{dom}(\Phi)$. For $w \in \text{dom}_\sigma(\Phi)$ with $\sigma < \infty$, we define $\Phi(w)$ by

$$(\Phi(w))(t) = (\Phi(w_\tau))(t), \quad 0 \leq t \leq \tau < \sigma,$$

where $w_\tau \in \text{dom}(\Phi)$ such that $w = w_\tau$ on $[0, \tau]$. By causality of Φ , this definition does not depend on the choice of τ and thus $\Phi(w)$ is a well-defined element in $L^2_{\text{loc}}([0, \sigma], U)$.

A *solution* on $[0, \sigma]$ (where $0 < \sigma \leq \infty$) of the feedback system given by (1) and (2) is a pair $(x, y) \in C([0, \sigma], X) \times \text{dom}_\sigma(\Phi)$ such that, with u given by (2),

$$x(t) = \mathbf{T}_t x^0 + \int_0^t \mathbf{T}_{t-\tau} B u(\tau) d\tau, \quad \forall t \in [0, \sigma], \quad (3)$$

$$y(t) = C_\Lambda (x(t) - (s_0 I - A)^{-1} B u(t)) + \mathbf{G}(s_0) u(t), \quad \text{a.e. } t \in [0, \sigma]. \quad (4)$$

If $\sigma = \infty$, then we say that (x, y) is a *global solution*. Let \mathcal{S} denote the set of all $(x^0, v) \in X \times L^\infty(\mathbb{R}_+, U)$ for which the feedback system given by (1) and (2) has at least one global solution. If $(x^0, v) \in \mathcal{S}$, then the notation $(x(\cdot; x^0, v), y(\cdot; x^0, v))$ is used to denote any global solution corresponding to the initial condition x^0 and the closed-loop input v . Furthermore, a routine argument based on Zorn’s lemma shows that every solution (x, y) can be extended to a *maximal solution*, that is, to a maximally defined solution which cannot be extended any further. The interval on which a maximal solution is defined is called the *maximal interval of existence* of the solution. We say that the feedback system given by (1) and (2) has the *blow-up property* if for every maximal solution (x, y) defined on a finite maximal interval of existence $[0, \sigma)$, the L^2 -norm of y blows up, that is, $\|y\|_{L^2(0, \tau)} \rightarrow \infty$ as $\tau \uparrow \sigma$. In this paper, we are mainly concerned with stability properties of the feedback system given by (1) and (2): whilst of fundamental importance, the question of existence of solutions is not the main concern here; this question requires addressing on a less general basis, taking into account relevant features of the particular system or subclass of systems under consideration (see [6] for further comments in this context).

3 The sector condition and input-to-state stability

First, we introduce a sector condition on the class of nonlinearities (in due course, this condition will be weakened to a generalized sector condition).

Definition 1. A nonlinearity $\Phi : \text{dom}(\Phi) \subset L^2_{\text{loc}}(\mathbb{R}_+, Y) \rightarrow L^2_{\text{loc}}(\mathbb{R}_+, U)$ satisfies a *sector condition* if there exist operators $K_1, K_2 \in \mathcal{B}(Y, U)$ such that

$$\text{Re} \langle (\Phi(w))(t) - K_1 w(t), (\Phi(w))(t) - K_2 w(t) \rangle \leq 0, \quad \forall w \in \text{dom}(\Phi), \text{ a.e. } t \in \mathbb{R}_+. \quad (5)$$




Figure 2. Sector-bounded static nonlinearity φ

Example 2 (Static nonlinearities). Let $\varphi : Y \rightarrow U$ be continuous and assume that there exist $K_1, K_2 \in \mathcal{B}(Y, U)$ such that

$$\operatorname{Re}\langle \varphi(\xi) - K_1\xi, \varphi(\xi) - K_2\xi \rangle_U \leq 0 \quad \forall \xi \in Y. \quad (6)$$

With φ we may associate the Nemyckii operator $\Phi : L_{\text{loc}}^2(\mathbb{R}_+, Y) \rightarrow L_{\text{loc}}^2(\mathbb{R}_+, U)$, defined by $\Phi(w) := \varphi \circ w$. This operator satisfies the sector condition (5). Such operators provide a simple prototype class for the general nonlinearities considered in this section: at the simplest illustrative level, static sector-bounded scalar nonlinearities $\varphi : \mathbb{R} \rightarrow \mathbb{R}$ of the type shown in Figure 2 (ubiquitous in the literature on the classical circle criterion) are subsumed by the formulation. This observation extends *mutatis mutandis* to encompass time-dependent static nonlinearities $\varphi : \mathbb{R}_+ \times Y \rightarrow U$. \diamond

Anticipating Sections 4 and 5 below, we will also consider static nonlinearities for which the inequality in (6) is assumed to hold only outside some bounded set $E \subset Y$ (see Figure 3). To accommodate these and more general nonlinearities, in Section 4 we will introduce a generalized sector condition and remark here that the generalized formulation encompasses a large class of hysteresis operators, including hysteresis of Preisach type.

Let $K_1, K_2 \in \mathcal{B}(Y, U)$ and define

$$K := \frac{1}{2}(K_1 + K_2), \quad \kappa := \|K_2 - K_1\|^2. \quad (7)$$

We assemble the following hypotheses on the transfer function \mathbf{G} of (1) which will be variously invoked in the theory presented below.

(H1) There exists $\alpha < 0$ and an open set $\Omega \subset \mathbb{C}_\alpha$ such that $\mathbb{C}_\alpha \setminus \Omega$ is discrete in

\mathbb{C}_α and \mathbf{G} is holomorphic on Ω , the frequency-domain condition

$$\mathbf{G}^*(i\omega) \left[\frac{\kappa + \delta}{4} I - K^* K \right] \mathbf{G}(i\omega) \leq I + 2 \operatorname{Re}(K \mathbf{G}(i\omega)), \quad \text{a.e. } \omega \in \mathbb{R}. \quad (8)$$

holds for some $\delta > 0$ and $\mathbf{G}(I + K \mathbf{G})^{-1} \in H^\infty(\mathcal{B}(U, Y))$,

(H2) $\mathbf{G} \in H^\infty(\mathcal{B}(U, Y))$ and there exist $\delta > 0$ and $\rho < 1$ such that (8) holds and

$$\mathbf{G}^*(i\omega) \left[\frac{\kappa + \delta}{4} I - K^* K \right] \mathbf{G}(i\omega) \geq -\rho I, \quad \text{a.e. } \omega \in \mathbb{R}. \quad (9)$$

(H3) There exists an open set $\Omega \subset \mathbb{C}_0$ such that $\mathbb{C}_0 \setminus \Omega$ is discrete in \mathbb{C}_0 and \mathbf{G} is holomorphic on Ω , $I + K \mathbf{G}(s)$ is invertible for all $s \in \Omega$ and the frequency-domain condition

$$\mathbf{G}^*(s) \left[\frac{\kappa + \delta}{4} I - K^* K \right] \mathbf{G}(s) \leq I + 2 \operatorname{Re}(K \mathbf{G}(s)), \quad \forall s \in \Omega \quad (10)$$

holds for some $\delta > 0$.

(H4) There exists an open set $\Omega \subset \mathbb{C}_0$ such that $\mathbb{C}_0 \setminus \Omega$ is discrete in \mathbb{C}_0 and \mathbf{G} is holomorphic on Ω , $K \mathbf{G}(s)$ is compact for all $s \in \Omega$ and the frequency-domain condition (10) holds for some $\delta > 0$.

Remark 3. **(a)** In the case of scalar ‘‘sector data’’, that is $U = Y$ and there exist $k_1, k_2 \in \mathbb{C}$ such that $K_1 = k_1 I$ and $K_2 = k_2 I$, the term

$$\frac{\kappa + \delta}{4} I - K^* K$$

appearing on the left-hand sides of (8)-(10) simplifies to $(\delta/4 - \operatorname{Re}(\bar{k}_1 k_2))I$.

(b) Assume that one of the operators K_1 and K_2 is the zero operator and that the other is a scalar multiple of an isometry. Then it is not difficult to show that (H2) is satisfied, provided that $\mathbf{G} \in H^\infty(\mathcal{B}(U, Y))$ and the positive-real condition

$$\varepsilon I \leq I + 2 \operatorname{Re}(K \mathbf{G}(i\omega)), \quad \text{a.e. } \omega \in \mathbb{R}$$

holds for some $\varepsilon > 0$.

We are now in the position to state the main result of this section.

Theorem 4. *Assume that (1) is optimizable and estimatable and that there exist operators $K_1, K_2 \in \mathcal{B}(Y, U)$ such that Φ satisfies the sector condition (5). Let $K \in \mathcal{B}(Y, U)$ and $\kappa \geq 0$ be given by (7). If at least one of hypotheses (H1)–(H4) holds, then there exist positive constants Γ and γ , such that, for each $(x^0, v) \in \mathcal{S}$,*

$$\|x(t; x^0, v)\| \leq \Gamma (\exp(-\gamma t) \|x^0\| + \|v\|_{L^\infty}), \quad \forall t \in \mathbb{R}_+. \quad (11)$$

For the above theorem to be non-vacuous, \mathcal{S} should be non-empty: thus, there is a tacit assumption of global existence of solutions. However, if the feedback

system given by (1) and (2) has the blow-up property, then it can be shown that the assumptions of Theorem 4 imply that every (local) solution can be extended to a global solution. Furthermore, we emphasize that (11) implies in particular that the feedback system is input-to-state stable in the sense of Sontag (see [10] for a recent survey of the theory of input-to-state stability).

Theorem 4 can be considered as a generalization and refinement of the circle criterion (see, for example, [4, 12]): in particular, it shows that, under the standard assumptions of the circle criterion (see also Corollaries 5 and 6 below), input-to-state stability is guaranteed. The proof of Theorem 4 (see [6]) is based on a well-known exponential weighting technique which has been used to prove stability results of input-output type (see [4, Section V.3] and the references therein). The application of this technique in an input-to-state stability context seems to be new (even in the finite-dimensional case). In particular, whilst the standard text-book version of the circle criterion for finite-dimensional state-space systems is usually proved using Lyapunov techniques combined with the positive-real lemma (see, for example, [12, p. 227]), the approach based on the exponential weighting technique provides a more elementary alternative.

The following corollary considers the case of scalar “sector data”.

Corollary 5. *Assume that (1) is optimizable and estimatable, $U = Y$ and that there exists an open set $\Omega \subset \mathbb{C}_0$ such that $\mathbb{C}_0 \setminus \Omega$ is discrete in \mathbb{C}_0 and \mathbf{G} is holomorphic on Ω . Furthermore, assume that there exist $k_1, k_2 \in \mathbb{C}$ and $\varepsilon > 0$ such that Φ satisfies (5) with $K_1 = k_1 I$ and $K_2 = k_2 I$, $I + k_1 \mathbf{G}(s)$ is invertible for every $s \in \Omega$ and*

$$\operatorname{Re}[(I + k_2 \mathbf{G}(s))(I + k_1 \mathbf{G}(s))^{-1}] \geq \varepsilon I, \quad \forall s \in \Omega. \quad (12)$$

Then there exist positive constants Γ and γ , such that, for each $(x^0, v) \in \mathcal{S}$, (11) holds.

For non-zero real numbers k_1 and k_2 , we define

$$\Delta(k_1, k_2) := \text{open disk in } \mathbb{C} \text{ with centre in } \mathbb{R} \text{ and } -\frac{1}{k_1} \text{ and } -\frac{1}{k_2} \text{ in its boundary.}$$

The next corollary focuses on the single-input-single-output case. In particular, the classical circle criterion is recovered.

Corollary 6. *Assume that (1) is optimizable and estimatable, $U = Y = \mathbb{R}$ and there exist real numbers $k_1 < k_2$ such that*

$$((\Phi(w))(t) - k_1 w(t))((\Phi(w))(t) - k_2 w(t)) \leq 0, \quad \forall w \in \operatorname{dom}(\Phi), \text{ a.e. } t \in \mathbb{R}_+. \quad (13)$$

Then there exist positive constants Γ and γ , such that, for each $(x^0, v) \in \mathcal{S}$, (11) holds, provided that one of the following conditions is satisfied:

(C1) $0 < k_1 < k_2$, $\mathbf{G}/(1 + [(k_1 + k_2)/2]\mathbf{G}) \in H^\infty$, $\mathbf{G}(i\omega)$ is bounded away from $\Delta(k_1, k_2)$ for all $\omega \in \mathbb{R}$ for which $i\omega$ is not a pole of \mathbf{G} ;

(C2) $0 = k_1 < k_2$, $\mathbf{G} \in H^\infty$ and there exists $\delta > 0$ such that $1 + k_2 \operatorname{Re} \mathbf{G}(i\omega) \geq \delta$ for all $\omega \in \mathbb{R}$;




Figure 3. *Static nonlinearity φ satisfying a generalized sector condition*

(C3) $k_1 < 0 < k_2$, $\mathbf{G} \in H^\infty$, $\mathbf{G}(i\omega) \in \Delta(k_1, k_2)$ for all $\omega \in \mathbb{R}$ and $\mathbf{G}(i\omega)$ is bounded away from $\partial\Delta(k_1, k_2)$ for all $\omega \in \mathbb{R}$.

Observe that, in this single-input-single-output setting, the sector condition (13) can be expressed in the equivalent form:

$$k_1 w^2(t) \leq (\Phi(w))(t)w(t) \leq k_2 w^2(t), \quad \forall w \in \text{dom}(\Phi), \text{ a.e. } t \in \mathbb{R}_+. \quad (14)$$

In many situations, the input-output stability condition $\mathbf{G}/(1 + [(k_1 + k_2)/2]\mathbf{G}) \in H^\infty$ (imposed in (C1)) is satisfied, provided that the number of anticlockwise encirclements of $\Delta(k_1, k_2)$ by the Nyquist diagram of \mathbf{G} is equal to the number of poles of \mathbf{G} in \mathbb{C}_0 , see, for example, [4, 12].

4 Generalized sector condition and input-to-state stability with bias

Next, we seek to relax the condition (5) to a *generalized sector condition*. Loosely speaking, we wish to impose the (pointwise) inequality in (5) only when $t \in \mathbb{R}_+$ and $w \in \text{dom}(\Phi)$ are such that $w(t) \in Y \setminus E$, where E (the exceptional set) is some bounded subset of Y . A prototype to bear in mind is the case wherein Φ is the Nemyckiĭ operator, given by $\Phi(w) := \varphi \circ w$, associated with a static nonlinearity $\varphi : \mathbb{R} \rightarrow \mathbb{R}$, of the form shown in Figure 3 (a nonlinearity with negative resistance), satisfying a sector condition outside the interval $E = [-1, 1]$. Extrapolating this prototype to our abstract setting requires care. The issue is to circumvent the technical difficulty engendered by the fact that the general operator Φ has domain $\text{dom}(\Phi) \subset L^2_{\text{loc}}(\mathbb{R}_+, Y)$ and so Φ acts on equivalence classes of functions $\mathbb{R}_+ \rightarrow Y$. Let $w \in L^2_{\text{loc}}(\mathbb{R}_+, Y)$ and $Z \subset Y$ be arbitrary. Let $w_r : \mathbb{R}_+ \rightarrow Y$ be any representative of w and denote the preimage of Z under w_r by $w_r^{-1}(Z) := \{t \in \mathbb{R}_+ : w_r(t) \in Z\}$. Let $\mathbb{I}_{w_r^{-1}(Z)}$ be the indicator or characteristic function of the set $w_r^{-1}(Z)$ and define $\chi_Z(w) \in L^2_{\text{loc}}(\mathbb{R}_+, Y)$ to be the equivalence class of this function,

that is,

$$\chi_Z(w) := [\mathbb{I}_{w_r^{-1}(Z)}].$$

Every choice of representative w_r of w yields the same equivalence class $[\mathbb{I}_{w_r^{-1}(Z)}]$ and so $\chi_Z(w)$ is a well-defined element of $L_{\text{loc}}^2(\mathbb{R}_+, Y)$ for all $w \in L_{\text{loc}}^2(\mathbb{R}_+, Y)$. We are now in a position to define the requisite generalized sector condition.

Definition 7. A nonlinearity $\Phi : \text{dom}(\Phi) \subset L_{\text{loc}}^2(\mathbb{R}_+, Y) \rightarrow L_{\text{loc}}^2(\mathbb{R}_+, U)$ satisfies a *generalized sector condition* if there exist operators $K_1, K_2 \in \mathcal{B}(Y, U)$, a bounded set $E \subset Y$ and a constant $b \geq 0$ such that, for all $w \in \text{dom}(\Phi)$ and a.e. $t \in \mathbb{R}_+$,

$$\text{Re} \langle (\Phi(w))(t) - K_1 w(t), (\Phi(w))(t) - K_2 w(t) \rangle (\chi_{Y \setminus E}(w))(t) \leq 0 \quad (15)$$

and

$$\|(\Phi(w))(t)\| (\chi_E(w))(t) \leq b. \quad (16)$$

The following result generalizes Theorem 4.

Corollary 8. *Assume that (1) is optimizable and estimatable and that there exist operators $K_1, K_2 \in \mathcal{B}(Y, U)$, $b \geq 0$ and a bounded set $E \subset Y$ such that Φ satisfies (15) and (16) for all $w \in \text{dom}(\Phi)$ and a.e. $t \in \mathbb{R}_+$. Let $K \in \mathcal{B}(Y, U)$ and $\kappa \geq 0$ be given by (7). If at least one of hypotheses (H1)–(H4) holds, then there exist positive constants Γ and γ such that, for each $(x^0, v) \in \mathcal{S}$,*

$$\|x(t; x^0, v)\| \leq \Gamma (\exp(-\gamma t) \|x^0\| + \|v\|_{L^\infty} + \beta), \quad \forall t \in \mathbb{R}_+, \quad (17)$$

where

$$\beta := \sup \{ \|(\Phi(w) - Kw)\chi_E(w)\|_{L^\infty} : w \in \text{dom}(\Phi) \} \leq b + \sup_{\xi \in E} \|K\xi\|, \quad (18)$$

In particular, (17) provides an input-to-state stability estimate with bias β (input-to-state stability with bias β). Under the additional assumption that the feedback system given by (1) and (2) has the blow-up property, it can be shown that the hypotheses of Corollary 8 imply that every maximal solution is global, so that every (local) solution can be extended to a global solution (to which then the stability conclusions of Corollary 8 apply).

The following results are generalizations of Corollaries 5 and 6.

Corollary 9. *Assume that (1) is optimizable and estimatable, $U = Y$ and that there exists an open set $\Omega \subset \mathbb{C}_0$ such that $\mathbb{C}_0 \setminus \Omega$ is discrete in \mathbb{C}_0 and \mathbf{G} is holomorphic on Ω . Furthermore, assume that there exist $k_1, k_2 \in \mathbb{C}$, a bounded set $E \subset Y$ and constants $b \geq 0$ and $\varepsilon > 0$ such that, for all $w \in \text{dom}(\Phi)$ and a.e. $t \in \mathbb{R}_+$. Φ satisfies (15) and (16) (with $K_1 = k_1 I$ and $K_2 = k_2 I$), $I + k_1 \mathbf{G}(s)$ is invertible for every $s \in \Omega$ and the positive-real condition*

$$\text{Re}[(I + k_2 \mathbf{G}(s))(I + k_1 \mathbf{G}(s))^{-1}] \geq \varepsilon I, \quad \forall s \in \Omega$$

holds. Then there exist constants $\Gamma > 0$ and $\gamma > 0$ such that, for each $(x^0, v) \in \mathcal{S}$, (17) holds, where $\beta \geq 0$ is given by (18).

Corollary 10. Assume that (1) is optimizable and estimatable, $U = Y = \mathbb{R}$ and there exist real numbers $k_1 < k_2$, a bounded set $E \subset \mathbb{R}$ and $b \geq 0$ such that

$$((\Phi(w))(t) - k_1 w(t))((\Phi(w))(t) - k_2 w(t))(\chi_{Y \setminus E}(w))(t) \leq 0, \quad \forall w \in \text{dom}(\Phi), \text{ a.e. } t \in \mathbb{R}_+$$

and

$$|(\Phi(w))(t)|(\chi_E(w))(t) \leq b, \quad \forall w \in \text{dom}(\Phi), \text{ a.e. } t \in \mathbb{R}_+.$$

If at least one of the conditions (C1)–(C3) of Corollary 6 is satisfied, then there exist $\Gamma > 0$ and $\gamma > 0$ such that, for each $(x^0, v) \in \mathcal{S}$, (17) holds, where

$$\beta := \sup \left\{ \|(\Phi(w) - (k_1 + k_2)w/2)\chi_E(w)\|_{L^\infty} : w \in \text{dom}(\Phi) \right\} \leq b + |k_1 + k_2| \sup_{\xi \in E} |\xi|/2, \quad (19)$$

5 Hysteretic feedback systems

Consider again the feedback interconnection of Figure 1, but now in a single-input ($U = \mathbb{R}$), single-output ($Y = \mathbb{R}$) setting and with a hysteresis operator Φ in the feedback path. An operator $\Phi : C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$ is a *hysteresis operator* if it is causal and rate independent. Here *rate independence* means that $\Phi(w \circ \zeta) = (\Phi w) \circ \zeta$ for every $w \in C(\mathbb{R}_+)$ and every time transformation ζ , where $\zeta : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ is said to be a *time transformation* if it is continuous, non-decreasing and surjective.

For simplicity of presentation, henceforth we restrict attention to the class of Preisach hysteresis operators which model complex hysteresis effects: for example, nested loops in input-output characteristics. A basic building block for the Preisach operator is the hysteresis operator $\mathcal{B}_{\sigma, \xi}$, the so-called *backlash* operator with width $\sigma \geq 0$ and “initial condition” $\xi \in \mathbb{R}$. A discussion of the backlash operator (also called *play* operator) can be found in a number of references, see for example, [2] and [8].

Let $\xi : \mathbb{R}_+ \rightarrow \mathbb{R}$ be a compactly supported and globally Lipschitz function with Lipschitz constant 1. Let μ be a regular signed Borel measure on \mathbb{R}_+ . Denoting Lebesgue measure on \mathbb{R} by μ_L , let $f : \mathbb{R} \times \mathbb{R}_+ \rightarrow \mathbb{R}$ be a locally $(\mu_L \otimes \mu)$ -integrable function and let $f_0 \in \mathbb{R}$. The operator $\mathcal{P}_\xi : C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$ defined by

$$(\mathcal{P}_\xi(w))(t) = \int_0^\infty \int_0^{(\mathcal{B}_{\sigma, \xi(\sigma)}(w))(t)} f(s, \sigma) \mu_L(ds) \mu(d\sigma) + f_0 \quad \forall w \in C(\mathbb{R}_+), \quad \forall t \in \mathbb{R}_+, \quad (20)$$

is called a *Preisach* operator, cf. [2, p. 55]. It is well-known that \mathcal{P}_ξ is a hysteresis operator (this follows from the fact that $\mathcal{B}_{\sigma, \xi(\sigma)}$ is a hysteresis operator for every $\sigma \geq 0$).

Setting $f(\cdot, \cdot) = 1$ and $f_0 = 0$ in (20), we obtain the *Prandtl* operator $\mathcal{P}_\xi : C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$ defined by

$$\mathcal{P}_\xi(w)(t) = \int_0^\infty (\mathcal{B}_{\sigma, \xi(\sigma)}(w))(t) \mu(d\sigma) \quad \forall w \in C(\mathbb{R}_+), \quad \forall t \in \mathbb{R}_+. \quad (21)$$

For $\xi(\cdot) = 0$ and μ given by $\mu(S) = \int_S \mathbb{I}_{[0,5]}(\sigma) d\sigma$ (where $\mathbb{I}_{[0,5]}$ denotes the indicator function of the interval $[0, 5]$), the Prandtl operator is illustrated in Figure 4.




Figure 4. Example of Prandtl hysteresis

The next proposition identifies (rather “mild”) conditions under which the Preisach operator (20) satisfies a generalized sector bound and hence fits into the theory developed in Section 4. For simplicity, we assume that the measure μ and the function f are non-negative (an important case in applications), although the proposition can be extended to signed measures μ and sign-indefinite functions f .

Proposition 11. *Let \mathcal{P}_ξ be the Preisach operator defined in (20). Assume that the measure μ is non-negative, $a_1 := \mu(\mathbb{R}_+) < \infty$ and $a_2 := \int_0^\infty \sigma \mu(d\sigma) < \infty$. Furthermore, assume that*

$$b_1 := \text{ess inf}_{(s,\sigma) \in \mathbb{R} \times \mathbb{R}_+} f(s, \sigma) \geq 0, \quad b_2 := \text{ess sup}_{(s,\sigma) \in \mathbb{R} \times \mathbb{R}_+} f(s, \sigma) < \infty$$

and set

$$a_{\mathcal{P}} := a_1 b_1, \quad b_{\mathcal{P}} := a_1 b_2, \quad c_{\mathcal{P}} := a_2 b_2 + |f_0|. \quad (22)$$

Then, for all $w \in C(\mathbb{R}_+)$ and all $t \in \mathbb{R}_+$,

$$w(t) \geq 0 \implies a_{\mathcal{P}} w(t) - c_{\mathcal{P}} \leq (\mathcal{P}_\xi(w))(t) \leq b_{\mathcal{P}} w(t) + c_{\mathcal{P}}, \quad (23)$$

$$w(t) \leq 0 \implies b_{\mathcal{P}} w(t) - c_{\mathcal{P}} \leq (\mathcal{P}_\xi(w))(t) \leq a_{\mathcal{P}} w(t) + c_{\mathcal{P}}, \quad (24)$$

and, furthermore, for every $\eta > 0$,

$$|w(t)| \geq c_{\mathcal{P}}/\eta \implies (a_{\mathcal{P}} - \eta)w^2(t) \leq (\mathcal{P}_\xi(w))(t)y(t) \leq (b_{\mathcal{P}} + \eta)w^2(t). \quad (25)$$

In particular, for every $\eta > 0$, the generalized sector conditions (15) and (16) hold with $U = \mathbb{R} = Y$, $E = [-c_{\mathcal{P}}/\eta, c_{\mathcal{P}}/\eta]$, $K_1 = (a_{\mathcal{P}} - \eta)I$, $K_2 = (b_{\mathcal{P}} + \eta)I$, and $b = (b_{\mathcal{P}}/\eta + 1)c_{\mathcal{P}}$.

Bibliography

- [1] M. Arcak and A. Teel, Input-to-state stability for a class of Lurie systems, *Automatica*, **38** (2002), 1945-1949.
- [2] M. Brokate and J. Sprekels, *Hysteresis and Phase Transitions*, Springer Verlag, New York, 1996.
- [3] R.F. Curtain, H. Logemann and O. Staffans, Stability results of Popov-type for infinite-dimensional systems with applications to integral control, *Proc. London Mathematical Society*, **86** (2003), 779-816.
- [4] C.A. Desoer and M. Vidyasagar, *Feedback Systems: Input-Output Properties*, Academic Press, New York, 1975.
- [5] P. Grabowski and F.M. Callier, On the circle criterion for boundary control systems in factor form: Lyapunov stability and Lur'e equations, *ESAIM: Control, Optimisation and Calculus of Variations*, **12** (2006), 169-197.
- [6] B. Jayawardhana, H. Logemann and E.P. Ryan, Infinite-dimensional feedback systems: the circle criterion and input-to-state stability, submitted (www.maths.bath.ac.uk/~hl/PUBLICATIONS/jayawardhana_ryan_08.pdf)
- [7] H. Logemann, Circle criteria, small-gain conditions and internal stability for infinite-dimensional systems, *Automatica*, **27** (1991), 677-690.
- [8] H. Logemann & A.D. Mawby, Low-gain integral control of infinite-dimensional regular linear systems subject to input hysteresis, in F. Colonius et al. (eds.) *Advances in Mathematical Systems Theory*, pp. 255-293, Birkhäuser, Boston, 2001.
- [9] H. Logemann and E.P. Ryan, Systems with hysteresis in the feedback loop: existence, regularity and asymptotic behaviour of solutions, *ESAIM: Control, Optimization and Calculus of Variations*, **9** (2003), 169-196.
- [10] E.D. Sontag, Input to state stability: basic concepts and results, in P. Nistri and G. Stefani (eds.) *Nonlinear and Optimal Control Theory*, pp. 163-220, Springer Verlag, Berlin, 2006.
- [11] O.J. Staffans, *Well-Posed Linear Systems*, Cambridge University Press, Cambridge, 2005.
- [12] M. Vidyasagar, *Nonlinear Systems Analysis*, 2nd edition, Prentice-Hall, Englewood Cliffs, NJ, 1993.
- [13] G. Weiss, Regular linear systems with feedback, *Math. Control, Signals, and Syst.*, **7** (1994), 23-57.